

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122222\
 Data File : VW025156.D
 Acq On : 22 Dec 2022 14:31
 Operator : SY/MD
 Sample : N6169-06
 Misc : 5.27g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBQ99

Quant Time: Dec 23 00:45:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 23 00:42:28 2022
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		8.841	114	332834	25.000	ug/L	0.00
28) Chlorobenzene-d5		11.628	117	306153	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.554	152	102144	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.349	65	97982	25.538	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 102.160%		
7) Chloroethane-d5		2.885	69	73021	29.475	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 117.880%		
11) 1,1-Dichloroethene-d2		4.013	63	179012	21.297	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	= 85.200%		
21) 2-Butanone-d5		7.073	46	97267	100.980	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 201.960%#		
24) Chloroform-d		7.647	84	270075	31.435	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 125.760%		
26) 1,2-Dichloroethane-d4		8.305	65	158115	36.291	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	= 145.160%#		
32) Benzene-d6		8.274	84	532803	29.676	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 118.720%		
36) 1,2-Dichloropropane-d6		9.274	67	139236	26.652	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 106.600%		
41) Toluene-d8		10.323	98	450896	27.698	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 110.800%		
43) trans-1,3-Dichloroprop...		10.579	79	72618	32.906	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 131.640%		
47) 2-Hexanone-d5		10.920	63	79507	103.731	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 207.460%#		
56) 1,1,2,2-Tetrachloroeth...		12.688	84	151202	39.194	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 156.760%#		
66) 1,2-Dichlorobenzene-d4		13.853	152	92090	26.599	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 106.400%		
Target Compounds							
13) Acetone		4.129	43	13791	13.928	ug/L	71
16) Methylene chloride		4.915	84	16720	3.214	ug/L	99
34) Trichloroethene		9.091	95	13615	2.741	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122222\
Data File : VW025156.D
Acq On : 22 Dec 2022 14:31
Operator : SY/MD
Sample : N6169-06
Misc : 5.27g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GBQ99

Quant Time: Dec 23 00:45:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 23 00:42:28 2022
Response via : Initial Calibration

