

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122222\
 Data File : VW025175.D
 Acq On : 23 Dec 2022 00:48
 Operator : SY/MD
 Sample : N6193-04
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGSL9

Quant Time: Dec 23 03:36:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 23 02:08:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	327838	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	275553	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	117526	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	48269	12.772	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	51.080%
7) Chloroethane-d5	2.885	69	37128	15.215	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.840%
11) 1,1-Dichloroethene-d2	4.013	63	117409	14.181	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.720%
21) 2-Butanone-d5	7.074	46	41857	44.117	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.240%
24) Chloroform-d	7.647	84	200982	23.750	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.000%
26) 1,2-Dichloroethane-d4	8.305	65	116552	27.159	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	108.640%
32) Benzene-d6	8.275	84	374741	23.190	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.760%
36) 1,2-Dichloropropane-d6	9.275	67	105124	22.357	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.440%
41) Toluene-d8	10.323	98	331596	22.632	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.520%
43) trans-1,3-Dichloroprop...	10.579	79	47711	24.021	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	96.080%
47) 2-Hexanone-d5	10.921	63	33648	48.775	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.540%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	85580	24.647	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.600%
66) 1,2-Dichlorobenzene-d4	13.847	152	91711	23.022	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.080%
Target Compounds					Qvalue	
13) Acetone	4.123	43	5801	5.948	ug/L	93
62) 1,3,5-Trimethylbenzene	12.938	105	21790	1.412	ug/L	98
63) 1,2,4-Trimethylbenzene	13.249	105	53114	3.543	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122222\
Data File : VW025175.D
Acq On : 23 Dec 2022 00:48
Operator : SY/MD
Sample : N6193-04
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGSL9

Quant Time: Dec 23 03:36:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 23 02:08:31 2022
Response via : Initial Calibration









#13
Acetone
Concen: 5.948 ug/L
RT: 4.123 min Scan# 364
Delta R.T. 0.006 min
Lab File: VW025175.D
Acq: 23 Dec 2022 00:48




Instrument :
MSVOA_W
ClientSampleId :
BGSL9


Tgt Ion: 43 Resp: 5801
Ion Ratio Lower Upper
43 100
58 28.8 0.0 65.2



#62
1,3,5-Trimethylbenzene
Concen: 1.412 ug/L
RT: 12.938 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VW025175.D
Acq: 23 Dec 2022 00:48

Tgt Ion: 105 Resp: 21790
Ion Ratio Lower Upper
105 100
120 48.9 38.0 57.0





#63
 1,2,4-Trimethylbenzene
 Concen: 3.543 ug/L
 RT: 13.249 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: VW025175.D
 Acq: 23 Dec 2022 00:48

Instrument :
 MSVOA_W
 ClientSampleId :
 BGSL9

Tgt Ion:105 Resp: 53114
 Ion Ratio Lower Upper
 105 100
 120 43.1 36.1 54.1

