

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122722\
 Data File : VW025211.D
 Acq On : 27 Dec 2022 11:44
 Operator : SY/MD
 Sample : N6193-19
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Quant Time: Dec 28 00:53:17 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Dec 28 00:52:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	565242	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	500697	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	235359	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	126465	19.409	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.640%		
7) Chloroethane-d5	2.885	69	90136	21.423	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	85.680%		
11) 1,1-Dichloroethene-d2	4.013	63	225785	15.817	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.280%		
21) 2-Butanone-d5	7.074	46	78040	47.707	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.420%		
24) Chloroform-d	7.647	84	310382	21.273	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.080%		
26) 1,2-Dichloroethane-d4	8.305	65	159955	21.618	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	86.480%		
32) Benzene-d6	8.275	84	673457	22.935	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.760%		
36) 1,2-Dichloropropane-d6	9.268	67	180790	21.160	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	84.640%		
41) Toluene-d8	10.323	98	595360	22.362	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.440%		
43) trans-1,3-Dichloroprop...	10.579	79	78034	21.621	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	86.480%		
47) 2-Hexanone-d5	10.920	63	62221	49.637	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.280%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	144595	22.918	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	91.680%		
66) 1,2-Dichlorobenzene-d4	13.847	152	190916	23.932	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	95.720%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122722\
Data File : VW025211.D
Acq On : 27 Dec 2022 11:44
Operator : SY/MD
Sample : N6193-19
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: Dec 28 00:53:17 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Dec 28 00:52:08 2022
Response via : Initial Calibration

