

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF011019\
 Data File : VF061349.D
 Acq On : 10 Jan 2019 17:42
 Operator : VA/AP
 Sample : K1087-11RE
 Misc : 5.57g/5mL/MSVOA-F/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jan 11 00:32:00 2019
 Quant Method : Z:\HPCHEM1\MSVOA_F\METHODS\82F010819S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 09 07:13:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	0.00	168	0	0.00	ug/l	-4.87
34) 1,4-Difluorobenzene	5.25	114	60	50.00	ug/l	-0.36
63) Chlorobenzene-d5	0.00	117	0	0.00	ug/l	-9.79
72) 1,4-Dichlorobenzene-d4	12.57	152	75	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	0.00	65	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
35) Dibromofluoromethane	0.00	113	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
50) Toluene-d8	0.00	98	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
62) 4-Bromofluorobenzene	10.67	95	120	202.28	ug/l	-0.74
Spiked Amount	50.000		Recovery	=	404.56%	


Target Compounds


					Qvalue	
37) Ethyl Acetate	3.84	43	100	391.923	ug/l #	1
39) Methylcyclohexane	5.03	83	73	83.267	ug/l #	68
41) Methacrylonitrile	4.42	41	102	715.860	ug/l #	24
43) Isopropyl Acetate	6.54	43	88	261.235	ug/l #	45
46) Dibromomethane	5.77	93	62	242.753	ug/l #	8
47) Bromodichloromethane	5.92	83	62	97.607	ug/l #	25
48) Methyl methacrylate	6.29	41	62	283.553	ug/l #	21
51) 4-Methyl-2-Pentanone	7.76	43	321	1262.477	ug/l #	38
53) t-1,3-Dichloropropene	7.84	75	88	176.411	ug/l #	44
59) 2-Hexanone	8.87	43	77	427.464	ug/l #	27
74) N-amyl acetate	11.35	43	113	75.323	ug/l #	37
80) 1,3,5-Trimethylbenzene	11.72	105	75	14.282	ug/l #	27
83) tert-Butylbenzene	12.15	119	62	11.850	ug/l #	29
84) 1,2,4-Trimethylbenzene	12.22	105	302	57.924	ug/l #	28
85) sec-Butylbenzene	12.25	105	78	10.470	ug/l #	57
86) p-Isopropyltoluene	12.37	119	75	12.378	ug/l #	50
89) n-Butylbenzene	12.89	91	76	12.207	ug/l #	27
90) Hexachloroethane	12.96	117	79	56.997	ug/l #	23

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF011019\
Data File : VF061349.D
Acq On : 10 Jan 2019 17:42
Operator : VA/AP
Sample : K1087-11RE
Misc : 5.57g/5mL/MSVOA-F/SOIL
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jan 11 00:32:00 2019
Quant Method : Z:\HPCHEM1\MSVOA_F\METHODS\82F010819S.M
Quant Title : SW846 8260
QLast Update : Wed Jan 09 07:13:51 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 0.000 ug/l

Expected RT: 4.87 min

Lab File: VF061349.D



Acq: 10 Jan 2019 17:42

Tot Ion: 168

Sig Exp Ratio

168 100

99 65.9



#33

1,2-Dichloroethane-d4

Concen: 0.000 ug/l

Expected RT: 4.85 min

Lab File: VF061349.D


Acq: 10 Jan 2019 17:42


Tgt Ion: 65

Sig Exp Ratio

65 100


67 49.1








#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.25 min Scan# 468
 Delta R.T. -0.36 min
 Lab File: VF061349.D
 Acq: 10 Jan 2019 17:42

Tot Ion:114 Resp: 60
 Ion Ratio Lower Upper
 114 100
 63 0.0 0.0 42.8
 88 0.0 0.0 40.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 63.00 (62.70 to 63.70): VF0
 Ion 88.00 (87.70 to 88.70): VF0




#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 4.11 min

Lab File: VF061349.D
 Acq: 10 Jan 2019 17:42

Tgt Ion: 113
 Sig Exp Ratio
 113 100
 111 97.5
 192 13.3





#37

Ethyl Acetate

Concen: 391.923 ug/l

RT: 3.84 min Scan# 325


Delta R.T. -0.28 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42

Tot Ion: 43 Resp: 100




Ion	Ratio	Lower	Upper
43	100		
61	0.0	113.3	169.9#
70	0.0	9.4	14.0#



Abundance Ion 43.00 (42.70 to 43.70): VF0

Ion 61.00 (60.70 to 61.70): VF0

Ion 70.00 (69.70 to 70.70): VF0



#39

Methylcyclohexane

Concen: 83.267 ug/l

RT: 5.03 min Scan# 446


Delta R.T. -0.44 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42

Tgt Ion: 83 Resp: 73



Ion	Ratio	Lower	Upper
83	100		
55	91.1	66.4	99.6
98	0.0	39.1	58.7#




Abundance Ion 83.00 (82.70 to 83.70): VF0

Ion 55.00 (54.70 to 55.70): VF0

Ion 98.00 (97.70 to 98.70): VF0





#41

Methacrylonitrile

Concen: 715.860 ug/l

RT: 4.42 min Scan# 384





Delta R.T. -0.33 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42

Tot Ion: 41 Resp: 102

Ion	Ratio	Lower	Upper
41	100		
39	0.0	52.7	79.1#
67	0.0	41.4	62.2#
52	0.0	33.0	49.4#



#43

Isopropyl Acetate

Concen: 261.235 ug/l

RT: 6.54 min Scan# 599




Delta R.T. -0.43 min


Lab File: VF061349.D

Acq: 10 Jan 2019 17:42

Tgt Ion: 43 Resp: 88

Ion	Ratio	Lower	Upper
43	100		
61	0.0	24.3	36.5#
87	0.0	0.2	0.4#





#46

Dibromomethane

Concen: 242.753 ug/l

RT: 5.77 min Scan# 521

Delta R.T. -0.32 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42


Tot Ion: 93 Resp: 62

Ion Ratio Lower Upper

93 100

95 0.0 68.8 103.2#




174 0.0 62.9 94.3#



Abundance Ion 93.00 (92.70 to 93.70): VF0

Ion 95.00 (94.70 to 95.70): VF0

Ion 174.00 (173.70 to 174.70): V



#47

Bromodichloromethane

Concen: 97.607 ug/l

RT: 5.92 min Scan# 536

Delta R.T. -0.47 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42


Tgt Ion: 83 Resp: 62

Ion Ratio Lower Upper

83 100

85 0.0 50.4 75.6#



127 0.0 6.4 9.6#




Abundance Ion 83.00 (82.70 to 83.70): VF0

Ion 85.00 (84.70 to 85.70): VF0





Ion 127.00 (126.70 to 127.70): V






#48
Methyl methacrylate
Concen: 283.553 ug/l
RT: 6.29 min Scan# 574
Delta R.T. -0.43 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42


Tot Ion: 41 Resp: 62
Ion Ratio Lower Upper
41 100
69 0.0 51.5 77.3#
39 0.0 44.1 66.1#



#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 7.57 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42





Tgt Ion: 98
Sig Exp Ratio
98 100
100 69.5








#51
4-Methyl-2-Pentanone
Concen: 1262.477 ug/l
RT: 7.76 min Scan# 723
Delta R.T. -0.50 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42


Tot Ion: 43 Resp: 321
Ion Ratio Lower Upper
43 100
58 0.0 29.6 44.4#



#53
t-1,3-Dichloropropene
Concen: 176.411 ug/l
RT: 7.84 min Scan# 731
Delta R.T. -0.44 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42


Tgt Ion: 75 Resp: 88
Ion Ratio Lower Upper
75 100
77 0.0 24.7 37.1#








#59
2-Hexanone
Concen: 427.464 ug/l
RT: 8.87 min Scan# 835
Delta R.T. -0.63 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42

Tot Ion: 43 Resp: 77
Ion Ratio Lower Upper
43 100
58 0.0 25.6 76.8#




Abundance Ion 43.00 (42.70 to 43.70): VF0
Ion 58.00 (57.70 to 58.70): VF0






#62
4-Bromofluorobenzene
Concen: 202.279 ug/l
RT: 10.67 min Scan# 1018
Delta R.T. -0.74 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42

Tgt Ion: 95 Resp: 120
Ion Ratio Lower Upper
95 100
174 0.0 0.0 114.2
176 0.0 0.0 117.8





Abundance Ion 95.00 (94.70 to 95.70): VF0
Ion 174.00 (173.70 to 174.70): V
Ion 176.00 (175.70 to 176.70): V








#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 9.79 min
 Lab File: VF061349.D
 Acq: 10 Jan 2019 17:42


Tot Ion	117
Exp Ratio	100
82	56.6
119	31.7



#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 12.57 min Scan# 1210
 Delta R.T. 0.01 min
 Lab File: VF061349.D
 Acq: 10 Jan 2019 17:42





Tgt Ion	152	Resp	75
Ion Ratio	100		
115	0.0	29.6	88.9#
150	0.0	0.0	315.4








#74
N-amvl acetate
Concen: 75.323 ug/l
RT: 11.35 min Scan# 1087
Delta R.T. -0.02 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42


Tot Ion: 43 Resp: 113
Ion Ratio Lower Upper
43 100
70 0.0 27.4 41.0#
55 57.1 14.7 22.1#
61 0.0 19.0 28.4#



#80
1,3,5-Trimethylbenzene
Concen: 14.282 ug/l
RT: 11.72 min Scan# 1124
Delta R.T. -0.11 min
Lab File: VF061349.D
Acq: 10 Jan 2019 17:42

Tgt Ion: 105 Resp: 75
Ion Ratio Lower Upper
105 100
120 0.0 25.2 75.6#





#83

tert-Butylbenzene

Concen: 11.850 ug/l


RT: 12.15 min Scan# 1168

Delta R.T. 0.02 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42




Tot Ion	Ratio	Lower	Upper
119	100		
91	0.0	30.8	92.4#
134	0.0	11.9	35.9#



Abundance Ion 119.00 (118.70 to 119.70): V

Ion 91.00 (90.70 to 91.70): VF0

Ion 134.00 (133.70 to 134.70): V



#84

1,2,4-Trimethylbenzene

Concen: 57.924 ug/l


RT: 12.22 min Scan# 1175

Delta R.T. 0.01 min

Lab File: VF061349.D



Acq: 10 Jan 2019 17:42


Tgt Ion	Ratio	Lower	Upper
105	100		
120	0.0	24.7	74.1#



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V





#85

sec-Butylbenzene

Concen: 10.470 ug/l

RT: 12.25 min Scan# 1178

Delta R.T. -0.06 min

Lab File: VF061349.D


Acq: 10 Jan 2019 17:42

Tot Ion:105 Resp: 78

Ion Ratio Lower Upper

105 100

134 0.0 9.7 28.9#



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 134.00 (133.70 to 134.70): V

12.25



100

50

0

12.24 12.26 12.28

Time-->



#86

p-Isopropyltoluene

Concen: 12.378 ug/l

RT: 12.37 min Scan# 1190

Delta R.T. -0.10 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42


Tgt Ion:119 Resp: 75

Ion Ratio Lower Upper

119 100

134 0.0 13.0 39.0#

91 0.0 12.2 36.4#



Abundance Ion 119.00 (118.70 to 119.70): V

Ion 134.00 (133.70 to 134.70): V

Ion 91.00 (90.70 to 91.70): VF0

12.37


100


50

0

12.34 12.36 12.38 12.40

Time-->





#89

n-Butylbenzene

Concen: 12.207 ug/l

RT: 12.89 min Scan# 1243

Delta R.T. 0.04 min

Lab File: VF061349.D

Acq: 10 Jan 2019 17:42


Tot Ion: 91 Resp: 76

Ion Ratio Lower Upper

91 100

92 0.0 32.1 96.3#




134 0.0 13.4 40.1#



Abundance Ion 91.00 (90.70 to 91.70): VF0

Ion 92.00 (91.70 to 92.70): VF0

Ion 134.00 (133.70 to 134.70): V



#90

Hexachloroethane

Concen: 56.997 ug/l

RT: 12.96 min Scan# 1250

Delta R.T. 0.04 min

Lab File: VF061349.D


Acq: 10 Jan 2019 17:42

Tgt Ion: 117 Resp: 79

Ion Ratio Lower Upper

117 100

201 0.0 27.9 83.7#



Abundance Ion 117.00 (116.70 to 117.70): V

Ion 201.00 (200.70 to 201.70): V

