

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF022519\
 Data File : VF061727.D
 Acq On : 25 Feb 2019 13:43
 Operator : VA/AP
 Sample : K1356-09
 Misc : 5.97g/5mL/MSVOA-F/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 SU-02-022219-A

Quant Time: Feb 26 04:31:38 2019
 Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F021319S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 14 03:27:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	0.00	168	0	0.00	ug/l	-4.89
34) 1,4-Difluorobenzene	0.00	114	0	0.00	ug/l	-5.61
63) Chlorobenzene-d5	0.00	117	0	0.00	ug/l	-9.79
72) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ug/l	-12.56

System Monitoring Compounds		R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4		4.91	65	63	0.00	ug/l	0.05
Spiked Amount	50.000			Recovery	=	0.00%	
35) Dibromofluoromethane		0.00	113	0	0.00	ug/l	
Spiked Amount	50.000			Recovery	=	0.00%	
50) Toluene-d8		7.47	98	61	0.00	ug/l	-0.09
Spiked Amount	50.000			Recovery	=	0.00%	
62) 4-Bromofluorobenzene		11.41	95	65	0.00	ug/l	0.00
Spiked Amount	50.000			Recovery	=	0.00%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF022519\
Data File : VF061727.D
Acq On : 25 Feb 2019 13:43
Operator : VA/AP
Sample : K1356-09
Misc : 5.97g/5mL/MSVOA-F/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
SU-02-022219-A

Quant Time: Feb 26 04:31:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F021319S.M
Quant Title : SW846 8260
QLast Update : Thu Feb 14 03:27:56 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 0.000 ug/l

Expected RT: 4.89 min

Lab File: VF061727.D

Acq: 25 Feb 2019 13:43

Tot Ion: 168

Sig Exp Ratio

168 100



99 43.6

Instrument :

MSVOA_F

ClientSampleId :

SU-02-022219-A



#33

1,2-Dichloroethane-d4

Concen: 0.000 ug/l

RT: 4.91 min Scan# 434

Delta R.T. 0.05 min

Lab File: VF061727.D




Acq: 25 Feb 2019 13:43


Tgt Ion: 65 Resp: 63

Ion Ratio Lower Upper

65 100

67 0.0 0.0 104.0







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 5.61 min
 Lab File: VF061727.D
 Acq: 25 Feb 2019 13:43


Instrument :
 MSVOA_F
 ClientSampleId :
 SU-02-022219-A


Tot Ion	114
Sig	Exp Ratio
114	100
63	18.3
88	17.2



#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 4.12 min
 Lab File: VF061727.D
 Acq: 25 Feb 2019 13:43

Tgt Ion	113
Sig	Exp Ratio
113	100
111	98.5
192	16.7





#50

Toluene-d8

Concen: 0.000 ug/l

RT: 7.47 min Scan# 694

Delta R.T. -0.09 min

Lab File: VF061727.D

Acq: 25 Feb 2019 13:43

Instrument :

MSVOA_F

ClientSampleId :


SU-02-022219-A

Tot Ion: 98 Resp: 61

Ion Ratio Lower Upper

98 100


100 0.0 55.4 83.2#




Abundance Ion 98.00 (97.70 to 98.70): VF0

Ion 100.00 (99.70 to 100.70): VF

7.47



Time--> 7.44 7.46 7.48 7.50



#62

4-Bromofluorobenzene

Concen: 0.000 ug/l

RT: 11.41 min Scan# 1093

Delta R.T. -0.01 min

Lab File: VF061727.D

Acq: 25 Feb 2019 13:43


Tgt Ion: 95 Resp: 65

Ion Ratio Lower Upper

95 100

174 0.0 0.0 165.8

176 0.0 0.0 167.0




Abundance Ion 95.00 (94.70 to 95.70): VF0


Ion 174.00 (173.70 to 174.70): V

Ion 176.00 (175.70 to 176.70): V

11.41





Time--> 11.38 11.40 11.42



#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 9.79 min
 Lab File: VF061727.D
 Acq: 25 Feb 2019 13:43

Instrument :
 MSVOA_F
 ClientSampleId :
 SU-02-022219-A

Tot Ion	117
Sig	Exp Ratio
117	100
82	49.1
119	33.3



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 12.56 min
 Lab File: VF061727.D
 Acq: 25 Feb 2019 13:43

Tgt Ion	152
Sig	Exp Ratio
152	100
115	48.5
150	156.0

