

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF030819\
 Data File : VF061879.D
 Acq On : 8 Mar 2019 23:06
 Operator : VA/AP
 Sample : K1807-29
 Misc : 5.03g/5mL/MSVOA-F/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 TP-14

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
 Title : SW846 8260

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.062	40	44	45	rBV3	3691	6960	4.23%	0.605%
2	1.171	52	55	57	rBV4	1520	2757	1.68%	0.240%
3	1.269	63	65	67	rVV3	1277	2128	1.29%	0.185%
4	1.309	67	69	70	rVB	1947	1728	1.05%	0.150%
5	1.338	70	72	73	rBV2	2118	2445	1.49%	0.213%
6	1.368	73	75	76	rBV2	1470	1705	1.04%	0.148%
7	1.595	95	98	100	rVB3	2083	3354	2.04%	0.292%
8	1.644	100	103	104	rBV2	2548	4911	2.99%	0.427%
9	1.713	108	110	113	rBV4	2457	4312	2.62%	0.375%
10	1.861	123	125	128	rVB3	2293	3221	1.96%	0.280%
11	2.058	144	145	149	rBV4	1683	3188	1.94%	0.277%
12	2.245	163	164	167	rVB3	2777	3034	1.84%	0.264%
13	2.295	167	169	170	rVB2	1920	2230	1.36%	0.194%
14	2.324	170	172	174	rBV2	1805	2900	1.76%	0.252%
15	2.374	174	177	183	rVB4	3770	7816	4.75%	0.680%
16	2.512	187	191	193	rBV4	3576	6844	4.16%	0.595%
17	2.591	198	199	203	rBV4	1749	3441	2.09%	0.299%
18	2.699	208	210	213	rVB4	2505	2886	1.75%	0.251%
19	2.886	228	229	232	rVB3	2512	2165	1.32%	0.188%
20	3.034	243	244	247	rVB2	5357	5342	3.25%	0.465%
21	3.153	254	256	260	rBV2	1409	2514	1.53%	0.219%
22	3.222	262	263	268	rVB2	1302	1818	1.11%	0.158%
23	3.981	338	340	342	rBV	2035	4090	2.49%	0.356%
24	4.010	342	343	346	rVV2	2635	3975	2.42%	0.346%
25	4.099	346	352	360	rVB5	19617	61775	37.56%	5.373%
26	4.326	372	375	376	rBV2	1291	1763	1.07%	0.153%
27	4.385	379	381	384	rVV2	1502	2705	1.64%	0.235%
28	4.849	422	428	439	rVV2	46906	164484	100.00%	14.307%
29	5.184	460	462	466	rVB2	1164	1748	1.06%	0.152%
30	5.578	496	502	512	rBV	51586	144871	88.08%	12.601%
31	5.697	512	514	519	rVV2	1435	3854	2.34%	0.335%
32	5.766	519	521	522	rVV	1441	1876	1.14%	0.163%
33	5.785	522	523	527	rVV2	1692	2358	1.43%	0.205%
34	5.894	531	534	535	rVV2	1409	2321	1.41%	0.202%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF030819\
 Data File : VF061879.D
 Acq On : 8 Mar 2019 23:06
 Operator : VA/AP
 Sample : K1807-29
 Misc : 5.03g/5mL/MSVOA-F/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 TP-14

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
 Title : SW846 8260

35	5.914	535	536	539	rVV	1385	1981	1.20%	0.172%
36	6.061	549	551	557	rVV2	1128	2914	1.77%	0.253%
37	6.209	565	566	569	rVV	1043	1987	1.21%	0.173%
38	6.377	581	583	586	rVV	1594	2347	1.43%	0.204%
39	6.850	629	631	636	rBV2	670	1863	1.13%	0.162%
40	6.939	636	640	641	rVV	1384	1791	1.09%	0.156%
41	7.028	647	649	655	rVB3	1626	2940	1.79%	0.256%
42	7.541	696	701	708	rBV	61523	147727	89.81%	12.849%
43	7.787	725	726	728	rBV	27747	18461	11.22%	1.606%
44	8.201	764	768	773	rVV5	3312	8205	4.99%	0.714%
45	8.438	787	792	795	rBV3	1183	2650	1.61%	0.230%
46	8.773	823	826	829	rBV2	1169	2080	1.26%	0.181%
47	8.951	842	844	845	rBV	1597	1903	1.16%	0.166%
48	9.306	876	880	881	rVV2	963	2062	1.25%	0.179%
49	9.335	881	883	886	rVB2	1267	2055	1.25%	0.179%
50	9.375	886	887	890	rBV2	1194	1741	1.06%	0.151%
51	9.641	906	914	917	rBV4	1538	6206	3.77%	0.540%
52	9.759	921	926	932	rBV	53098	122373	74.40%	10.644%
53	9.917	940	942	946	rBV2	1674	2008	1.22%	0.175%
54	10.065	954	957	961	rBV2	1283	2501	1.52%	0.218%
55	10.164	966	967	972	rVB	1088	1743	1.06%	0.152%
56	10.262	974	977	978	rBV	989	1795	1.09%	0.156%
57	10.558	1004	1007	1010	rBV2	1096	1909	1.16%	0.166%
58	10.696	1019	1021	1022	rVB	2234	2092	1.27%	0.182%
59	10.726	1022	1024	1026	rBV2	1465	2661	1.62%	0.231%
60	11.090	1057	1061	1065	rVB3	1276	3404	2.07%	0.296%
61	11.248	1074	1077	1079	rBV3	1139	2084	1.27%	0.181%
62	11.347	1085	1087	1089	rVB2	1225	1771	1.08%	0.154%
63	11.406	1089	1093	1099	rBV	42791	87153	52.99%	7.581%
64	11.495	1100	1102	1104	rVB2	2055	2678	1.63%	0.233%
65	11.554	1104	1108	1114	rBV2	14123	29093	17.69%	2.531%
66	11.692	1119	1122	1123	rVV	1202	1701	1.03%	0.148%
67	11.791	1127	1132	1135	rBV2	900	2968	1.80%	0.258%
68	12.106	1161	1164	1169	rBV2	1529	3731	2.27%	0.325%
69	12.274	1178	1181	1182	rVB2	1778	2803	1.70%	0.244%
70	12.491	1200	1203	1204	rVV2	928	1776	1.08%	0.154%
71	12.540	1205	1208	1216	rVB	72116	117714	71.57%	10.239%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF030819\
 Data File : VF061879.D
 Acq On : 8 Mar 2019 23:06
 Operator : VA/AP
 Sample : K1807-29
 Misc : 5.03g/5mL/MSVOA-F/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 TP-14

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
 Title : SW846 8260


72	12.688	1220	1223	1224	rVB2	1417	1998	1.21%	0.174%
73	12.816	1235	1236	1240	rBV2	1741	3789	2.30%	0.330%
74	12.885	1240	1243	1247	rVB2	1678	2674	1.63%	0.233%
75	12.964	1247	1251	1253	rVB	1099	2258	1.37%	0.196%
76	13.013	1253	1256	1259	rBV2	906	1740	1.06%	0.151%
77	13.220	1274	1277	1278	rBV2	1049	1831	1.11%	0.159%
78	13.240	1278	1279	1281	rBV2	1338	1865	1.13%	0.162%
79	13.368	1291	1292	1296	rBV	1566	1779	1.08%	0.155%
80	13.575	1310	1313	1315	rVB3	1828	2908	1.77%	0.253%
81	13.605	1315	1316	1319	rBV2	1253	2054	1.25%	0.179%
82	14.009	1355	1357	1359	rBV2	1255	2050	1.25%	0.178%
83	14.226	1377	1379	1382	rVB2	1404	2376	1.44%	0.207%
84	14.591	1413	1416	1418	rBV2	1382	1968	1.20%	0.171%
85	14.690	1424	1426	1428	rBV3	1458	2333	1.42%	0.203%
86	14.759	1431	1433	1436	rVV2	1225	2352	1.43%	0.205%
87	14.946	1449	1452	1456	rVB2	2053	5279	3.21%	0.459%
88	14.995	1456	1457	1460	rBV3	1406	2713	1.65%	0.236%
89	15.133	1469	1471	1472	rBV	1460	1901	1.16%	0.165%
90	15.183	1475	1476	1479	rVB	2212	2252	1.37%	0.196%
91	15.242	1479	1482	1485	rBV2	1304	3350	2.04%	0.291%
92	15.439	1499	1502	1503	rVB2	1700	2507	1.52%	0.218%
93	15.479	1503	1506	1508	rBV3	1608	3561	2.16%	0.310%
94	15.567	1510	1515	1517	rVB3	1325	3235	1.97%	0.281%
95	15.617	1517	1520	1523	rBV2	1284	2713	1.65%	0.236%
96	15.666	1523	1525	1527	rBV3	1354	2334	1.42%	0.203%
97	15.745	1529	1533	1534	rBV4	1100	1978	1.20%	0.172%
98	15.774	1534	1536	1537	rVV2	1288	1899	1.15%	0.165%
99	15.843	1539	1543	1544	rVV3	2155	3680	2.24%	0.320%
100	15.912	1548	1550	1552	rBV	1725	1914	1.16%	0.166%

Sum of corrected areas: 1149681

Instrument :
MSVOA_F
ClientSampleId :
TP-14

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_F\METHODS\82F030419S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_F\DATA\VF030819\
Data File : VF061879.D
Acq On : 8 Mar 2019 23:06
Operator : VA/AP
Sample : K1807-29
Misc : 5.03g/5mL/MSVOA-F/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
TP-14

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_F\DATA\VF030819\
Data File : VF061879.D
Acq On : 8 Mar 2019 23:06
Operator : VA/AP
Sample : K1807-29
Misc : 5.03g/5mL/MSV0A-F/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSV0A_F
ClientSampleId :
TP-14

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_F\METHODS\82F030419S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc