

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF032619\
 Data File : VF062151.D
 Acq On : 26 Mar 2019 17:41
 Operator : VA/AP
 Sample : K2091-01RE
 Misc : 5.42g/5mL/MSVOA-F/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :

Quant Time: Mar 27 05:17:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F032219S.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 23 01:16:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.86	168	222708	50.00	ug/l	-0.05
34) 1,4-Difluorobenzene	5.58	114	350275	50.00	ug/l	-0.05
63) Chlorobenzene-d5	9.76	117	239020	50.00	ug/l	-0.05
72) 1,4-Dichlorobenzene-d4	12.54	152	82861	50.00	ug/l	-0.03

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	4.83	65	70430	42.52	ug/l	-0.05
Spiked Amount			Recovery	=	85.04%	
35) Dibromofluoromethane	4.10	113	99659	42.06	ug/l	-0.05
Spiked Amount			Recovery	=	84.12%	
50) Toluene-d8	7.54	98	227843	32.21	ug/l	-0.05
Spiked Amount			Recovery	=	64.42%	
62) 4-Bromofluorobenzene	11.40	95	71769	26.28	ug/l	-0.04
Spiked Amount			Recovery	=	52.56%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
11) Tert butyl alcohol	2.56	59	976	10.708	ug/l #	66
18) Methyl Acetate	2.35	43	3653	4.392	ug/l #	56
20) Methylene Chloride	2.18	84	2907	Below Cal	#	78
29) Tetrahydrofuran	4.08	42	571	1.804	ug/l #	55
49) 1,4-Dioxane	6.27	88	115	13.035	ug/l #	1
68) m/p-Xylenes	10.11	106	11701	4.025	ug/l	94
69) o-Xylene	10.70	106	7674	2.521	ug/l	91
79) 2-Chlorotoluene	11.70	91	4078	1.084	ug/l #	38
80) 1,3,5-Trimethylbenzene	11.81	105	11860	2.473	ug/l	99
83) tert-Butylbenzene	12.19	119	5652	1.126	ug/l #	62
84) 1,2,4-Trimethylbenzene	12.19	105	46150	9.816	ug/l	99
95) Naphthalene	14.44	128	4254	1.402	ug/l #	53
96) 1,2,3-Trichlorobenzene	14.63	180	15880	9.795	ug/l #	25


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF032619\
Data File : VF062151.D
Acq On : 26 Mar 2019 17:41
Operator : VA/AP
Sample : K2091-01RE
Misc : 5.42g/5mL/MSVOA-F/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :

Quant Time: Mar 27 05:17:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F032219S.M
Quant Title : SW846 8260
QLast Update : Sat Mar 23 01:16:37 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.86 min Scan# 429

Delta R.T. -0.05 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41


Instrument :
MSVOA_F
ClientSampleId :

Tot Ion:168 Resp: 222708




Ion Ratio Lower Upper

168 100

99 48.0 38.2 57.4



Abundance Ion 168.00 (167.70 to 168.70): VF062078.D (-425) (-)



#11

Tert butyl alcohol

Concen: 10.708 ug/l

RT: 2.56 min Scan# 196

Delta R.T. -0.03 min

Lab File: VF062151.D


Acq: 26 Mar 2019 17:41

Tgt Ion: 59 Resp: 976



Ion Ratio Lower Upper


59 100

57 0.0 11.0 16.4#



Abundance Ion 59.00 (58.70 to 59.70): VF062078.D (-191) (-)





#18

Methyl Acetate

Concen: 4.392 ug/l

RT: 2.35 min Scan# 175

Delta R.T. -0.01 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41

Instrument :

MSVOA_F


ClientSampled :

Tot Ion: 43 Resp: 3653

Ion Ratio Lower Upper

43 100

74 0.0 16.3 24.5#



Abundance Ion 43.00 (42.70 to 43.70): VF0

Ion 74.00 (73.70 to 74.70): VF0

2.35

800



600

400

200

0

Time--> 2.25 2.30 2.35 2.40 2.45



#20

Methylene Chloride

Concen: Below Cal

RT: 2.18 min Scan# 157

Delta R.T. -0.02 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41

Tgt Ion: 84 Resp: 2907


Ion Ratio Lower Upper

84 100

49 90.6 100.4 150.6#

51 44.1 31.0 46.6

86 52.5 51.3 76.9



Abundance Ion 84.00 (83.70 to 84.70): VF0

Ion 49.00 (48.70 to 49.70): VF0

Ion 51.00 (50.70 to 51.70): VF0

Ion 86.00 (85.70 to 86.70): VF0

3000

2500

2000


1500


1000

500

0

Time--> 2.15 2.20









#29
Tetrahydrofuran
Concen: 1.804 ug/l
RT: 4.08 min Scan# 350
Delta R.T. -0.03 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Instrument :
MSVOA_F
ClientSampled :

Tot Ion: 42 Resp: 571
Ion Ratio Lower Upper
42 100
72 15.1 33.3 49.9#
71 12.6 35.0 52.4#




Abundance Ion 42.00 (41.70 to 42.70): VF0
Ion 72.00 (71.70 to 72.70): VF0
Ion 71.00 (70.70 to 71.70): VF0






#33
1,2-Dichloroethane-d4
Concen: 42.517 ug/l
RT: 4.83 min Scan# 426
Delta R.T. -0.05 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Tgt Ion: 65 Resp: 70430
Ion Ratio Lower Upper
65 100
67 51.7 0.0 106.2



Abundance Ion 65.00 (64.70 to 65.70): VF0
Ion 67.00 (66.70 to 67.70): VF0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.58 min Scan# 502

Delta R.T. -0.05 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41

Instrument :

MSVOA_F

ClientSampleId :


Tot Ion:114 Resp: 350275

Ion Ratio Lower Upper

114 100

63 18.2 0.0 37.8




88 16.8 0.0 36.4



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 63.00 (62.70 to 63.70): VF0

Ion 88.00 (87.70 to 88.70): VF0



#35

Dibromofluoromethane

Concen: 42.060 ug/l

RT: 4.10 min Scan# 352

Delta R.T. -0.05 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41


Tgt Ion:113 Resp: 99659

Ion Ratio Lower Upper

113 100

111 101.5 75.4 113.0



192 19.0 12.3 18.5#




Abundance Ion 113.00 (112.70 to 113.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 192.00 (191.70 to 192.70): V





#49

1,4-Dioxane

Concen: 13.035 ug/l

RT: 6.27 min Scan# 572

Delta R.T. -0.47 min

Lab File: VF062151.D

Acq: 26 Mar 2019 17:41

Instrument :
MSVOA_F
ClientSampleId :





Tot Ion: 88 Resp: 115

Ion Ratio Lower Upper

88 100

43 136.1 35.0 52.4#

58 0.0 49.9 74.9#



#50

Toluene-d8

Concen: 32.213 ug/l

RT: 7.54 min Scan# 701

Delta R.T. -0.05 min

Lab File: VF062151.D




Acq: 26 Mar 2019 17:41


Tgt Ion: 98 Resp: 227843

Ion Ratio Lower Upper

98 100

100 71.1 57.0 85.6









#62
4-Bromofluorobenzene
Concen: 26.284 ug/l
RT: 11.40 min Scan# 1092
Delta R.T. -0.04 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41




Instrument :
MSVOA_F
ClientSampleId :


Tot Ion: 95 Resp: 71769
Ion Ratio Lower Upper
95 100
174 84.0 0.0 168.2
176 82.9 0.0 164.2



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.76 min Scan# 926
Delta R.T. -0.05 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Tgt Ion: 117 Resp: 239020
Ion Ratio Lower Upper
117 100
82 48.1 39.2 58.8
119 31.9 25.4 38.2









#68
m/p-Xvlenes
Concen: 4.025 ug/l
RT: 10.11 min Scan# 962
Delta R.T. -0.05 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41




Instrument :
MSVOA_F
ClientSampled :


Tot Ion:106 Resp: 11701
Ion Ratio Lower Upper
106 100
91 184.7 154.4 231.6



#69
o-Xylene
Concen: 2.521 ug/l
RT: 10.70 min Scan# 1021
Delta R.T. -0.04 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Tgt Ion:106 Resp: 7674
Ion Ratio Lower Upper
106 100
91 219.4 102.6 307.8






#72




1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.54 min Scan# 1208
Delta R.T. -0.03 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Instrument :
MSVOA_F
ClientSampled :

Tot Ion:152 Resp: 82861
Ion Ratio Lower Upper
152 100
115 54.2 27.7 83.1
150 158.9 0.0 313.2




Abundance Ion 152.00 (151.70 to 152.70): V
Ion 115.00 (114.70 to 115.70): V
Ion 150.00 (149.70 to 150.70): V





#79


2-Chlorotoluene
Concen: 1.084 ug/l
RT: 11.70 min Scan# 1123
Delta R.T. -0.04 min
Lab File: VF062151.D
Acq: 26 Mar 2019 17:41

Tgt Ion: 91 Resp: 4078
Ion Ratio Lower Upper
91 100
126 0.0 18.3 54.8#



Abundance Ion 91.00 (90.70 to 91.70): VF0
Ion 126.00 (125.70 to 126.70): V









#80
 1,3,5-Trimethylbenzene
 Concen: 2.473 ug/l
 RT: 11.81 min Scan# 1134
 Delta R.T. -0.04 min
 Lab File: VF062151.D
 Acq: 26 Mar 2019 17:41




Instrument :
 MSVOA_F
 ClientSampleId :


Tot Ion:105 Resp: 11860
 Ion Ratio Lower Upper
 105 100
 120 56.0 27.8 83.3



#83
 tert-Butylbenzene
 Concen: 1.126 ug/l
 RT: 12.19 min Scan# 1173
 Delta R.T. 0.04 min
 Lab File: VF062151.D
 Acq: 26 Mar 2019 17:41

Tgt Ion:119 Resp: 5652
 Ion Ratio Lower Upper
 119 100
 91 74.9 26.1 78.2
 134 0.0 12.8 38.4#









#84
 1,2,4-Trimethylbenzene
 Concen: 9.816 ug/l
 RT: 12.19 min Scan# 1173
 Delta R.T. -0.03 min
 Lab File: VF062151.D
 Acq: 26 Mar 2019 17:41




Instrument :
 MSVOA_F
 ClientSampleId :


Tot Ion:105 Resp: 46150
 Ion Ratio Lower Upper
 105 100
 120 51.2 26.1 78.2



#95
 Naphthalene
 Concen: 1.402 ug/l
 RT: 14.44 min Scan# 1401
 Delta R.T. -0.03 min
 Lab File: VF062151.D
 Acq: 26 Mar 2019 17:41

Tgt Ion:128 Resp: 4254
 Ion Ratio Lower Upper
 128 100
 127 23.9 9.5 14.3#
 129 35.5 8.7 13.1#





#96
 1,2,3-Trichlorobenzene
 Concen: 9.795 ug/l
 RT: 14.63 min Scan# 1420
 Delta R.T. 0.01 min
 Lab File: VF062151.D
 Acq: 26 Mar 2019 17:41

Instrument :
 MSVOA_F
 ClientSampleId :

Tot Ion:180 Resp: 15880
 Ion Ratio Lower Upper
 180 100
 182 8.1 47.9 143.7#
 145 14.3 16.6 49.7#

