

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF051119\
 Data File : VF062479.D
 Acq On : 12 May 2019 1:31
 Operator : FY/SY
 Sample : K2733-17
 Misc : 5.29g/5mL/MSVOA F/SOIL
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :

Quant Time: May 12 03:53:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82F050619S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 04:34:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.07	168	235128	50.00	ug/l	0.02
34) 1,4-Difluorobenzene	5.79	114	328031	50.00	ug/l	0.02
63) Chlorobenzene-d5	9.92	117	271289	50.00	ug/l	0.02
72) 1,4-Dichlorobenzene-d4	12.62	152	150702	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.05	65	113182	50.94	ug/l	0.03
Spiked Amount			Recovery	=	101.88%	
35) Dibromofluoromethane	4.32	113	139173	53.25	ug/l	0.02
Spiked Amount			Recovery	=	106.50%	
50) Toluene-d8	7.72	98	245840	38.86	ug/l	0.02
Spiked Amount			Recovery	=	77.72%	
62) 4-Bromofluorobenzene	11.51	95	110628	38.76	ug/l	0.02
Spiked Amount			Recovery	=	77.52%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Bromomethane	1.41	94	1153	Below Cal	#	3
8) Diethyl Ether	1.79	74	586	1.043	ug/l	93
11) Tert butyl alcohol	2.69	59	635	5.056	ug/l #	70
13) Acrolein	2.12	56	694	Below Cal	#	13
15) Acrylonitrile	3.08	53	811	3.409	ug/l #	65
16) Acetone	2.36	43	10351	23.028	ug/l #	81
18) Methyl Acetate	2.45	43	880	Below Cal	#	59
20) Methylene Chloride	2.34	84	7187	4.419	ug/l #	60
29) Tetrahydrofuran	4.31	42	1384	5.332	ug/l #	69
37) Ethyl Acetate	4.34	43	610	Below Cal	#	73
38) Carbon Tetrachloride	4.16	117	94	Below Cal	#	14
39) Methylcyclohexane	5.78	83	5124	1.813	ug/l #	38
49) 1,4-Dioxane	6.87	88	83	Below Cal	#	50
51) 4-Methyl-2-Pentanone	8.42	43	2069	2.130	ug/l #	61
59) 2-Hexanone	9.64	43	1746	2.599	ug/l #	62

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF051119\
Data File : VF062479.D
Acq On : 12 May 2019 1:31
Operator : FY/SY
Sample : K2733-17
Misc : 5.29g/5mL/MSVOA F/SOIL
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :

Quant Time: May 12 03:53:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82F050619S.M
Quant Title : SW846 8260
QLast Update : Tue May 07 04:34:57 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.07 min Scan# 460

Delta R.T. 0.02 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31

Instrument :

MSVOA_F


ClientSampleId :

Tot Ion:168 Resp: 235128

Ion Ratio Lower Upper

168 100

99 54.4 45.9 68.9



Abundance Ion 167.90 (167.60 to 168.60): VF0

Ion 98.90 (98.60 to 99.60): VF0

5.07

80000

60000



40000

20000

0

Time-->

4.90 5.00 5.10 5.20



#5

Bromomethane

Concen: Below Cal

RT: 1.41 min Scan# 89

Delta R.T. 0.01 min

Lab File: VF062479.D


Acq: 12 May 2019 1:31

Tgt Ion: 94 Resp: 1153

Ion Ratio Lower Upper

94 100

96 0.0 75.4 113.2#



Abundance Ion 93.90 (93.60 to 94.60): VF0

Ion 95.90 (95.60 to 96.60): VF0

1.41

500

400

300


200


100

0

Time-->

1.35 1.40 1.45





#8

Diethyl Ether

Concen: 1.043 ug/l

RT: 1.79 min Scan# 127

Delta R.T. 0.08 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31





Instrument :
MSVOA_F
ClientSampleId :

Tot Ion: 74 Resp: 586

Ion Ratio Lower Upper

74 100

45 138.7 73.9 221.6



#11

Tert butyl alcohol

Concen: 5.056 ug/l

RT: 2.69 min Scan# 219

Delta R.T. -0.01 min

Lab File: VF062479.D




Acq: 12 May 2019 1:31


Tgt Ion: 59 Resp: 635

Ion Ratio Lower Upper

59 100

57 0.0 9.3 13.9#









#13
Acrolein
Concen: Below Cal
RT: 2.12 min Scan# 161
Delta R.T. 0.02 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31




Instrument :
MSVOA_F
ClientSampled :


Tot Ion: 56 Resp: 694
Ion Ratio Lower Upper
56 100
55 0.0 58.4 87.6#



#15
Acrylonitrile
Concen: 3.409 ug/l
RT: 3.08 min Scan# 258
Delta R.T. -0.01 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31

Tgt Ion: 53 Resp: 811
Ion Ratio Lower Upper
53 100
52 70.4 77.2 115.8#
51 86.1 40.6 61.0#









#16
Acetone
Concen: 23.028 ug/l
RT: 2.36 min Scan# 185
Delta R.T. 0.01 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31




Instrument :
MSVOA_F
ClientSampleId :


Tot Ion: 43 Resp: 10351
Ion Ratio Lower Upper
43 100
58 8.4 13.1 19.7#



#18
Methyl Acetate
Concen: Below Cal
RT: 2.45 min Scan# 194
Delta R.T. -0.02 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31

Tgt Ion: 43 Resp: 880
Ion Ratio Lower Upper
43 100
74 36.9 15.0 22.4#









#20
Methylene Chloride
Concen: 4.419 ug/l
RT: 2.34 min Scan# 183
Delta R.T. -0.00 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31




Instrument :
MSVOA_F
ClientSampled :


Tot Ion	Ratio	Lower	Upper
84	100		
49	77.4	117.5	176.3#
51	19.1	37.0	55.4#
86	60.6	49.3	73.9



#29
Tetrahydrofuran
Concen: 5.332 ug/l
RT: 4.31 min Scan# 383
Delta R.T. 0.05 min
Lab File: VF062479.D
Acq: 12 May 2019 1:31

Tgt Ion	Ratio	Lower	Upper
42	100		
72	9.3	31.4	47.0#
71	31.4	31.7	47.5#





#33

1,2-Dichloroethane-d4

Concen: 50.936 ug/l

RT: 5.05 min Scan# 458

Delta R.T. 0.03 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31





Instrument :
MSVOA_F
ClientSampleId :

Tot Ion: 65 Resp: 113182

Ion Ratio Lower Upper

65 100

67 48.1 0.0 85.8



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.79 min Scan# 533

Delta R.T. 0.02 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31




Tgt Ion: 114 Resp: 328031


Ion Ratio Lower Upper

114 100

63 19.4 0.0 37.4

88 16.7 0.0 36.4









#35
 Dibromofluoromethane
 Concen: 53.254 ug/l
 RT: 4.32 min Scan# 384
 Delta R.T. 0.02 min
 Lab File: VF062479.D
 Acq: 12 May 2019 1:31

Instrument :
 MSVOA_F
 ClientSampleId :

Tot Ion:113 Resp: 139173
 Ion Ratio Lower Upper
 113 100
 111 101.0 79.4 119.0
 192 20.7 16.0 24.0




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#37
 Ethyl Acetate
 Concen: Below Cal
 RT: 4.34 min Scan# 386
 Delta R.T. 0.04 min
 Lab File: VF062479.D
 Acq: 12 May 2019 1:31

Tgt Ion: 43 Resp: 610
 Ion Ratio Lower Upper
 43 100
 61 0.0 0.0 0.0
 70 0.0 8.2 12.2#



Abundance Ion 43.00 (42.70 to 43.70): VF0
 Ion 60.90 (60.60 to 61.60): VF0
 Ion 70.00 (69.70 to 70.70): VF0





#38

Carbon Tetrachloride

Concen: Below Cal

RT: 4.16 min Scan# 368

Delta R.T. -0.02 min

Lab File: VF062479.D





Acq: 12 May 2019 1:31

Instrument :

MSVOA_F

ClientSampleId :

Tot Ion	Ratio	Lower	Upper
117	100		
119	0.0	73.4	110.2#
121	0.0	27.4	41.0#



#39

Methylcyclohexane

Concen: 1.813 ug/l




RT: 5.78 min Scan# 532


Delta R.T. 0.15 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31

Tgt Ion	Ratio	Lower	Upper
83	100		
55	34.1	69.0	103.6#
98	0.0	38.6	58.0#





#49

1,4-Dioxane

Concen: Below Cal

RT: 6.87 min Scan# 643

Delta R.T. 0.01 min


Lab File: VF062479.D

Acq: 12 May 2019 1:31




Instrument :
MSVOA_F
ClientSampleId :

Tot Ion: 88 Resp: 83

Ion	Ratio	Lower	Upper
88	100		
43	0.0	55.6	83.4#
58	75.9	52.8	79.2



Abundance Ion 88.00 (87.70 to 88.70): VF0
Ion 43.00 (42.70 to 43.70): VF0
Ion 58.00 (57.70 to 58.70): VF0



#50

Toluene-d8

Concen: 38.862 ug/l

RT: 7.72 min Scan# 729


Delta R.T. 0.02 min

Lab File: VF062479.D



Acq: 12 May 2019 1:31


Tgt Ion: 98 Resp: 245840

Ion	Ratio	Lower	Upper
98	100		
100	67.7	53.3	79.9



Abundance Ion 98.00 (97.70 to 98.70): VF0
Ion 100.00 (99.70 to 100.70): VF0





#51

4-Methyl-2-Pentanone

Concen: 2.130 ug/l

RT: 8.42 min Scan# 800

Delta R.T. 0.02 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31


Instrument :
MSVOA_F
ClientSampleId :

Tot Ion: 43 Resp: 2069




Ion Ratio Lower Upper

43 100

58 12.2 27.8 41.6#



Abundance Ion 43.00 (42.70 to 43.70): VF0
Ion 58.00 (57.70 to 58.70): VF0



#59

2-Hexanone

Concen: 2.599 ug/l

RT: 9.64 min Scan# 924

Delta R.T. 0.03 min

Lab File: VF062479.D


Acq: 12 May 2019 1:31

Tgt Ion: 43 Resp: 1746



Ion Ratio Lower Upper


43 100

58 22.6 24.3 73.0#



Abundance Ion 43.00 (42.70 to 43.70): VF0
Ion 58.00 (57.70 to 58.70): VF0





#62

4-Bromofluorobenzene

Concen: 38.761 ug/l

RT: 11.51 min Scan# 1113

Delta R.T. 0.02 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31

Instrument :

MSVOA_F

ClientSampleId :


Tot Ion: 95 Resp: 110628

Ion Ratio Lower Upper

95 100

174 98.5 0.0 191.8




176 97.4 0.0 193.2



Abundance Ion 94.90 (94.60 to 95.60): VF0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 9.92 min Scan# 952

Delta R.T. 0.02 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31


Tgt Ion: 117 Resp: 271289

Ion Ratio Lower Upper

117 100

82 53.2 42.2 63.2



119 33.2 25.0 37.4




Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VF0

Ion 118.90 (118.60 to 119.60): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.62 min Scan# 1226

Delta R.T. 0.01 min

Lab File: VF062479.D

Acq: 12 May 2019 1:31

Instrument :

MSVOA_F

ClientSampleId :



Tot Ion:152 Resp: 150702

Ion Ratio Lower Upper

152 100

115 55.1 26.4 79.2

150 158.2 0.0 335.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

