

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF051319\
 Data File : VF062551.D
 Acq On : 13 May 2019 19:39
 Operator : FY/SY
 Sample : K2734-10
 Misc : 5.82g/5mL/MSVOA F/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 P026-SS012-1824-01

Quant Time: May 14 07:49:05 2019
 Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82F050619S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 04:34:57 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.08	168	348869	50.00	ug/l	0.03
34) 1,4-Difluorobenzene	5.80	114	463897	50.00	ug/l	0.03
63) Chlorobenzene-d5	9.93	117	350437	50.00	ug/l	0.03
72) 1,4-Dichlorobenzene-d4	12.63	152	152135	50.00	ug/l	0.02
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.06	65	142754	43.30	ug/l	0.04
Spiked Amount 50.000			Recovery	=	86.60%	
35) Dibromofluoromethane	4.33	113	179618	48.60	ug/l	0.03
Spiked Amount 50.000			Recovery	=	97.20%	
50) Toluene-d8	7.73	98	334092	37.34	ug/l	0.03
Spiked Amount 50.000			Recovery	=	74.68%	
62) 4-Bromofluorobenzene	11.50	95	123711	30.65	ug/l	0.02
Spiked Amount 50.000			Recovery	=	61.30%	
Target Compounds						
67) Ethyl Benzene	10.05	91	12956	1.276	ug/l	99
70) Styrene	10.91	104	17267	2.846	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF051319\
Data File : VF062551.D
Acq On : 13 May 2019 19:39
Operator : FY/SY
Sample : K2734-10
Misc : 5.82g/5mL/MSVOA F/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
P026-SS012-1824-01

Quant Time: May 14 07:49:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82F050619S.M
Quant Title : SW846 8260
QLast Update : Tue May 07 04:34:57 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.08 min Scan# 461

Delta R.T. 0.03 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39

Instrument :

MSVOA_F

ClientSampleId :


P026-SS012-1824-01

Tot Ion:168 Resp: 348869

Ion Ratio Lower Upper

168 100

99 57.7 45.9 68.9



Abundance Ion 167.90 (167.60 to 168.60): VF0

Ion 98.90 (98.60 to 99.60): VF0



5.08

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 43.299 ug/l

RT: 5.06 min Scan# 459

Delta R.T. 0.04 min

Lab File: VF062551.D


Acq: 13 May 2019 19:39

Tgt Ion: 65 Resp: 142754

Ion Ratio Lower Upper

65 100

67 45.1 0.0 85.8



Abundance Ion 64.90 (64.60 to 65.60): VF0

Ion 66.90 (66.60 to 67.60): VF0

5.06

50000

40000


30000


20000

10000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.80 min Scan# 534

Delta R.T. 0.03 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39

Instrument :

MSVOA_F

ClientSampleId :

P026-SS012-1824-01


Tot Ion:114 Resp: 463897

Ion Ratio Lower Upper

114 100

63 19.7 0.0 37.4




88 17.1 0.0 36.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VF0

Ion 87.90 (87.60 to 88.60): VF0



#35

Dibromofluoromethane

Concen: 48.601 ug/l

RT: 4.33 min Scan# 385

Delta R.T. 0.03 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39


Tgt Ion:113 Resp: 179618

Ion Ratio Lower Upper

113 100

111 100.3 79.4 119.0



192 20.7 16.0 24.0




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 37.345 ug/l

RT: 7.73 min Scan# 730

Delta R.T. 0.03 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39

Instrument :

MSVOA_F

ClientSampleId :


P026-SS012-1824-01

Tot Ion: 98 Resp: 334092

Ion Ratio Lower Upper

98 100

100 67.2 53.3 79.9



Abundance Ion 98.00 (97.70 to 98.70): VF0

Ion 100.00 (99.70 to 100.70): VF

7.73



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 30.650 ug/l

RT: 11.50 min Scan# 1113

Delta R.T. 0.02 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39


Tgt Ion: 95 Resp: 123711

Ion Ratio Lower Upper

95 100

174 104.5 0.0 191.8

176 99.5 0.0 193.2



Abundance Ion 94.90 (94.60 to 95.60): VF0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V

100000

80000


60000


40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.93 min Scan# 953
Delta R.T. 0.03 min
Lab File: VF062551.D
Acq: 13 May 2019 19:39

Instrument :
MSVOA_F
ClientSampleId :
P026-SS012-1824-01

Tot Ion:117 Resp: 350437
Ion Ratio Lower Upper
117 100
82 52.2 42.2 63.2
119 32.8 25.0 37.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VF0
Ion 118.90 (118.60 to 119.60): V






#67
Ethyl Benzene
Concen: 1.276 ug/l
RT: 10.05 min Scan# 966
Delta R.T. 0.03 min
Lab File: VF062551.D
Acq: 13 May 2019 19:39

Tgt Ion: 91 Resp: 12956
Ion Ratio Lower Upper
91 100
106 30.4 24.1 36.1



Abundance Ion 91.00 (90.70 to 91.70): VF0
Ion 106.00 (105.70 to 106.70): V





#70

Stvrene

Concen: 2.846 ug/l

RT: 10.91 min Scan# 1053

Delta R.T. 0.03 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39

Instrument :

MSVOA_F

ClientSampleId :

P026-SS012-1824-01


Tot Ion:104 Resp: 17267

Ion Ratio Lower Upper

104 100

78 52.9 39.5 59.3




103 49.2 38.4 57.6



Abundance Ion 104.00 (103.70 to 104.70): V

Ion 78.00 (77.70 to 78.70): VF0

Ion 103.00 (102.70 to 103.70): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.63 min Scan# 1227

Delta R.T. 0.02 min

Lab File: VF062551.D

Acq: 13 May 2019 19:39


Tgt Ion:152 Resp: 152135

Ion Ratio Lower Upper

152 100

115 53.7 26.4 79.2

150 155.2 0.0 335.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

