

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF061219\
 Data File : VF062938.D
 Acq On : 12 Jun 2019 20:08
 Operator : FY/SY
 Sample : K3342-02
 Misc : 3.49g/5mL/MSVOA F/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 FK-EF-01-012-ABCD

Quant Time: Jun 13 09:12:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F053019S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 31 04:18:30 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.06	168	517013	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	5.78	114	860153	50.00	ug/l	-0.03
63) Chlorobenzene-d5	9.91	117	594287	50.00	ug/l	-0.03
72) 1,4-Dichlorobenzene-d4	12.61	152	191879	50.00	ug/l	-0.02
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.03	65	156685	43.83	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	87.66%	
35) Dibromofluoromethane	4.31	113	305791	47.05	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	94.10%	
50) Toluene-d8	7.71	98	571300	34.76	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	69.52%	
62) 4-Bromofluorobenzene	11.49	95	166965	28.24	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	56.48%	
Target Compounds						
16) Acetone	2.35	43	75550	92.328	ug/l	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF061219\
Data File : VF062938.D
Acq On : 12 Jun 2019 20:08
Operator : FY/SY
Sample : K3342-02
Misc : 3.49g/5mL/MSVOA F/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
FK-EF-01-012-ABCD

Quant Time: Jun 13 09:12:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F053019S.M
Quant Title : SW846 8260
QLast Update : Fri May 31 04:18:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.06 min Scan# 459

Delta R.T. -0.02 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08

Instrument :

MSVOA_F

ClientSampleId :


FK-EF-01-012-ABCD

Tot Ion:168 Resp: 517013

Ion Ratio Lower Upper

168 100

99 44.6 39.1 58.7



Abundance Ion 168.00 (167.70 to 168.70): VF0

Ion 99.00 (98.70 to 99.70): VF0

5.06



150000

100000

50000

0

Time-->



#16

Acetone

Concen: 92.328 ug/l

RT: 2.35 min Scan# 184

Delta R.T. -0.02 min

Lab File: VF062938.D


Acq: 12 Jun 2019 20:08

Tgt Ion: 43 Resp: 75550

Ion Ratio Lower Upper

43 100

58 21.9 19.0 28.4



Abundance Ion 43.00 (42.70 to 43.70): VF0

Ion 58.00 (57.70 to 58.70): VF0

2.35

30000

25000

20000


15000


10000

5000

0

Time-->





#33

1,2-Dichloroethane-d4

Concen: 43.826 ug/l

RT: 5.03 min Scan# 456

Delta R.T. -0.03 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08

Instrument :

MSVOA_F

ClientSampleId :


FK-EF-01-012-ABCD

Tot Ion: 65 Resp: 156685

Ion Ratio Lower Upper

65 100

67 59.4 0.0 121.2



Abundance Ion 65.00 (64.70 to 65.70): VF0

Ion 67.00 (66.70 to 67.70): VF0



60000

40000

20000

0

Time--> 4.90 5.00 5.10



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.78 min Scan# 532

Delta R.T. -0.03 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08


Tgt Ion:114 Resp: 860153

Ion Ratio Lower Upper

114 100

63 14.8 0.0 34.2

88 15.6 0.0 31.2



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 63.00 (62.70 to 63.70): VF0

Ion 88.00 (87.70 to 88.70): VF0

400000


300000


200000

100000

0

Time--> 5.60 5.70 5.80 5.90





#35

Dibromofluoromethane

Concen: 47.046 ug/l

RT: 4.31 min Scan# 383

Delta R.T. -0.03 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08

Instrument :

MSVOA_F

ClientSampleId :

FK-EF-01-012-ABCD


Tot Ion:113 Resp: 305791

Ion Ratio Lower Upper

113 100

111 101.0 81.9 122.9




192 18.3 15.1 22.7



Abundance Ion 113.00 (112.70 to 113.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 192.00 (191.70 to 192.70): V



#50

Toluene-d8

Concen: 34.758 ug/l

RT: 7.71 min Scan# 728

Delta R.T. -0.03 min

Lab File: VF062938.D


Acq: 12 Jun 2019 20:08

Tgt Ion: 98 Resp: 571300

Ion Ratio Lower Upper



98 100


100 69.0 59.8 89.8



Abundance Ion 98.00 (97.70 to 98.70): VF0

Ion 100.00 (99.70 to 100.70): VF0





#62

4-Bromofluorobenzene

Concen: 28.240 ug/l

RT: 11.49 min Scan# 1112

Delta R.T. -0.02 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08

Instrument :

MSVOA_F

ClientSampleId :

FK-EF-01-012-ABCD


Tot Ion: 95 Resp: 166965

Ion Ratio Lower Upper

95 100

174 72.7 0.0 170.6




176 82.5 0.0 170.6



Abundance Ion 95.00 (94.70 to 95.70): VF0

Ion 174.00 (173.70 to 174.70): V

Ion 176.00 (175.70 to 176.70): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 9.91 min Scan# 951

Delta R.T. -0.03 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08


Tgt Ion: 117 Resp: 594287

Ion Ratio Lower Upper

117 100

82 54.5 42.4 63.6



119 34.9 27.1 40.7




Abundance Ion 117.00 (116.70 to 117.70): V

Ion 82.00 (81.70 to 82.70): VF0

Ion 119.00 (118.70 to 119.70): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.61 min Scan# 1225

Delta R.T. -0.02 min

Lab File: VF062938.D

Acq: 12 Jun 2019 20:08

Instrument :

MSVOA_F

ClientSampleId :

FK-EF-01-012-ABCD


Tot Ion:152 Resp: 191879

Ion Ratio Lower Upper

152 100

115 54.3 24.6 74.0

150 152.7 0.0 290.6



Abundance Ion 152.00 (151.70 to 152.70): V

Ion 115.00 (114.70 to 115.70): V

Ion 150.00 (149.70 to 150.70): V

