

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF062818\
 Data File : VF059368.D
 Acq On : 28 Jun 2018 18:48
 Operator : VA/AP
 Sample : J3242-13
 Misc : 5.70g/5mL/MSVOA-F/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 JC-02-062618-G

Quant Time: Jun 29 07:57:05 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F062518S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 26 08:45:17 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.04	168	266632	50.00	ug/l	0.02
34) 1,4-Difluorobenzene	5.76	114	415383	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.91	117	395867	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.63	152	215525	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.01	65	148255	43.04	ug/l	0.00
Spiked Amount	50.000		Recovery	=	86.08%	
35) Dibromofluoromethane	4.29	113	23838	7.85	ug/l	0.02
Spiked Amount	50.000		Recovery	=	15.70%	
50) Toluene-d8	7.71	98	292176	38.88	ug/l	0.00
Spiked Amount	50.000		Recovery	=	77.76%	
62) 4-Bromofluorobenzene	11.51	95	172056	40.59	ug/l	0.00
Spiked Amount	50.000		Recovery	=	81.18%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF062818\
Data File : VF059368.D
Acq On : 28 Jun 2018 18:48
Operator : VA/AP
Sample : J3242-13
Misc : 5.70q/5mL/MSVOA-F/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
JC-02-062618-G

Quant Time: Jun 29 07:57:05 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F062518S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 26 08:45:17 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.04 min Scan# 458

Delta R.T. 0.02 min

Lab File: VF059368.D

Acq: 28 Jun 2018 18:48

Instrument :

MSVOA_F

ClientSampleId :


JC-02-062618-G

Tot Ion:168 Resp: 266632

Ion Ratio Lower Upper




168 100

99 65.6 54.9 82.3



Abundance Ion 168.00 (167.70 to 168.70): V

Ion 99.00 (98.70 to 99.70): VF0



#33

1,2-Dichloroethane-d4

Concen: 43.04 ug/l

RT: 5.01 min Scan# 455

Delta R.T. 0.01 min

Lab File: VF059368.D


Acq: 28 Jun 2018 18:48

Tgt Ion: 65 Resp: 148255

Ion Ratio Lower Upper



65 100


67 47.1 0.0 96.8



Abundance Ion 65.00 (64.70 to 65.70): VF0

Ion 67.00 (66.70 to 67.70): VF0





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 5.76 min Scan# 531

Delta R.T. 0.01 min

Lab File: VF059368.D

Acq: 28 Jun 2018 18:48

Instrument :

MSVOA_F

ClientSampleId :

JC-02-062618-G


Tot Ion:114 Resp: 415383

Ion Ratio Lower Upper

114 100

63 21.5 0.0 45.8




88 19.4 0.0 41.2



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 63.00 (62.70 to 63.70): VF0

Ion 88.00 (87.70 to 88.70): VF0



#35

Dibromofluoromethane

Concen: 7.85 ug/l

RT: 4.29 min Scan# 382

Delta R.T. 0.02 min

Lab File: VF059368.D

Acq: 28 Jun 2018 18:48


Tgt Ion:113 Resp: 23838

Ion Ratio Lower Upper

113 100

111 94.2 82.1 123.1



192 16.2 13.0 19.6



Abundance Ion 113.00 (112.70 to 113.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 192.00 (191.70 to 192.70): V





#50

Toluene-d8

Concen: 38.88 ug/l

RT: 7.71 min Scan# 728

Delta R.T. 0.01 min

Lab File: VF059368.D

Acq: 28 Jun 2018 18:48

Instrument :

MSVOA_F

ClientSampleId :


JC-02-062618-G

Tot Ion: 98 Resp: 292176

Ion Ratio Lower Upper




98 100

100 66.5 54.6 82.0



Abundance Ion 98.00 (97.70 to 98.70): VF0

Ion 100.00 (99.70 to 100.70): VF0



#62

4-Bromofluorobenzene

Concen: 40.59 ug/l

RT: 11.51 min Scan# 1114

Delta R.T. 0.01 min

Lab File: VF059368.D

Acq: 28 Jun 2018 18:48


Tgt Ion: 95 Resp: 172056

Ion Ratio Lower Upper

95 100

174 79.1 0.0 165.2



176 75.4 0.0 161.0




Abundance Ion 95.00 (94.70 to 95.70): VF0

Ion 174.00 (173.70 to 174.70): V

Ion 176.00 (175.70 to 176.70): V









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 9.91 min Scan# 952
Delta R.T. 0.01 min
Lab File: VF059368.D
Acq: 28 Jun 2018 18:48

Instrument :
MSVOA_F
ClientSampleId :
JC-02-062618-G

Tot Ion	Ratio	Lower	Upper
117	100		
82	61.1	44.6	66.8
119	32.6	24.1	36.1




Abundance Ion 117.00 (116.70 to 117.70): V
Ion 82.00 (81.70 to 82.70): V
Ion 119.00 (118.70 to 119.70): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.63 min Scan# 1228
Delta R.T. 0.01 min
Lab File: VF059368.D
Acq: 28 Jun 2018 18:48

Tgt Ion	Ratio	Lower	Upper
152	100		
115	55.8	27.1	81.3
150	152.9	0.0	305.2



Abundance Ion 152.00 (151.70 to 152.70): V
Ion 115.00 (114.70 to 115.70): V
Ion 150.00 (149.70 to 150.70): V

