

Data Path : Z:\VOASRV\HPCHEM1\MSVOA F\DATA\VF080818\
 Data File : VF059933.D
 Acq On : 8 Aug 2018 16:05
 Operator : VA/AP
 Sample : J4275-03
 Misc : 5.44g/5mL/MSVOA F/SOIL
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 CL-02-080718-B

Quant Time: Aug 09 05:22:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F080418S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 04 07:08:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.06	168	1751	50.00	ug/l	0.02
34) 1,4-Difluorobenzene	5.79	114	2076	50.00	ug/l	0.02
63) Chlorobenzene-d5	9.92	117	1354	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.64	152	419	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.08	65	60	1.90	ug/l	0.05
Spiked Amount	50.000		Recovery	=	3.80%	
35) Dibromofluoromethane	4.30	113	699	33.84	ug/l	0.00
Spiked Amount	50.000		Recovery	=	67.68%	
50) Toluene-d8	7.72	98	1183	26.92	ug/l	0.00
Spiked Amount	50.000		Recovery	=	53.84%	
62) 4-Bromofluorobenzene	11.52	95	256	10.37	ug/l	0.00
Spiked Amount	50.000		Recovery	=	20.74%	


Target Compounds						Qvalue
3) Chloromethane	1.19	50	66	4.77	ug/l #	42
14) Allyl chloride	2.24	41	60	2.30	ug/l #	62
16) Acetone	2.37	43	70	12.01	ug/l #	70
18) Methyl Acetate	2.47	43	100	10.17	ug/l #	56
41) Methacrylonitrile	4.76	41	79	14.52	ug/l #	25
43) Isopropyl Acetate	7.34	43	66	6.22	ug/l #	51
53) t-1,3-Dichloropropene	8.56	75	68	2.94	ug/l #	44
58) 2-Chloroethyl Vinyl ether	7.88	63	71	49.16	ug/l	100
59) 2-Hexanone	9.65	43	117	15.26	ug/l #	34
74) N-amyl acetate	11.37	43	71	13.30	ug/l #	48
84) 1,2,4-Trimethylbenzene	12.19	105	73	2.93	ug/l #	34


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA F\DATA\VF080818\
Data File : VF059933.D
Acq On : 8 Aug 2018 16:05
Operator : VA/AP
Sample : J4275-03
Misc : 5.44q/5mL/MSVOA F/SOIL
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
CL-02-080718-B

Quant Time: Aug 09 05:22:16 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F080418S.M
Quant Title : SW846 8260
QLast Update : Sat Aug 04 07:08:36 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.06 min Scan# 459

Delta R.T. 0.02 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Instrument :

MSVOA_F

ClientSampleId :


CL-02-080718-B

Tot Ion:168 Resp: 1751




Ion Ratio Lower Upper

168 100

99 42.0 66.3 99.5#



Abundance Ion 168.00 (167.70 to 168.70): VF0



#3

Chloromethane

Concen: 4.77 ug/l

RT: 1.19 min Scan# 67

Delta R.T. 0.10 min

Lab File: VF059933.D


Acq: 8 Aug 2018 16:05

Tgt Ion: 50 Resp: 66



Ion Ratio Lower Upper


50 100

52 0.0 25.8 38.8#



Abundance Ion 50.00 (49.70 to 50.70): VF0









#14
Allvl chloride
Concen: 2.30 ug/l
RT: 2.24 min Scan# 173
Delta R.T. 0.05 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05




Instrument :
MSVOA_F
ClientSampleId :
CL-02-080718-B


Tot Ion	Ratio	Lower	Upper
41	100		
39	100.0	114.6	171.8#
76	0.0	21.0	31.4#



#16
Acetone
Concen: 12.01 ug/l
RT: 2.37 min Scan# 186
Delta R.T. 0.02 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05

Tgt Ion	Ratio	Lower	Upper
43	100		
58	0.0	9.4	14.0#









#18
Methvl Acetate
Concen: 10.17 ug/l
RT: 2.47 min Scan# 196
Delta R.T. 0.02 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05




Instrument :
MSVOA_F
ClientSampleId :
CL-02-080718-B


Tot Ion: 43 Resp: 100
Ion Ratio Lower Upper
43 100
74 0.0 16.3 24.5#



#33
1,2-Dichloroethane-d4
Concen: 1.90 ug/l
RT: 5.08 min Scan# 461
Delta R.T. 0.05 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05

Tgt Ion: 65 Resp: 60
Ion Ratio Lower Upper
65 100
67 0.0 0.0 77.2









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 5.79 min Scan# 533
 Delta R.T. 0.02 min
 Lab File: VF059933.D
 Acq: 8 Aug 2018 16:05

Instrument :
 MSVOA_F
 ClientSampleId :
 CL-02-080718-B

Tot Ion	Ratio	Lower	Upper
114	100		
63	13.8	0.0	48.0
88	0.0	0.0	39.4




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 63.00 (62.70 to 63.70): VF0
 Ion 88.00 (87.70 to 88.70): VF0






#35
 Dibromofluoromethane
 Concen: 33.84 ug/l
 RT: 4.30 min Scan# 382
 Delta R.T. 0.01 min
 Lab File: VF059933.D
 Acq: 8 Aug 2018 16:05

Tgt Ion	Ratio	Lower	Upper
113	100		
111	70.5	81.8	122.8#
192	0.0	12.4	18.6#



Abundance Ion 113.00 (112.70 to 113.70): V
 Ion 111.00 (110.70 to 111.70): V
 Ion 192.00 (191.70 to 192.70): V









#41
Methacrylonitrile
Concen: 14.52 ug/l
RT: 4.76 min Scan# 429
Delta R.T. -0.16 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05




Instrument :
MSVOA_F
ClientSampleId :
CL-02-080718-B


Tot Ion:	41	Resp:	79
Ion	Ratio	Lower	Upper
41	100		
39	0.0	55.1	82.7#
67	0.0	30.3	45.5#
52	0.0	36.0	54.0#



#43
Isopropyl Acetate
Concen: 6.22 ug/l
RT: 7.34 min Scan# 690
Delta R.T. 0.22 min
Lab File: VF059933.D
Acq: 8 Aug 2018 16:05

Tgt Ion:	43	Resp:	66
Ion	Ratio	Lower	Upper
43	100		
61	0.0	20.3	30.5#
87	0.0	0.7	1.1#





#50

Toluene-d8

Concen: 26.92 ug/l

RT: 7.72 min Scan# 729

Delta R.T. 0.01 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Instrument :

MSVOA_F

ClientSampleId :


CL-02-080718-B

Tot Ion: 98 Resp: 1183

Ion Ratio Lower Upper

98 100

100 52.4 55.0 82.6#



Abundance Ion 98.00 (97.70 to 98.70): VF0

Ion 100.00 (99.70 to 100.70): VF

600

500

400

300

200

100

0



7.65

7.70

7.75

7.80

Time-->



#53

t-1,3-Dichloropropene

Concen: 2.94 ug/l

RT: 8.56 min Scan# 814

Delta R.T. 0.13 min

Lab File: VF059933.D


Acq: 8 Aug 2018 16:05

Tgt Ion: 75 Resp: 68

Ion Ratio Lower Upper

75 100

77 0.0 24.5 36.7#



Abundance Ion 75.00 (74.70 to 75.70): VF0

Ion 77.00 (76.70 to 77.70): VF0

100

50

0


8.52


8.54

8.56

8.58

Time-->









#58
 2-Chloroethyl Vinyl ether
 Concen: 49.16 ug/l
 RT: 7.88 min Scan# 745
 Delta R.T. 0.09 min
 Lab File: VF059933.D
 Acq: 8 Aug 2018 16:05




Instrument :
 MSVOA_F
 ClientSampleId :
 CL-02-080718-B


Tot Ion: 63 Resp: 71
 Ion Ratio Lower Upper
 63 100
 106 0.0 0.0 0.0



#59
 2-Hexanone
 Concen: 15.26 ug/l
 RT: 9.65 min Scan# 925
 Delta R.T. 0.02 min
 Lab File: VF059933.D
 Acq: 8 Aug 2018 16:05

Tgt Ion: 43 Resp: 117
 Ion Ratio Lower Upper
 43 100
 58 0.0 20.8 62.2#





#62

4-Bromofluorobenzene

Concen: 10.37 ug/l

RT: 11.52 min Scan# 1114

Delta R.T. 0.01 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Instrument :

MSVOA_F

ClientSampleId :

CL-02-080718-B


Tot Ion: 95 Resp: 256

Ion Ratio Lower Upper

95 100

174 80.6 0.0 151.6




176 47.3 0.0 149.8



Abundance Ion 95.00 (94.70 to 95.70): VF0

Ion 174.00 (173.70 to 174.70): V

Ion 176.00 (175.70 to 176.70): V



#63

Chlorobenzene-d5

Concen: 50.00 ug/l

RT: 9.92 min Scan# 952

Delta R.T. -0.00 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05


Tgt Ion: 117 Resp: 1354

Ion Ratio Lower Upper

117 100

82 91.6 51.3 76.9#



119 23.5 26.4 39.6#




Abundance Ion 117.00 (116.70 to 117.70): V

Ion 82.00 (81.70 to 82.70): VF0

Ion 119.00 (118.70 to 119.70): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 12.64 min Scan# 1228

Delta R.T. 0.01 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Instrument :

MSVOA_F

ClientSampleId :

CL-02-080718-B


Tot Ion:152 Resp: 419

Ion Ratio Lower Upper

152 100

115 35.6 29.8 89.4




150 124.5 0.0 315.6



Abundance Ion 152.00 (151.70 to 152.70): V

Ion 115.00 (114.70 to 115.70): V

Ion 150.00 (149.70 to 150.70): V



#74

N-ethyl acetate

Concen: 13.30 ug/l

RT: 11.37 min Scan# 1099

Delta R.T. -0.10 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Tgt Ion: 43 Resp: 71


Ion Ratio Lower Upper

43 100

70 0.0 27.5 41.3#

55 0.0 16.6 25.0#

61 0.0 18.2 27.4#






Abundance Ion 43.00 (42.70 to 43.70): VF0

Ion 70.00 (69.70 to 70.70): VF0

Ion 55.00 (54.70 to 55.70): VF0

Ion 61.00 (60.70 to 61.70): VF0





#84

1,2,4-Trimethylbenzene

Concen: 2.93 ug/l

RT: 12.19 min Scan# 1182

Delta R.T. -0.10 min

Lab File: VF059933.D

Acq: 8 Aug 2018 16:05

Instrument :

MSVOA_F

ClientSampleId :

CL-02-080718-B

Tot Ion:105 Resp: 73

Ion Ratio Lower Upper

105 100

120 0.0 20.8 62.5#

