

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_F\DATA\VF110718\
 Data File : VF060632.D
 Acq On : 7 Nov 2018 16:45
 Operator : VA/AP
 Sample : J5819-08
 Misc : 5.00µ/5mL/MSVOA-F/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 BES48_SB03_3.5-4.0

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F110218S.M
 Title : SW846 8260

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.011	38	39	42	rVB2	2603	2815	1.05%	0.178%
2	1.060	42	44	45	rBV2	2858	2883	1.08%	0.183%
3	1.109	45	49	50	rBV3	4695	10130	3.80%	0.642%
4	1.218	57	60	65	rBV7	2839	10436	3.91%	0.662%
5	1.277	65	66	67	rVV	5659	5126	1.92%	0.325%
6	1.336	71	72	78	rVB3	9427	16908	6.33%	1.072%
7	1.425	78	81	87	rVB8	3297	11097	4.16%	0.703%
8	1.504	87	89	92	rVB4	2021	2740	1.03%	0.174%
9	1.622	100	101	104	rVB2	2549	2996	1.12%	0.190%
10	1.672	104	106	109	rVB4	1582	3063	1.15%	0.194%
11	1.770	113	116	119	rBV2	8777	13300	4.98%	0.843%
12	1.987	136	138	139	rBV2	2034	3106	1.16%	0.197%
13	2.047	142	144	150	rVB6	1796	6104	2.29%	0.387%
14	2.126	150	152	153	rBV	2104	3055	1.14%	0.194%
15	2.185	155	158	160	rVV3	5520	7426	2.78%	0.471%
16	2.382	175	178	182	rVV4	3468	7043	2.64%	0.446%
17	2.658	204	206	210	rVV4	1695	4511	1.69%	0.286%
18	2.885	227	229	232	rVV3	1569	2874	1.08%	0.182%
19	2.925	232	233	237	rVV2	2375	2921	1.09%	0.185%
20	3.072	245	248	250	rBV3	1917	3012	1.13%	0.191%
21	3.388	277	280	282	rVB3	1671	2723	1.02%	0.173%
22	3.763	315	318	321	rVB5	1565	3497	1.31%	0.222%
23	4.108	346	353	362	rBV2	21018	72190	27.05%	4.576%
24	4.404	379	383	384	rBV2	2034	3292	1.23%	0.209%
25	4.444	384	387	390	rVB4	2031	3113	1.17%	0.197%
26	4.670	408	410	413	rBV3	1692	2995	1.12%	0.190%
27	4.710	413	414	419	rVB4	2083	4839	1.81%	0.307%
28	4.868	419	430	440	rBV2	76089	266905	100.00%	16.919%
29	5.035	445	447	450	rVB3	2607	4193	1.57%	0.266%
30	5.114	450	455	456	rBV3	2266	3886	1.46%	0.246%
31	5.272	468	471	474	rVB3	1529	3584	1.34%	0.227%
32	5.322	474	476	478	rBV	1840	2672	1.00%	0.169%
33	5.469	487	491	495	rBV5	2640	7028	2.63%	0.445%
34	5.598	498	504	513	rVV	74668	216676	81.18%	13.735%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_F\DATA\VF110718\
 Data File : VF060632.D
 Acq On : 7 Nov 2018 16:45
 Operator : VA/AP
 Sample : J5819-08
 Misc : 5.00µ/5mL/MSVOA-F/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 BES48_SB03_3.5-4.0

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F110218S.M
 Title : SW846 8260

35	6.101	552	555	557	rVB	5767	4777	1.79%	0.303%
36	6.150	558	560	562	rBV	44811	29549	11.07%	1.873%
37	6.269	568	572	573	rVB4	1853	3480	1.30%	0.221%
38	6.495	593	595	598	rVB3	1677	2832	1.06%	0.180%
39	6.545	598	600	602	rBV	1753	3330	1.25%	0.211%
40	6.703	612	616	618	rVB3	2103	4891	1.83%	0.310%
41	6.998	642	646	649	rVB6	1094	3095	1.16%	0.196%
42	7.285	672	675	678	rVB4	2164	4790	1.79%	0.304%
43	7.383	684	685	688	rVB3	1635	2763	1.04%	0.175%
44	7.561	692	703	709	rBV	102720	245329	91.92%	15.551%
45	7.916	737	739	742	rVB3	2361	4241	1.59%	0.269%
46	7.965	742	744	745	rBV2	2103	3516	1.32%	0.223%
47	8.202	765	768	771	rVV5	2204	4708	1.76%	0.298%
48	8.320	778	780	782	rBV	2642	3515	1.32%	0.223%
49	8.360	782	784	787	rBV3	1821	3488	1.31%	0.221%
50	8.567	804	805	807	rVV	15618	12188	4.57%	0.773%
51	8.774	824	826	829	rBV4	1851	4209	1.58%	0.267%
52	9.178	864	867	871	rBV4	2503	7576	2.84%	0.480%
53	9.317	880	881	886	rVB5	1290	2747	1.03%	0.174%
54	9.780	922	928	936	rVB	75647	164890	61.78%	10.452%
55	10.323	979	983	985	rVB3	2400	3720	1.39%	0.236%
56	10.520	999	1003	1006	rVB4	1400	2687	1.01%	0.170%
57	10.638	1012	1015	1017	rVB3	2215	3319	1.24%	0.210%
58	10.786	1026	1030	1031	rVB3	2344	3849	1.44%	0.244%
59	10.855	1033	1037	1038	rBV3	2008	3551	1.33%	0.225%
60	10.974	1046	1049	1051	rBV4	1970	3434	1.29%	0.218%
61	11.033	1054	1055	1058	rVB3	1811	2874	1.08%	0.182%
62	11.092	1058	1061	1063	rBV3	3144	4739	1.78%	0.300%
63	11.141	1063	1066	1068	rBV3	2308	4167	1.56%	0.264%
64	11.339	1084	1086	1090	rVB5	1717	2883	1.08%	0.183%
65	11.418	1090	1094	1100	rBV	48928	86070	32.25%	5.456%
66	11.546	1104	1107	1110	rVB5	2668	4179	1.57%	0.265%
67	11.605	1110	1113	1116	rBV4	1587	2756	1.03%	0.175%
68	11.763	1127	1129	1132	rVB4	2761	4547	1.70%	0.288%
69	11.822	1132	1135	1138	rBV4	3068	6723	2.52%	0.426%
70	11.990	1150	1152	1157	rVB5	1972	4351	1.63%	0.276%
71	12.552	1206	1209	1214	rBV	59741	96840	36.28%	6.139%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_F\DATA\VF110718\
Data File : VF060632.D
Acq On : 7 Nov 2018 16:45
Operator : VA/AP
Sample : J5819-08
Misc : 5.00g/5mL/MSVOA-F/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
BES48_SB03_3.5-4.0

Integration Parameters: RTEINT.P

Integrator: RTE
Smoothing : ON
Sampling : 1
Start Thrs: 0.2
Stop Thrs : 0
Filtering: 5
Min Area: 3 % of largest Peak
Max Peaks: 100
Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F110218S.M
Title : SW846 8260

72	12.670	1219	1221	1224	rBV3	2120	3736	1.40%	0.237%
73	12.818	1234	1236	1240	rBV5	2795	4409	1.65%	0.279%
74	12.887	1240	1243	1246	rBV3	2232	4859	1.82%	0.308%
75	13.173	1270	1272	1276	rVB4	1726	3022	1.13%	0.192%
76	13.341	1288	1289	1292	rBV2	1876	3135	1.17%	0.199%
77	13.390	1292	1294	1298	rVB5	1979	4623	1.73%	0.293%
78	13.686	1320	1324	1326	rBV4	2243	4852	1.82%	0.308%
79	14.091	1363	1365	1368	rBV4	1809	3780	1.42%	0.240%
80	14.308	1386	1387	1391	rVV3	2666	4333	1.62%	0.275%
81	14.554	1410	1412	1414	rBV3	2177	4031	1.51%	0.256%
82	14.624	1416	1419	1422	rVB4	4239	9035	3.39%	0.573%
83	14.673	1422	1424	1425	rBV	2706	3401	1.27%	0.216%
84	14.841	1438	1441	1443	rVB4	2240	3714	1.39%	0.235%
85	14.890	1443	1446	1447	rBV3	3167	4996	1.87%	0.317%
86	15.077	1463	1465	1468	rBV5	2404	5447	2.04%	0.345%
87	15.176	1473	1475	1476	rBV2	2549	3911	1.47%	0.248%
88	15.462	1502	1504	1506	rVB2	4984	6055	2.27%	0.384%
89	15.649	1521	1523	1525	rVB3	2391	2908	1.09%	0.184%
90	15.699	1525	1528	1531	rBV4	3646	5550	2.08%	0.352%
91	15.758	1531	1534	1537	rBV4	3362	7544	2.83%	0.478%
92	15.945	1550	1553	1558	rBV3	3398	8487	3.18%	0.538%


Sum of corrected areas: 1577570

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_F\DATA\VF110718\
Data File : VF060632.D
Acq On : 7 Nov 2018 16:45
Operator : VA/AP
Sample : J5819-08
Misc : 5.00g/5mL/MSVOA-F/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
BES48_SB03_3.5-4.0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F110218S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_F\DATA\VF110718\
Data File : VF060632.D
Acq On : 7 Nov 2018 16:45
Operator : VA/AP
Sample : J5819-08
Misc : 5.00g/5mL/MSVOA-F/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
BES48_SB03_3.5-4.0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F110218S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_F\DATA\VF110718\
Data File : VF060632.D
Acq On : 7 Nov 2018 16:45
Operator : VA/AP
Sample : J5819-08
Misc : 5.00g/5mL/MSV0A-F/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSV0A_F
ClientSampleId :
BES48_SB03_3.5-4.0

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_F\METHODS\82F110218S.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc