

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_F\DATA\VF031219\
 Data File : VF061915.D
 Acq On : 12 Mar 2019 20:02
 Operator : VA/AP
 Sample : K1866-09
 Misc : 5.65g/5mL/MSVOA-F/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_F
 ClientSampleId :
 MR-MH-15-COMP

Manual Integrations
 APPROVED

MMDadoda
 3/13/2019 4:41:45 PM

Quant Time: Mar 13 03:11:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 05 04:50:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.84	168	262907	50.00	ug/l	-0.04
34) 1,4-Difluorobenzene	5.57	114	436025	50.00	ug/l	-0.04
63) Chlorobenzene-d5	9.76	117	377869	50.00	ug/l	-0.03
72) 1,4-Dichlorobenzene-d4	12.54	152	212224	50.00	ug/l	-0.02
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	4.82	65	110112	57.51	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	115.02%	
35) Dibromofluoromethane	4.09	113	148140	48.68	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	97.36%	
50) Toluene-d8	7.54	98	381982	42.23	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	84.46%	
62) 4-Bromofluorobenzene	11.39	95	167372	47.24	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	94.48%	
Target Compounds						
16) Acetone	2.23	43	12007	29.939	ug/l	98
20) Methylene Chloride	2.17	84	22686m	5.496	ug/l	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_F\DATA\VF031219\
Data File : VF061915.D
Acq On : 12 Mar 2019 20:02
Operator : VA/AP
Sample : K1866-09
Misc : 5.65g/5mL/MSVOA-F/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_F
ClientSampleId :
MR-MH-15-COMP

Manual Integrations
APPROVED

MMDadoda
3/13/2019 4:41:45 PM

Quant Time: Mar 13 03:11:22 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_F\METHODS\82F030419S.M
Quant Title : SW846 8260
QLast Update : Tue Mar 05 04:50:44 2019
Response via : Initial Calibration

