

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL011425\
 Data File : VL041895.D
 Acq On : 14 Jan 2025 16:05
 Operator : SY/MD
 Sample : VSTDICC015
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 VSTDICC015

Quant Time: Jan 14 21:21:42 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL011425AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 2
 QLast Update : Tue Jan 14 16:31:18 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 01/15/2025
 Supervised By : Mahesh Dadoda 01/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	2.793	49	141652	10.000	ppbv	0.00
33) 1,4-Difluorobenzene	3.968	114	419859	10.000	ppbv	0.00
55) Chlorobenzene-d5	8.895	117	383799	10.000	ppbv	0.00
System Monitoring Compounds						
68) 1-Bromo-4-Fluorobenzene	10.387	95	304042	10.058	ppbv	0.00
Spiked Amount	10.000	Range	65 - 135	Recovery	= 100.600%	
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.502	85	275248	14.266	ppbv	100
3) Chlorodifluoromethane	1.479	51	285437	14.121	ppbv	98
4) Chloromethane	1.534	50	106071	14.617	ppbv	98
5) Vinyl Chloride	1.583	62	104404	14.204	ppbv	98
6) Bromomethane	1.670	94	49415	14.106	ppbv	91
7) Chloroethane	1.709	64	41130	14.383	ppbv	100
8) Dichlorotetrafluoroethane	1.557	85	244666	14.510	ppbv	100
9) Propene	1.486	41	116343	13.972	ppbv	99
10) Heptane	4.998	43	326897	14.688	ppbv	98
11) Trichlorofluoromethane	1.881	101	299656	14.930	ppbv	97
12) 1,1,2-Trichlorotrifluo...	2.143	101	232607	14.787	ppbv	100
13) Ethanol	1.725	45	6109	10.016	ppbv	83
14) Bromoethene	1.784	108	83586	14.513	ppbv	98
15) Acetone	1.839	43	223353	13.128	ppbv	99
16) 1,3-Butadiene	1.612	39	109420	14.329	ppbv	99
17) tert-Butyl alcohol	2.046	59	298424	14.252	ppbv	99
18) 1,1-Dichloroethene	2.039	96	104645	14.759	ppbv	92
19) Isopropyl Alcohol	1.890	45	134050	13.288	ppbv	98
20) Methylene Chloride	2.065	84	88425	13.151	ppbv	98
21) Allyl Chloride	2.101	41	169875	14.419	ppbv	96
22) trans-1,2-Dichloroethene	2.347	96	118169	14.768	ppbv	97
23) Vinyl Acetate	2.470	43	116632	15.747	ppbv	98
24) 1,1-Dichloroethane	2.415	63	230015	14.862	ppbv	99
25) Ethyl Acetate	2.842	43	665170	14.499	ppbv	100
26) Hexane	2.836	57	263948	14.547	ppbv	97
27) Carbon Disulfide	2.156	76	278476	15.509	ppbv	99
28) Methyl tert-Butyl Ether	2.447	73	187986	13.555	ppbv	98
29) Chloroform	2.858	83	413733	14.424	ppbv	98
30) Cyclohexane	3.868	84	233398	14.830	ppbv	99
31) cis-1,2-Dichloroethene	2.729	61	271739	14.223	ppbv	94
32) 1,1,1-Trichloroethane	3.379	97	419117	15.271	ppbv	99
34) 2-Butanone	2.564	43	380813	14.262	ppbv	99
35) Carbon Tetrachloride	3.774	117	426619	16.146	ppbv	97
36) Benzene	3.667	78	553665	14.378	ppbv	100
37) 1,2-Dichloroethane	3.227	62	321362	14.859	ppbv	99
38) Trichloroethene	4.564	130	222328	14.543	ppbv	98
39) 1,2-Dichloropropane	4.328	63	191532	14.179	ppbv	98
40) 1,4-Dioxane	4.596	88	97521	14.305	ppbv #	93
41) Tetrahydrofuran	3.062	42	217707	14.953	ppbv	99
42) Bromodichloromethane	4.502	83	445130	15.351	ppbv	95
43) Methyl Methacrylate	4.894	69	214564	14.999	ppbv	99
44) 2,2,4-Trimethylpentane	4.655	57	909437	14.601	ppbv	100
45) t-1,3-Dichloropropene	6.435	75	218001	16.281	ppbv	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL011425\
 Data File : VL041895.D
 Acq On : 14 Jan 2025 16:05
 Operator : SY/MD
 Sample : VSTDIC015
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 VSTDIC015

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 01/15/2025
 Supervised By : Mahesh Dadoda 01/15/2025

Quant Time: Jan 14 21:21:42 2025

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL011425AIR.M

Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 2

QLast Update : Tue Jan 14 16:31:18 2025

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) cis-1,3-Dichloropropene	5.619	75	281492	16.011	ppbv	98
47) 1,1,2-Trichloroethane	6.597	97	211658	14.782	ppbv	95
48) Dibromochloromethane	7.402	129	356392	16.134	ppbv	100
49) Bromoform	9.493	173	307617	16.953	ppbv	99
50) 4-Methyl-2-Pentanone	5.774	43	533053	14.653	ppbv	99
51) 2-Hexanone	7.451	43	430297	15.363	ppbv #	97
52) Tetrachloroethene	8.237	164	183208	13.721	ppbv	96
53) Toluene	6.949	91	634515	15.126	ppbv	99
54) 1,2-Dibromoethane	7.665	107	295967	15.036	ppbv	93
56) 1,1,1,2-Tetrachloroethane	8.937	131	280809	14.665	ppbv	98
57) Chlorobenzene	8.933	112	479092	13.533	ppbv	99
58) Ethyl Benzene	9.367	91	887072	14.789	ppbv	100
59) m/p-Xylene	9.565	91	1420585m	29.506	ppbv	
60) o-Xylene	9.976	91	704577	14.765	ppbv	100
61) Styrene	9.882	104	342490	15.999	ppbv	99
62) Isopropylbenzene	10.548	105	1063809	14.406	ppbv	100
63) 1,1,2,2-Tetrachloroethane	9.976	83	426347	14.194	ppbv	100
64) n-propylbenzene	10.998	120	266972	14.308	ppbv	100
65) tert-Butylbenzene	11.542	119	947297	14.077	ppbv	98
66) Benzyl Chloride	11.626	91	68623	16.475	ppbv	98
67) sec-Butylbenzene	11.778	105	1292858	13.952	ppbv	100
69) p-Isopropyltoluene	11.937	119	1089109	14.273	ppbv	99
70) n-Butylbenzene	12.290	91	1059002	13.994	ppbv	99
71) 2-Chlorotoluene	10.911	91	797555	14.601	ppbv	100
72) 4-Ethyltoluene	11.134	105	847451	14.846	ppbv	99
73) 1,3,5-Trimethylbenzene	11.215	105	733759	14.556	ppbv	96
74) 1,2,4-Trimethylbenzene	11.549	105	773569	14.170	ppbv	92
75) 1,3-Dichlorobenzene	11.620	146	443828	13.720	ppbv	99
76) 1,4-Dichlorobenzene	11.681	146	447164	14.129	ppbv	99
77) 1,2-Dichlorobenzene	11.956	146	429118	13.385	ppbv	99
78) Hexachloro-1,3-Butadiene	13.892	225	335016	12.731	ppbv	100
79) Naphthalene	13.523	128	724573	13.183	ppbv	99
80) Naphthalene,2-methyl-	14.468	142	278955	10.704	ppbv	99
81) 1,2,4-Trichlorobenzene	13.452	180	342977	12.784	ppbv	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL011425\
Data File : VL041895.D
Acq On : 14 Jan 2025 16:05
Operator : SY/MD
Sample : VSTDIC015
Misc : 400mL/MSVOA_L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
VSTDIC015

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 01/15/2025
Supervised By :Mahesh Dadoda 01/15/2025

Quant Time: Jan 14 21:21:42 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL011425AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LFri Aug
QLast Update : Tue Jan 14 16:31:18 2025
Response via : Initial Calibration

