

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL041321\
 Data File : VL036816.D
 Acq On : 14 Apr 2021 00:38
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Apr 14 10:04:01 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL032521AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Thu Mar 25 09:42:40 2021
 QLast Update : Thu Mar 25 09:42:40 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	80	0.00
2 T	Dichlorodifluoromethane	1.631	1.427	12.5	75	0.00
3	Chlorodifluoromethane	1.868	1.748	6.4	83	0.00
4	Chloromethane	0.660	0.553	16.2	72	0.00
5 T	Vinyl Chloride	0.679	0.577	15.0	73	0.00
6 T	Bromomethane	0.374	0.312	16.6	71	0.00
7	Chloroethane	0.233	0.197	15.5	75	0.00
8 T	Dichlorotetrafluoroethane	1.557	1.368	12.1	76	0.00
9 T	Propene	0.596	0.547	8.2	77	0.00
10 T	Heptane	1.517	1.381	9.0	75	0.00
11 T	Trichlorofluoromethane	1.662	1.413	15.0	74	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.063	0.939	11.7	75	0.00
13	Ethanol	0.071	0.050	29.6	58	0.00
14 T	Bromoethene	0.442	0.394	10.9	74	0.00
15 T	Acetone	0.984	0.713	27.5	66	0.00
16 T	1,3-Butadiene	0.685	0.612	10.7	75	0.00
17	tert-Butyl alcohol	0.857	0.900	-5.0	87	0.00
18 T	1,1-Dichloroethene	0.473	0.414	12.5	74	0.00
19 T	Isopropyl Alcohol	0.541	0.497	8.1	77	0.00
20 T	Methylene Chloride	0.461	0.354	23.2	71	0.00
21 T	Allyl Chloride	0.785	0.653	16.8	67	0.00
22 T	trans-1,2-Dichloroethene	0.438	0.369	15.8	69	0.00
23 T	Vinyl Acetate	1.684	1.494	11.3	72	0.00
24 T	1,1-Dichloroethane	1.227	1.071	12.7	73	0.00
25 T	Ethyl Acetate	2.340	2.059	12.0	75	0.00
26 T	Hexane	1.086	0.971	10.6	75	0.00
27 T	Carbon Disulfide	1.070	1.008	5.8	74	0.00
28 T	Methyl tert-Butyl Ether	1.281	1.158	9.6	73	0.00
29 T	Chloroform	1.737	1.535	11.6	76	0.00
30 T	Cyclohexane	0.881	0.831	5.7	76	0.00
31 T	cis-1,2-Dichloroethene	1.050	0.959	8.7	73	0.00
32 T	1,1,1-Trichloroethane	1.750	1.560	10.9	76	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
34 T	2-Butanone	0.488	0.381	21.9	70	0.00
35 T	Carbon Tetrachloride	0.768	0.616	19.8	77	0.00
36 T	Benzene	0.922	0.780	15.4	76	0.00
37 T	1,2-Dichloroethane	0.543	0.446	17.9	75	0.00
38 T	Trichloroethene	0.359	0.292	18.7	80	0.00
39 T	1,2-Dichloropropane	0.374	0.306	18.2	75	0.00
40 T	1,4-Dioxane	0.087	0.082	5.7	89	0.00
41 T	Tetrahydrofuran	0.225	0.173	23.1	64	0.00
42 T	Bromodichloromethane	0.738	0.634	14.1	76	0.00
43	Methyl Methacrylate	0.310	0.291	6.1	77	0.00
44 T	2,2,4-Trimethylpentane	1.623	1.333	17.9	78	0.00
45 T	t-1,3-Dichloropropene	0.354	0.251	29.1	55	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL041321\
 Data File : VL036816.D
 Acq On : 14 Apr 2021 00:38
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Apr 14 10:04:01 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL032521AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Thu Mar 25 09:42:40 2021
 QLast Update : Thu Mar 25 09:42:40 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.452	0.328	27.4	59	0.00
47 T	1,1,2-Trichloroethane	0.379	0.312	17.7	76	0.00
48 T	Dibromochloromethane	0.578	0.533	7.8	78	0.00
49 T	Bromoform	0.465	0.439	5.6	78	0.00
50 T	4-Methyl-2-Pentanone	0.706	0.563	20.3	68	0.00
51 T	2-Hexanone	0.356	0.292	18.0	63	0.00
52 T	Tetrachloroethene	0.340	0.271	20.3	77	0.00
53 T	Toluene	0.982	0.884	10.0	77	0.00
54 T	1,2-Dibromoethane	0.535	0.457	14.6	77	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
56	1,1,1,2-Tetrachloroethane	0.452	0.433	4.2	81	0.00
57 T	Chlorobenzene	0.851	0.778	8.6	81	0.00
58 T	Ethyl Benzene	1.455	1.386	4.7	78	0.00
59 T	m/p-Xylene	1.269	1.177	7.2	79	0.00
60 T	o-Xylene	1.227	1.102	10.2	78	0.00
61 T	Styrene	0.617	0.605	1.9	71	0.00
62	Isopropylbenzene	1.652	1.556	5.8	81	0.00
63 T	1,1,2,2-Tetrachloroethane	0.936	0.794	15.2	80	0.00
64	n-propylbenzene	0.404	0.403	0.2	82	0.00
65	tert-Butylbenzene	1.433	1.356	5.4	82	0.00
66 T	Benzyl Chloride	0.158	0.107	32.3#	50	-0.01
67	sec-Butylbenzene	2.022	1.907	5.7	83	0.00
68 S	1-Bromo-4-Fluorobenzene	0.797	0.680	14.7	66	0.00
69	p-Isopropyltoluene	1.579	1.572	0.4	83	0.00
70	n-Butylbenzene	1.638	1.574	3.9	81	0.00
71	2-Chlorotoluene	1.238	1.187	4.1	80	0.00
72 T	4-Ethyltoluene	1.344	1.324	1.5	81	0.00
73 T	1,3,5-Trimethylbenzene	1.255	1.178	6.1	78	0.00
74 T	1,2,4-Trimethylbenzene	1.343	1.227	8.6	81	0.00
75 T	1,3-Dichlorobenzene	0.756	0.733	3.0	84	0.00
76 T	1,4-Dichlorobenzene	0.750	0.688	8.3	81	0.00
77 T	1,2-Dichlorobenzene	0.710	0.701	1.3	85	0.00
78 T	Hexachloro-1,3-Butadiene	0.636	0.549	13.7	85	0.00
79 T	Naphthalene	0.784	0.806	-2.8	71	0.00
80 T	Naphthalene,2-methyl-	0.155	0.132	14.8	44	0.00
81 T	1,2,4-Trichlorobenzene	0.484	0.494	-2.1	78	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0