

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL050619\
 Data File : VL033675.D
 Acq On : 7 May 2019 1:47
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 07 05:40:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL050619AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon May 06 15:19:01 2019
 QLast Update : Mon May 06 15:19:01 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	2.345	1.805	23.0	69	0.00
3	Chlorodifluoromethane	1.444	1.185	17.9	85	0.00
4	Chloromethane	0.751	0.629	16.2	78	0.00
5 T	Vinyl Chloride	0.730	0.636	12.9	81	0.00
6 T	Bromomethane	0.464	0.409	11.9	81	0.00
7	Chloroethane	0.265	0.239	9.8	84	0.00
8 T	Dichlorotetrafluoroethane	1.931	1.664	13.8	81	0.00
9 T	Propene	0.551	0.484	12.2	80	0.00
10 T	Heptane	1.359	1.403	-3.2	85	0.00
11 T	Trichlorofluoromethane	2.190	1.952	10.9	82	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.472	1.345	8.6	83	0.00
13	Ethanol	0.165	0.113	31.5#	80	0.00
14 T	Bromoethene	0.580	0.512	11.7	77	0.00
15 T	Acetone	1.488	1.211	18.6	81	0.00
16 T	1,3-Butadiene	0.638	0.572	10.3	79	0.00
17	tert-Butyl alcohol	1.130	1.007	10.9	77	0.00
18 T	1,1-Dichloroethene	0.636	0.577	9.3	80	0.00
19 T	Isopropyl Alcohol	0.914	0.796	12.9	79	0.00
20 T	Methylene Chloride	0.565	0.504	10.8	83	0.00
21 T	Allyl Chloride	0.900	0.866	3.8	83	0.00
22 T	trans-1,2-Dichloroethene	0.638	0.611	4.2	82	0.00
23 T	Vinyl Acetate	1.933	1.901	1.7	81	0.00
24 T	1,1-Dichloroethane	1.462	1.337	8.5	82	0.00
25 T	Ethyl Acetate	2.420	2.357	2.6	84	0.00
26 T	Hexane	1.040	1.038	0.2	84	0.00
27 T	Carbon Disulfide	1.423	1.498	-5.3	84	0.00
28 T	Methyl tert-Butyl Ether	1.752	1.609	8.2	76	0.00
29 T	Chloroform	1.871	1.783	4.7	84	0.00
30 T	Cyclohexane	0.874	0.889	-1.7	81	0.00
31 T	cis-1,2-Dichloroethene	1.035	1.055	-1.9	83	0.00
32 T	1,1,1-Trichloroethane	1.932	1.772	8.3	78	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	81	0.00
34 T	2-Butanone	0.640	0.626	2.2	83	0.00
35 T	Carbon Tetrachloride	0.822	0.846	-2.9	84	0.00
36 T	Benzene	0.897	0.885	1.3	80	0.00
37 T	1,2-Dichloroethane	0.626	0.568	9.3	83	0.00
38 T	Trichloroethene	0.329	0.394	-19.8	89	0.00
39 T	1,2-Dichloropropane	0.334	0.326	2.4	80	0.00
40 T	1,4-Dioxane	0.134	0.143	-6.7	88	0.00
41 T	Tetrahydrofuran	0.331	0.344	-3.9	80	0.00
42 T	Bromodichloromethane	0.808	0.855	-5.8	86	0.00
43	Methyl Methacrylate	0.337	0.364	-8.0	83	0.00
44 T	2,2,4-Trimethylpentane	1.533	1.694	-10.5	91	0.00
45 T	t-1,3-Dichloropropene	0.414	0.505	-22.0	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL050619\
 Data File : VL033675.D
 Acq On : 7 May 2019 1:47
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 07 05:40:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL050619AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon May 06 15:19:01 2019
 QLast Update : Mon May 06 15:19:01 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.517	0.563	-8.9	81	0.00
47 T	1,1,2-Trichloroethane	0.384	0.386	-0.5	85	0.00
48 T	Dibromochloromethane	0.651	0.717	-10.1	84	0.00
49 T	Bromoform	0.565	0.638	-12.9	84	0.00
50 T	4-Methyl-2-Pentanone	0.970	1.009	-4.0	82	0.00
51 T	2-Hexanone	0.751	0.834	-11.1	84	0.00
52 T	Tetrachloroethene	0.318	0.347	-9.1	84	0.00
53 T	Toluene	0.969	1.083	-11.8	84	0.00
54 T	1,2-Dibromoethane	0.578	0.618	-6.9	85	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
56	1,1,1,2-Tetrachloroethane	0.461	0.459	0.4	86	0.00
57 T	Chlorobenzene	0.821	0.805	1.9	87	0.00
58 T	Ethyl Benzene	1.304	1.413	-8.4	84	0.00
59 T	m/p-Xylene	1.149	1.192	-3.7	85	0.00
60 T	o-Xylene	1.162	1.214	-4.5	86	0.00
61 T	Styrene	0.774	0.903	-16.7	86	0.00
62	Isopropylbenzene	1.587	1.627	-2.5	87	0.00
63 T	1,1,2,2-Tetrachloroethane	0.846	0.827	2.2	85	0.00
64	n-propylbenzene	0.410	0.416	-1.5	84	0.00
65	tert-Butylbenzene	1.456	1.460	-0.3	84	0.00
66 T	Benzyl Chloride	0.662	0.781	-18.0	82	0.00
67	sec-Butylbenzene	2.031	2.049	-0.9	84	0.00
68 S	1-Bromo-4-Fluorobenzene	0.820	0.831	-1.3	85	0.00
69	p-Isopropyltoluene	1.674	1.721	-2.8	83	0.00
70	n-Butylbenzene	1.775	1.805	-1.7	82	0.00
71	2-Chlorotoluene	1.173	1.232	-5.0	86	0.00
72 T	4-Ethyltoluene	1.366	1.427	-4.5	84	0.00
73 T	1,3,5-Trimethylbenzene	1.321	1.350	-2.2	84	0.00
74 T	1,2,4-Trimethylbenzene	1.469	1.419	3.4	84	0.00
75 T	1,3-Dichlorobenzene	0.887	0.828	6.7	83	0.00
76 T	1,4-Dichlorobenzene	0.842	0.824	2.1	83	0.00
77 T	1,2-Dichlorobenzene	0.822	0.796	3.2	83	0.00
78 T	Hexachloro-1,3-Butadiene	0.651	0.717	-10.1	110	0.00
79 T	Naphthalene	1.341	1.602	-19.5	92	0.00
80 T	Naphthalene,2-methyl-	0.507	0.747	-47.3#	100	0.00
81 T	1,2,4-Trichlorobenzene	0.779	0.828	-6.3	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0