

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL052019\
 Data File : VL033721.D
 Acq On : 20 May 2019 11:21
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 21 01:40:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri May 17 08:15:41 2019
 QLast Update : Fri May 17 08:15:41 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	2.107	1.475	30.0	73	0.00
3	Chlorodifluoromethane	1.145	1.270	-10.9	105	0.00
4	Chloromethane	0.655	0.681	-4.0	97	0.00
5 T	Vinyl Chloride	0.667	0.682	-2.2	99	0.00
6 T	Bromomethane	0.407	0.416	-2.2	93	0.00
7	Chloroethane	0.237	0.240	-1.3	94	0.00
8 T	Dichlorotetrafluoroethane	1.699	1.713	-0.8	97	0.00
9 T	Propene	0.487	0.547	-12.3	101	0.00
10 T	Heptane	1.380	1.277	7.5	84	0.00
11 T	Trichlorofluoromethane	2.011	1.887	6.2	85	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.405	1.241	11.7	81	0.00
13	Ethanol	0.157	0.140	10.8	101	0.00
14 T	Bromoethene	0.516	0.540	-4.7	96	0.00
15 T	Acetone	1.387	1.232	11.2	88	0.00
16 T	1,3-Butadiene	0.553	0.574	-3.8	96	0.00
17	tert-Butyl alcohol	1.122	1.182	-5.3	91	0.00
18 T	1,1-Dichloroethene	0.593	0.574	3.2	86	0.00
19 T	Isopropyl Alcohol	0.895	0.868	3.0	84	0.00
20 T	Methylene Chloride	0.534	0.490	8.2	89	0.00
21 T	Allyl Chloride	0.865	0.822	5.0	82	0.00
22 T	trans-1,2-Dichloroethene	0.608	0.563	7.4	87	0.00
23 T	Vinyl Acetate	1.829	1.864	-1.9	89	0.00
24 T	1,1-Dichloroethane	1.391	1.275	8.3	88	0.00
25 T	Ethyl Acetate	2.437	2.161	11.3	82	0.00
26 T	Hexane	1.048	0.950	9.4	82	0.00
27 T	Carbon Disulfide	1.438	1.384	3.8	81	0.00
28 T	Methyl tert-Butyl Ether	1.708	1.720	-0.7	90	0.00
29 T	Chloroform	1.930	1.615	16.3	82	0.00
30 T	Cyclohexane	0.881	0.879	0.2	87	0.00
31 T	cis-1,2-Dichloroethene	1.039	1.007	3.1	90	0.00
32 T	1,1,1-Trichloroethane	1.927	1.655	14.1	80	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
34 T	2-Butanone	0.620	0.576	7.1	89	0.00
35 T	Carbon Tetrachloride	0.801	0.723	9.7	84	0.00
36 T	Benzene	0.910	0.825	9.3	85	0.00
37 T	1,2-Dichloroethane	0.587	0.480	18.2	80	0.00
38 T	Trichloroethene	0.338	0.334	1.2	88	0.00
39 T	1,2-Dichloropropane	0.339	0.319	5.9	89	0.00
40 T	1,4-Dioxane	0.142	0.121	14.8	79	0.00
41 T	Tetrahydrofuran	0.347	0.317	8.6	81	0.00
42 T	Bromodichloromethane	0.803	0.729	9.2	86	0.00
43	Methyl Methacrylate	0.335	0.332	0.9	87	0.00
44 T	2,2,4-Trimethylpentane	1.537	1.356	11.8	83	0.00
45 T	t-1,3-Dichloropropene	0.424	0.464	-9.4	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL052019\
 Data File : VL033721.D
 Acq On : 20 May 2019 11:21
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 21 01:40:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri May 17 08:15:41 2019
 QLast Update : Fri May 17 08:15:41 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.497	0.510	-2.6	84	0.00
47 T	1,1,2-Trichloroethane	0.385	0.345	10.4	86	0.00
48 T	Dibromochloromethane	0.668	0.629	5.8	83	0.00
49 T	Bromoform	0.562	0.565	-0.5	89	0.00
50 T	4-Methyl-2-Pentanone	0.953	0.864	9.3	82	0.00
51 T	2-Hexanone	0.744	0.731	1.7	84	0.00
52 T	Tetrachloroethene	0.320	0.318	0.6	85	0.00
53 T	Toluene	0.981	0.973	0.8	85	0.00
54 T	1,2-Dibromoethane	0.588	0.559	4.9	87	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
56	1,1,1,2-Tetrachloroethane	0.463	0.400	13.6	90	0.00
57 T	Chlorobenzene	0.823	0.703	14.6	90	0.00
58 T	Ethyl Benzene	1.324	1.272	3.9	91	0.00
59 T	m/p-Xylene	1.158	1.043	9.9	89	0.00
60 T	o-Xylene	1.167	1.048	10.2	90	0.00
61 T	Styrene	0.786	0.808	-2.8	92	0.00
62	Isopropylbenzene	1.572	1.436	8.7	92	0.00
63 T	1,1,2,2-Tetrachloroethane	0.849	0.715	15.8	89	0.00
64	n-propylbenzene	0.407	0.414	-1.7	101	0.00
65	tert-Butylbenzene	1.435	1.445	-0.7	100	0.00
66 T	Benzyl Chloride	0.683	0.858	-25.6	106	0.00
67	sec-Butylbenzene	2.008	2.033	-1.2	101	0.00
68 S	1-Bromo-4-Fluorobenzene	0.811	0.775	4.4	100	0.00
69	p-Isopropyltoluene	1.660	1.701	-2.5	99	0.00
70	n-Butylbenzene	1.780	1.769	0.6	99	0.00
71	2-Chlorotoluene	1.166	1.092	6.3	91	0.00
72 T	4-Ethyltoluene	1.334	1.392	-4.3	100	0.00
73 T	1,3,5-Trimethylbenzene	1.302	1.312	-0.8	100	0.00
74 T	1,2,4-Trimethylbenzene	1.417	1.378	2.8	98	0.00
75 T	1,3-Dichlorobenzene	0.868	0.811	6.6	99	0.00
76 T	1,4-Dichlorobenzene	0.825	0.810	1.8	100	0.00
77 T	1,2-Dichlorobenzene	0.816	0.779	4.5	99	0.00
78 T	Hexachloro-1,3-Butadiene	0.617	0.592	4.1	109	0.00
79 T	Naphthalene	1.316	1.239	5.9	86	0.00
80 T	Naphthalene,2-methyl-	0.500	0.499	0.2	78	0.00
81 T	1,2,4-Trichlorobenzene	0.771	0.678	12.1	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0