

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL052819\
 Data File : VL033809.D
 Acq On : 28 May 2019 17:42
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 29 05:25:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri May 17 08:15:41 2019
 QLast Update : Fri May 17 08:15:41 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	2.107	1.559	26.0	77	0.00
3	Chlorodifluoromethane	1.145	1.137	0.7	94	0.00
4	Chloromethane	0.655	0.706	-7.8	101	0.00
5 T	Vinyl Chloride	0.667	0.690	-3.4	101	0.00
6 T	Bromomethane	0.407	0.432	-6.1	97	0.00
7	Chloroethane	0.237	0.253	-6.8	99	0.00
8 T	Dichlorotetrafluoroethane	1.699	1.680	1.1	95	0.00
9 T	Propene	0.487	0.553	-13.6	103	0.00
10 T	Heptane	1.380	1.403	-1.7	93	0.00
11 T	Trichlorofluoromethane	2.011	1.827	9.1	83	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.405	1.258	10.5	82	0.00
13	Ethanol	0.157	0.118	24.8	85	0.00
14 T	Bromoethene	0.516	0.571	-10.7	102	0.00
15 T	Acetone	1.387	1.189	14.3	85	0.00
16 T	1,3-Butadiene	0.553	0.604	-9.2	101	0.00
17	tert-Butyl alcohol	1.122	1.222	-8.9	94	0.00
18 T	1,1-Dichloroethene	0.593	0.579	2.4	87	0.00
19 T	Isopropyl Alcohol	0.895	0.925	-3.4	90	0.00
20 T	Methylene Chloride	0.534	0.486	9.0	88	0.00
21 T	Allyl Chloride	0.865	0.846	2.2	85	0.00
22 T	trans-1,2-Dichloroethene	0.608	0.578	4.9	90	0.00
23 T	Vinyl Acetate	1.829	2.016	-10.2	96	0.00
24 T	1,1-Dichloroethane	1.391	1.377	1.0	95	0.00
25 T	Ethyl Acetate	2.437	2.351	3.5	90	0.00
26 T	Hexane	1.048	1.057	-0.9	91	0.00
27 T	Carbon Disulfide	1.438	1.404	2.4	83	0.00
28 T	Methyl tert-Butyl Ether	1.708	1.887	-10.5	99	0.00
29 T	Chloroform	1.930	1.766	8.5	90	0.00
30 T	Cyclohexane	0.881	0.947	-7.5	94	0.00
31 T	cis-1,2-Dichloroethene	1.039	1.082	-4.1	97	0.00
32 T	1,1,1-Trichloroethane	1.927	1.776	7.8	86	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
34 T	2-Butanone	0.620	0.603	2.7	96	0.00
35 T	Carbon Tetrachloride	0.801	0.696	13.1	84	0.00
36 T	Benzene	0.910	0.865	4.9	92	0.00
37 T	1,2-Dichloroethane	0.587	0.483	17.7	83	0.00
38 T	Trichloroethene	0.338	0.358	-5.9	98	0.00
39 T	1,2-Dichloropropane	0.339	0.328	3.2	95	0.00
40 T	1,4-Dioxane	0.142	0.142	0.0	97	0.00
41 T	Tetrahydrofuran	0.347	0.346	0.3	92	0.00
42 T	Bromodichloromethane	0.803	0.736	8.3	90	0.00
43	Methyl Methacrylate	0.335	0.351	-4.8	95	0.00
44 T	2,2,4-Trimethylpentane	1.537	1.426	7.2	91	0.00
45 T	t-1,3-Dichloropropene	0.424	0.451	-6.4	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL052819\
 Data File : VL033809.D
 Acq On : 28 May 2019 17:42
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: May 29 05:25:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri May 17 08:15:41 2019
 QLast Update : Fri May 17 08:15:41 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.497	0.515	-3.6	88	0.00
47 T	1,1,2-Trichloroethane	0.385	0.361	6.2	93	0.00
48 T	Dibromochloromethane	0.668	0.631	5.5	87	0.00
49 T	Bromoform	0.562	0.575	-2.3	94	0.00
50 T	4-Methyl-2-Pentanone	0.953	0.882	7.5	86	0.00
51 T	2-Hexanone	0.744	0.732	1.6	87	0.00
52 T	Tetrachloroethene	0.320	0.332	-3.8	93	0.00
53 T	Toluene	0.981	1.024	-4.4	93	0.00
54 T	1,2-Dibromoethane	0.588	0.562	4.4	90	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
56	1,1,1,2-Tetrachloroethane	0.463	0.419	9.5	94	0.00
57 T	Chlorobenzene	0.823	0.752	8.6	96	0.00
58 T	Ethyl Benzene	1.324	1.384	-4.5	98	0.00
59 T	m/p-Xylene	1.158	1.132	2.2	96	0.00
60 T	o-Xylene	1.167	1.104	5.4	94	0.00
61 T	Styrene	0.786	0.870	-10.7	99	0.00
62	Isopropylbenzene	1.572	1.501	4.5	95	0.00
63 T	1,1,2,2-Tetrachloroethane	0.849	0.767	9.7	95	0.00
64	n-propylbenzene	0.407	0.395	2.9	96	0.00
65	tert-Butylbenzene	1.435	1.359	5.3	93	0.00
66 T	Benzyl Chloride	0.683	0.694	-1.6	85	0.00
67	sec-Butylbenzene	2.008	1.915	4.6	95	0.00
68 S	1-Bromo-4-Fluorobenzene	0.811	0.750	7.5	96	0.00
69	p-Isopropyltoluene	1.660	1.632	1.7	95	0.00
70	n-Butylbenzene	1.780	1.665	6.5	92	0.00
71	2-Chlorotoluene	1.166	1.128	3.3	94	0.00
72 T	4-Ethyltoluene	1.334	1.311	1.7	94	0.00
73 T	1,3,5-Trimethylbenzene	1.302	1.253	3.8	95	0.00
74 T	1,2,4-Trimethylbenzene	1.417	1.305	7.9	93	0.00
75 T	1,3-Dichlorobenzene	0.868	0.778	10.4	95	0.00
76 T	1,4-Dichlorobenzene	0.825	0.763	7.5	93	0.00
77 T	1,2-Dichlorobenzene	0.816	0.757	7.2	95	0.00
78 T	Hexachloro-1,3-Butadiene	0.617	0.536	13.1	99	0.00
79 T	Naphthalene	1.316	1.070	18.7	74	0.00
80 T	Naphthalene,2-methyl-	0.500	0.422	15.6	65	0.00
81 T	1,2,4-Trichlorobenzene	0.771	0.616	20.1	78	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0