

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062221\
 Data File : VL037223.D
 Acq On : 22 Jun 2021 19:08
 Operator : SY/AP
 Sample : M2807-03
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 IAQ-01

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 3
 Start Thrs: 0.001
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 0

Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL061621AIR.M

Title : AIR ANALYSIS BY METHOD T0-15 Instrument: MSVOA_L Wed Jun 16 14:06:32 2021

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.880	15	29	40	rBV	2837188	5669058	30.76%	2.093%
2	2.922	40	42	53	rVB	450332	615142	3.34%	0.227%
3	3.031	64	76	98	rBV	5344205	9389898	50.96%	3.467%
4	3.128	98	106	122	rVV	2286721	4114033	22.33%	1.519%
5	3.211	122	132	160	rVV	10049445	18427664	100.00%	6.803%
6	3.311	160	163	170	rVV4	140522	186346	1.01%	0.069%
7	3.362	170	179	220	rVB	7085839	13113045	71.16%	4.841%
8	3.613	244	257	291	rBV	1697939	4269860	23.17%	1.576%
9	3.854	321	332	338	rBV	5383270	9456941	51.32%	3.491%
10	3.877	338	339	364	rVV	3646024	5812051	31.54%	2.146%
11	3.980	364	371	387	rVB2	260061	643955	3.49%	0.238%
12	4.140	410	421	434	rBV	2123773	3700234	20.08%	1.366%
13	4.198	438	439	454	rVB5	181439	270758	1.47%	0.100%
14	4.314	466	475	481	rBV3	335417	630176	3.42%	0.233%
15	4.356	481	488	519	rVB2	835161	1833927	9.95%	0.677%
16	4.607	554	566	580	rBV3	182702	363155	1.97%	0.134%
17	4.980	671	682	696	rBV2	89313	212698	1.15%	0.079%
18	5.066	696	709	717	rVV2	767520	1530765	8.31%	0.565%
19	5.118	717	725	740	rVV	1922570	3931088	21.33%	1.451%
20	5.179	742	744	759	rVV3	158746	225028	1.22%	0.083%
21	5.256	759	768	782	rVB2	201120	386040	2.09%	0.143%
22	5.382	794	807	832	rBV3	2306368	4919822	26.70%	1.816%
23	5.693	885	904	944	rBV4	4238378	11899424	64.57%	4.393%
24	6.230	1053	1071	1090	rBV2	1503574	3404882	18.48%	1.257%
25	6.333	1090	1103	1104	rVV2	1835107	2526144	13.71%	0.933%
26	6.349	1107	1108	1145	rVB3	1779929	3003729	16.30%	1.109%
27	6.526	1147	1163	1176	rBV2	223617	508269	2.76%	0.188%
28	6.851	1250	1264	1274	rBV5	168317	475769	2.58%	0.176%
29	6.899	1274	1279	1293	rVV6	138774	302932	1.64%	0.112%
30	6.999	1293	1310	1331	rVB2	973325	2326054	12.62%	0.859%
31	7.144	1341	1355	1358	rBV3	571056	948991	5.15%	0.350%
32	7.189	1358	1369	1381	rVV	4023150	8694951	47.18%	3.210%
33	7.263	1381	1392	1405	rVV	2508841	5703427	30.95%	2.106%
34	7.340	1405	1416	1442	rVV2	1540926	3764011	20.43%	1.390%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062221\
 Data File : VL037223.D
 Acq On : 22 Jun 2021 19:08
 Operator : SY/AP
 Sample : M2807-03
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 IAQ-01

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 3
 Start Thrs: 0.001
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 0

Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL061621AIR.M

Title : AIR ANALYSIS BY METHOD T0-15 Instrument: MSVOA_L Wed Jun 16 14:06:32 2021

35	7.497	1442	1465	1493	rVB	2974425	7085885	38.45%	2.616%
36	7.783	1543	1554	1572	rVB3	390681	1027597	5.58%	0.379%
37	7.883	1572	1585	1589	rVV8	345147	708508	3.84%	0.262%
38	7.922	1589	1597	1619	rVB5	492482	1194958	6.48%	0.441%
39	8.134	1649	1663	1692	rBV3	862394	1960467	10.64%	0.724%
40	8.832	1865	1880	1906	rVB2	629164	1660545	9.01%	0.613%
41	9.134	1961	1974	1988	rBV5	118595	277670	1.51%	0.103%
42	9.819	2168	2187	2209	rBV	1145892	2608810	14.16%	0.963%
43	10.066	2252	2264	2274	rBV5	150905	341178	1.85%	0.126%
44	10.307	2325	2339	2347	rBV5	124018	268791	1.46%	0.099%
45	10.436	2365	2379	2386	rBV4	372314	795806	4.32%	0.294%
46	10.494	2386	2397	2409	rVV3	1327732	3302605	17.92%	1.219%
47	10.552	2409	2415	2433	rVB4	382740	847268	4.60%	0.313%
48	10.976	2532	2547	2570	rBV2	2423410	5942955	32.25%	2.194%
49	11.102	2570	2586	2609	rVV6	1358722	4278693	23.22%	1.580%
50	11.320	2638	2654	2674	rVB3	772221	1928836	10.47%	0.712%
51	11.706	2758	2774	2797	rVB3	363362	997116	5.41%	0.368%
52	11.835	2800	2814	2816	rBV4	172823	263967	1.43%	0.097%
53	12.024	2856	2873	2881	rBV3	723380	1760368	9.55%	0.650%
54	12.098	2881	2896	2910	rVV2	4418379	10421432	56.55%	3.847%
55	12.201	2919	2928	2953	rVB5	1260765	3580080	19.43%	1.322%
56	12.359	2964	2977	2993	rVB3	1146124	2864566	15.54%	1.058%
57	12.449	2993	3005	3021	rBV5	213302	609164	3.31%	0.225%
58	12.529	3023	3030	3050	rVB6	186779	457759	2.48%	0.169%
59	12.719	3068	3089	3105	rVB2	737671	1990742	10.80%	0.735%
60	12.825	3105	3122	3134	rBV3	1371444	3316960	18.00%	1.225%
61	12.893	3134	3143	3158	rVV6	550380	1662719	9.02%	0.614%
62	12.979	3158	3170	3193	rVV2	1839635	6061751	32.89%	2.238%
63	13.105	3193	3209	3226	rVV5	1263529	3801251	20.63%	1.403%
64	13.330	3255	3279	3295	rVV2	1386549	3691205	20.03%	1.363%
65	13.420	3295	3307	3323	rVB2	307196	691788	3.75%	0.255%
66	13.552	3331	3348	3350	rBV5	898518	1515820	8.23%	0.560%
67	13.568	3350	3353	3373	rVV7	913257	1884952	10.23%	0.696%
68	13.703	3373	3395	3406	rVV4	889491	2586222	14.03%	0.955%
69	13.796	3406	3424	3425	rVV4	527559	1213400	6.58%	0.448%
70	13.806	3425	3427	3444	rVV5	531599	1180798	6.41%	0.436%
71	13.899	3444	3456	3469	rVB2	1029469	2402254	13.04%	0.887%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062221\
 Data File : VL037223.D
 Acq On : 22 Jun 2021 19:08
 Operator : SY/AP
 Sample : M2807-03
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 IAQ-01

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 3
 Start Thrs: 0.001
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 0

Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL061621AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Wed Jun 16 14:06:32 2021

72	13.976	3469	3480	3492	rBV2	394422	808974	4.39%	0.299%
73	14.159	3523	3537	3565	rVB3	3011003	7007618	38.03%	2.587%
74	14.426	3602	3620	3635	rBV3	5240972	12768718	69.29%	4.714%
75	14.500	3637	3643	3660	rVV3	797568	2127460	11.54%	0.785%
76	14.590	3660	3671	3689	rVV8	188696	692688	3.76%	0.256%
77	14.677	3689	3698	3707	rVV3	97093	232199	1.26%	0.086%
78	14.748	3707	3720	3732	rVB7	99716	277100	1.50%	0.102%
79	14.896	3747	3766	3777	rBV4	359490	919380	4.99%	0.339%
80	15.185	3837	3856	3865	rBV6	406683	1093927	5.94%	0.404%
81	15.243	3865	3874	3889	rVV5	381605	1027420	5.58%	0.379%
82	15.326	3889	3900	3917	rVB6	342678	884118	4.80%	0.326%
83	15.494	3938	3952	3953	rBV3	164240	217774	1.18%	0.080%
84	15.500	3953	3954	3964	rVV4	169630	193561	1.05%	0.071%
85	15.574	3964	3977	3991	rVB2	163671	421845	2.29%	0.156%
86	15.783	4027	4042	4054	rBV	399851	948811	5.15%	0.350%
87	15.857	4054	4065	4088	rVB3	287355	897546	4.87%	0.331%
88	16.011	4094	4113	4114	rBV4	305836	569239	3.09%	0.210%
89	16.034	4114	4120	4131	rVV5	278270	684989	3.72%	0.253%
90	16.114	4131	4145	4149	rVV7	363954	844033	4.58%	0.312%
91	16.130	4149	4150	4164	rVB3	334270	453167	2.46%	0.167%
92	16.323	4193	4210	4239	rVB6	354447	1202221	6.52%	0.444%
93	16.519	4250	4271	4272	rBV7	111556	223654	1.21%	0.083%
94	16.777	4337	4351	4373	rBV4	818379	2114090	11.47%	0.780%
95	16.886	4373	4385	4394	rVB7	121614	297519	1.61%	0.110%
96	16.992	4399	4418	4436	rBV2	1137617	3491267	18.95%	1.289%
97	17.127	4445	4460	4478	rVV3	923624	2333495	12.66%	0.861%
98	17.211	4478	4486	4498	rVB8	109016	257808	1.40%	0.095%
99	17.294	4510	4512	4538	rVB9	129875	323133	1.75%	0.119%
100	17.606	4584	4609	4620	rBV5	248821	690830	3.75%	0.255%
101	17.834	4663	4680	4694	rBV5	240095	647640	3.51%	0.239%
102	17.957	4704	4718	4732	rBV7	470651	1279402	6.94%	0.472%
103	18.188	4778	4790	4802	rBV5	243289	588140	3.19%	0.217%
104	18.378	4835	4849	4873	rVB6	652349	2160359	11.72%	0.798%
105	18.571	4903	4909	4922	rVB6	120658	273813	1.49%	0.101%
106	18.976	5034	5035	5048	rVB6	194793	227425	1.23%	0.084%
107	19.146	5076	5088	5099	rBV8	94808	216865	1.18%	0.080%
108	19.477	5171	5191	5201	rBV8	201376	577254	3.13%	0.213%
109	19.542	5201	5211	5222	rVB8	194356	448555	2.43%	0.166%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062221\
Data File : VL037223.D
Acq On : 22 Jun 2021 19:08
Operator : SY/AP
Sample : M2807-03
Misc : 400mL/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
IAQ-01

Integration Parameters: RTEINT.P
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 3 Min Area: 3 % of largest Peak
Start Thrs: 0.001 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 0

Method : Z:\VOASRV\HPCHEM1\MSVOA_L\METHODS\VL061621AIR.M
Title : AIR ANALYSIS BY METHOD T0-15 Instrument: MSVOA_LWed Jun 16 14:06:32 2021


Sum of corrected areas: 270869190

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062221\
Data File : VL037223.D
Acq On : 22 Jun 2021 19:08
Operator : SY/AP
Sample : M2807-03
Misc : 400mL/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
IAQ-01

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL061621AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Wed Jun 16 14:06:32 2021

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data_Path : Z:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL062221\
Data_File : VL037223.D
Acq_On : 22-Jun-2021 19:088
Operator : SY/APP
Sample : M2807-033
Misc : 400mL/MSVOA.LL
ALS_Vial : 1 Sample_Multiplier: 11

Instrument :
MSVOA_L
ClientSampleId :
IAQ-01

Quant_Method : Z:\V0ASRV\HPCHEM1\MSVOA.L\METHODS\VL061621AIR.MM
Quant_Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA.L Wed Jun 16 14:06:32 2021

TIC_Library : C:\DATABASE\NIST11.LL
TIC_Integration Parameters: LSCINT.PP

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
				#	RT Resp Conc

No Library Search Compounds Detected
