

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL073020\  
 Data File : VL035271.D  
 Acq On : 30 Jul 2020 8:10  
 Operator : SY/AP  
 Sample : OC CAN 10267  
 Misc : 400ml/MSVOA L  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_L  
 ClientSampleId :  
 QC CAN 10267

Quant Time: Jul 30 12:39:01 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL072920AIR.M  
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA\_LWed Jul 29 07:14:29 2020  
 QLast Update : Wed Jul 29 07:14:29 2020  
 Response via : Initial Calibration

| Internal Standards      | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Bromochloromethane   | 5.66  | 49   | 1051539  | 10.00 | ppbv  | 0.00     |
| 33) 1,4-Difluorobenzene | 7.18  | 114  | 2666827  | 10.00 | ppbv  | 0.00     |
| 55) Chlorobenzene-d5    | 12.12 | 117  | 2419681  | 10.00 | ppbv  | 0.00     |

System Monitoring Compounds

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| 68) 1-Bromo-4-Fluorobenzene | 14.46  | 95    | 2015266  | 10.42    | ppbv | 0.00    |
| Spiked Amount               | 10.000 | Range | 65 - 135 | Recovery | =    | 104.20% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL073020\  
Data File : VL035271.D  
Acq On : 30 Jul 2020 8:10  
Operator : SY/AP  
Sample : OC CAN 10267  
Misc : 400ml/MSVOA L  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_L  
ClientSampleId :  
QC CAN 10267

Quant Time: Jul 30 12:39:01 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA L\METHODS\VL072920AIR.M  
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA\_L Wed Jul 29 07:14:29 2020  
QLast Update : Wed Jul 29 07:14:29 2020  
Response via : Initial Calibration

