

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL091219\
 Data File : VL034165.D
 Acq On : 12 Sep 2019 20:22
 Operator : SY/AP
 Sample : K4775-02DL2 200X
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 SV5DL2

Quant Time: Sep 13 10:29:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL090519AIR.M
 Quant Title : AIR ANALYSIS BY METHOD T0-15 Instrument: MSVOA_L Thu Sep 05 10:21:45 2019
 QLast Update : Thu Sep 05 10:21:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.70	49	1258036	10.00	ppbv	-0.01
33) 1,4-Difluorobenzene	7.22	114	2087743	10.00	ppbv	-0.01
55) Chlorobenzene-d5	12.17	117	2053792	10.00	ppbv	-0.01

System Monitoring Compounds

68) 1-Bromo-4-Fluorobenzene	14.50	95	1811403	10.79	ppbv	-0.02
Spiked Amount	10.000	Range	65 - 135	Recovery	=	107.90%


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
15) Acetone	3.85	43	867476	5.721	ppbv	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL091219\
Data File : VL034165.D
Acq On : 12 Sep 2019 20:22
Operator : SY/AP
Sample : K4775-02DL2 200X
Misc : 400ml/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
SV5DL2

Quant Time: Sep 13 10:29:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA L\METHODS\VL090519AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Thu Sep 05 10:21:45 2019
QLast Update : Thu Sep 05 10:21:45 2019
Response via : Initial Calibration





#1

Bromochloromethane

Concen: 10.000 ppbv

RT: 5.70 min Scan# 906

Delta R.T. -0.01 min

Lab File: VL034165.D

Acq: 12 Sep 2019 20:22

Instrument :

MSVOA_L

ClientSampleId :

SV5DL2


Tot Ion: 49 Resp: 1258036

Ion Ratio Lower Upper

49 100

128 34.8 18.4 55.0




130 43.9 23.5 70.6



Abundance Ion 49.10 (48.80 to 49.80): VL0

Ion 128.00 (127.70 to 128.70): VL0

Ion 130.00 (129.70 to 130.70): VL0



#15

Acetone

Concen: 5.721 ppbv

RT: 3.85 min Scan# 331

Delta R.T. -0.01 min

Lab File: VL034165.D


Acq: 12 Sep 2019 20:22

Tgt Ion: 43 Resp: 867476

Ion Ratio Lower Upper



43 100


58 26.0 20.6 30.8



Abundance Ion 43.10 (42.80 to 43.80): VL0

Ion 58.10 (57.80 to 58.80): VL0









#33
 1,4-Difluorobenzene
 Concen: 10.000 ppbv
 RT: 7.22 min Scan# 1380
 Delta R.T. -0.01 min
 Lab File: VL034165.D
 Acq: 12 Sep 2019 20:22




Instrument :
 MSVOA_L
 ClientSampleId :
 SV5DL2


Tot Ion:114 Resp: 2087743
 Ion Ratio Lower Upper
 114 100
 63 33.1 25.5 38.3
 88 21.0 16.8 25.2



#55
 Chlorobenzene-d5
 Concen: 10.000 ppbv
 RT: 12.17 min Scan# 2917
 Delta R.T. -0.01 min
 Lab File: VL034165.D
 Acq: 12 Sep 2019 20:22

Tgt Ion:117 Resp: 2053792
 Ion Ratio Lower Upper
 117 100
 82 77.5 55.8 83.6
 119 33.9 43.1 64.7#





#68

1-Bromo-4-Fluorobenzene

Concen: 10.789 ppbv

RT: 14.50 min Scan# 3642

Delta R.T. -0.02 min

Lab File: VL034165.D

Acq: 12 Sep 2019 20:22

Instrument :

MSVOA_L

ClientSampleId :

SV5DL2

Tot Ion: 95 Resp: 1811403

Ion Ratio Lower Upper

95 100

174 57.2 48.1 72.1

175 4.2 3.5 5.3

