

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL100219\
 Data File : VL034205.D
 Acq On : 2 Oct 2019 9:40
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Oct 03 05:53:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL091719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Wed Sep 18 12:53:31 2019
 QLast Update : Wed Sep 18 12:53:31 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	1.477	1.223	17.2	85	0.00
3	Chlorodifluoromethane	1.173	1.195	-1.9	93	0.00
4	Chloromethane	0.689	0.728	-5.7	95	0.00
5 T	Vinyl Chloride	0.630	0.657	-4.3	97	0.00
6 T	Bromomethane	0.294	0.314	-6.8	95	0.00
7	Chloroethane	0.220	0.234	-6.4	96	0.00
8 T	Dichlorotetrafluoroethane	1.304	1.323	-1.5	96	0.00
9 T	Propene	0.578	0.604	-4.5	93	0.00
10 T	Heptane	1.508	1.556	-3.2	92	0.00
11 T	Trichlorofluoromethane	1.345	1.390	-3.3	96	0.00
12 T	1,1,2-Trichlorotrifluoroeth	0.880	0.904	-2.7	95	0.00
13	Ethanol	0.140	0.129	7.9	121	0.00
14 T	Bromoethene	0.360	0.399	-10.8	96	0.00
15 T	Acetone	1.340	1.205	10.1	97	0.00
16 T	1,3-Butadiene	0.585	0.630	-7.7	95	0.00
17	tert-Butyl alcohol	0.849	1.076	-26.7	114	0.00
18 T	1,1-Dichloroethene	0.384	0.418	-8.9	95	0.00
19 T	Isopropyl Alcohol	0.824	0.954	-15.8	118	0.00
20 T	Methylene Chloride	0.386	0.377	2.3	96	0.00
21 T	Allyl Chloride	0.757	0.838	-10.7	95	0.00
22 T	trans-1,2-Dichloroethene	0.384	0.425	-10.7	97	0.00
23 T	Vinyl Acetate	1.975	2.097	-6.2	95	0.00
24 T	1,1-Dichloroethane	1.330	1.357	-2.0	94	0.00
25 T	Ethyl Acetate	2.534	2.528	0.2	95	0.00
26 T	Hexane	1.054	1.068	-1.3	95	0.00
27 T	Carbon Disulfide	0.972	1.139	-17.2	96	0.00
28 T	Methyl tert-Butyl Ether	1.566	1.701	-8.6	97	0.00
29 T	Chloroform	1.507	1.583	-5.0	95	0.00
30 T	Cyclohexane	0.761	0.803	-5.5	92	0.00
31 T	cis-1,2-Dichloroethene	1.075	1.162	-8.1	94	0.00
32 T	1,1,1-Trichloroethane	1.453	1.521	-4.7	95	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
34 T	2-Butanone	1.021	1.005	1.6	93	0.00
35 T	Carbon Tetrachloride	0.831	0.838	-0.8	94	0.00
36 T	Benzene	1.104	1.114	-0.9	94	0.00
37 T	1,2-Dichloroethane	0.786	0.803	-2.2	94	0.00
38 T	Trichloroethene	0.395	0.379	4.1	95	0.00
39 T	1,2-Dichloropropane	0.496	0.501	-1.0	94	0.00
40 T	1,4-Dioxane	0.161	0.170	-5.6	110	0.00
41 T	Tetrahydrofuran	0.575	0.603	-4.9	93	0.00
42 T	Bromodichloromethane	0.943	0.992	-5.2	94	0.00
43	Methyl Methacrylate	0.456	0.497	-9.0	95	0.00
44 T	2,2,4-Trimethylpentane	2.126	2.061	3.1	95	0.00
45 T	t-1,3-Dichloropropene	0.539	0.657	-21.9	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL100219\
 Data File : VL034205.D
 Acq On : 2 Oct 2019 9:40
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Oct 03 05:53:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL091719AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Sep 18 12:53:31 2019
 QLast Update : Wed Sep 18 12:53:31 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.649	0.740	-14.0	94	0.00
47 T	1,1,2-Trichloroethane	0.446	0.445	0.2	94	0.00
48 T	Dibromochloromethane	0.706	0.757	-7.2	95	0.00
49 T	Bromoform	0.572	0.634	-10.8	95	0.00
50 T	4-Methyl-2-Pentanone	1.486	1.462	1.6	93	0.00
51 T	2-Hexanone	1.247	1.262	-1.2	93	-0.01
52 T	Tetrachloroethene	0.365	0.345	5.5	93	0.00
53 T	Toluene	1.207	1.241	-2.8	94	0.00
54 T	1,2-Dibromoethane	0.663	0.679	-2.4	95	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	87	0.00
56	1,1,1,2-Tetrachloroethane	0.446	0.443	0.7	94	0.00
57 T	Chlorobenzene	0.871	0.812	6.8	94	0.00
58 T	Ethyl Benzene	1.614	1.550	4.0	95	0.00
59 T	m/p-Xylene	1.336	1.259	5.8	95	0.00
60 T	o-Xylene	1.336	1.245	6.8	94	0.00
61 T	Styrene	0.957	0.951	0.6	94	0.00
62	Isopropylbenzene	1.730	1.623	6.2	95	0.00
63 T	1,1,2,2-Tetrachloroethane	1.096	0.926	15.5	95	0.00
64	n-propylbenzene	0.438	0.422	3.7	93	-0.01
65	tert-Butylbenzene	1.512	1.374	9.1	94	0.00
66 T	Benzyl Chloride	0.535	0.742	-38.7#	102	0.00
67	sec-Butylbenzene	2.161	2.017	6.7	96	0.00
68 S	1-Bromo-4-Fluorobenzene	0.869	0.844	2.9	85	-0.01
69	p-Isopropyltoluene	1.750	1.633	6.7	95	0.00
70	n-Butylbenzene	2.038	1.875	8.0	96	0.00
71	2-Chlorotoluene	1.413	1.340	5.2	94	0.00
72 T	4-Ethyltoluene	1.510	1.451	3.9	95	0.00
73 T	1,3,5-Trimethylbenzene	1.459	1.382	5.3	95	0.00
74 T	1,2,4-Trimethylbenzene	1.549	1.393	10.1	95	0.00
75 T	1,3-Dichlorobenzene	0.831	0.761	8.4	95	0.00
76 T	1,4-Dichlorobenzene	0.851	0.778	8.6	94	0.00
77 T	1,2-Dichlorobenzene	0.841	0.766	8.9	94	0.00
78 T	Hexachloro-1,3-Butadiene	0.557	0.561	-0.7	112	0.00
79 T	Naphthalene	1.363	1.270	6.8	94	0.00
80 T	Naphthalene,2-methyl-	0.634	0.687	-8.4	93	0.00
81 T	1,2,4-Trichlorobenzene	0.755	0.691	8.5	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0