

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL101818\
 Data File : VL032684.D
 Acq On : 19 Oct 2018 14:55
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Oct 20 00:02:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL101818AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Oct 19 01:25:37 2018
 QLast Update : Fri Oct 19 01:25:37 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	1.019	0.727	28.7	92	0.00
3	Chlorodifluoromethane	0.782	0.724	7.4	92	0.00
4	Chloromethane	0.437	0.419	4.1	94	0.00
5 T	Vinyl Chloride	0.473	0.420	11.2	92	0.00
6 T	Bromomethane	0.295	0.259	12.2	90	0.00
7	Chloroethane	0.174	0.154	11.5	90	0.00
8 T	Dichlorotetrafluoroethane	1.074	0.969	9.8	90	0.00
9 T	Propene	0.322	0.324	-0.6	94	0.00
10 T	Heptane	1.240	1.310	-5.6	96	0.00
11 T	Trichlorofluoromethane	1.331	1.069	19.7	89	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.107	1.052	5.0	88	0.00
13	Ethanol	0.092	0.079	14.1	86	0.00
14 T	Bromoethene	0.374	0.343	8.3	91	0.00
15 T	Acetone	0.923	0.730	20.9	92	0.00
16 T	1,3-Butadiene	0.340	0.345	-1.5	96	0.00
17	tert-Butyl alcohol	0.272	0.323	-18.7	83	0.00
18 T	1,1-Dichloroethene	0.486	0.495	-1.9	89	0.00
19 T	Isopropyl Alcohol	0.658	0.571	13.2	86	0.00
20 T	Methylene Chloride	0.469	0.421	10.2	87	0.00
21 T	Allyl Chloride	0.758	0.825	-8.8	92	0.00
22 T	trans-1,2-Dichloroethene	0.499	0.501	-0.4	91	0.00
23 T	Vinyl Acetate	1.636	1.717	-5.0	94	0.00
24 T	1,1-Dichloroethane	1.285	1.248	2.9	93	0.00
25 T	Ethyl Acetate	2.126	2.079	2.2	90	0.00
26 T	Hexane	1.006	0.981	2.5	90	0.00
27 T	Carbon Disulfide	1.220	1.244	-2.0	86	0.00
28 T	Methyl tert-Butyl Ether	1.445	1.531	-6.0	93	0.00
29 T	Chloroform	1.606	1.549	3.5	91	0.00
30 T	Cyclohexane	0.796	0.859	-7.9	94	0.00
31 T	cis-1,2-Dichloroethene	0.933	0.999	-7.1	91	0.00
32 T	1,1,1-Trichloroethane	1.633	1.534	6.1	91	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
34 T	2-Butanone	0.536	0.526	1.9	96	0.00
35 T	Carbon Tetrachloride	0.710	0.654	7.9	91	0.00
36 T	Benzene	0.812	0.799	1.6	93	0.00
37 T	1,2-Dichloroethane	0.498	0.464	6.8	88	0.00
38 T	Trichloroethene	0.301	0.316	-5.0	97	0.00
39 T	1,2-Dichloropropane	0.314	0.310	1.3	95	0.00
40 T	1,4-Dioxane	0.107	0.105	1.9	90	0.00
41 T	Tetrahydrofuran	0.299	0.325	-8.7	96	0.00
42 T	Bromodichloromethane	0.698	0.671	3.9	92	0.00
43	Methyl Methacrylate	0.298	0.326	-9.4	94	0.00
44 T	2,2,4-Trimethylpentane	1.386	1.376	0.7	95	0.00
45 T	t-1,3-Dichloropropene	0.398	0.477	-19.8	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL101818\
 Data File : VL032684.D
 Acq On : 19 Oct 2018 14:55
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Oct 20 00:02:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL101818AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Oct 19 01:25:37 2018
 QLast Update : Fri Oct 19 01:25:37 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.455	0.504	-10.8	92	0.00
47 T	1,1,2-Trichloroethane	0.371	0.366	1.3	94	0.00
48 T	Dibromochloromethane	0.618	0.595	3.7	86	0.00
49 T	Bromoform	0.485	0.481	0.8	90	0.00
50 T	4-Methyl-2-Pentanone	0.794	0.797	-0.4	93	0.00
51 T	2-Hexanone	0.590	0.672	-13.9	95	0.00
52 T	Tetrachloroethene	0.283	0.305	-7.8	102	0.00
53 T	Toluene	0.931	1.024	-10.0	95	0.00
54 T	1,2-Dibromoethane	0.504	0.495	1.8	83	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
56	1,1,1,2-Tetrachloroethane	0.437	0.408	6.6	92	0.00
57 T	Chlorobenzene	0.735	0.710	3.4	95	0.00
58 T	Ethyl Benzene	1.162	1.258	-8.3	93	0.00
59 T	m/p-Xylene	1.035	1.046	-1.1	93	0.00
60 T	o-Xylene	0.998	0.997	0.1	93	0.00
61 T	Styrene	0.669	0.765	-14.3	93	0.00
62	Isopropylbenzene	1.412	1.387	1.8	92	0.00
63 T	1,1,2,2-Tetrachloroethane	0.782	0.677	13.4	90	0.00
64	n-propylbenzene	0.351	0.357	-1.7	92	0.00
65	tert-Butylbenzene	1.203	1.181	1.8	91	0.00
66 T	Benzyl Chloride	0.621	0.685	-10.3	88	0.00
67	sec-Butylbenzene	1.711	1.660	3.0	91	0.00
68 S	1-Bromo-4-Fluorobenzene	0.745	0.753	-1.1	90	0.00
69	p-Isopropyltoluene	1.356	1.346	0.7	91	0.00
70	n-Butylbenzene	1.396	1.365	2.2	88	0.00
71	2-Chlorotoluene	1.004	1.037	-3.3	92	0.00
72 T	4-Ethyltoluene	1.063	1.131	-6.4	93	0.00
73 T	1,3,5-Trimethylbenzene	1.035	1.051	-1.5	92	0.00
74 T	1,2,4-Trimethylbenzene	1.106	1.067	3.5	91	0.00
75 T	1,3-Dichlorobenzene	0.636	0.593	6.8	90	0.00
76 T	1,4-Dichlorobenzene	0.587	0.589	-0.3	92	0.00
77 T	1,2-Dichlorobenzene	0.602	0.564	6.3	90	0.00
78 T	Hexachloro-1,3-Butadiene	0.285	0.355	-24.6	143	0.01
79 T	Naphthalene	0.687	0.891	-29.7	100	0.00
80 T	Naphthalene,2-methyl-	0.167	0.350	-109.6#	105	0.00
81 T	1,2,4-Trichlorobenzene	0.356	0.420	-18.0	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0