

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL110320\
 Data File : VL035799.D
 Acq On : 3 Nov 2020 10:30
 Operator : SY/AP
 Sample : VSTDICCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDICCC010

Quant Time: Nov 03 14:49:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL110320AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Sep 23 07:38:05 2020
 QLast Update : Wed Sep 23 07:38:05 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	1.883	1.563	17.0	100	0.00
3	Chlorodifluoromethane	1.198	1.054	12.0	100	0.00
4	Chloromethane	0.582	0.526	9.6	100	0.00
5 T	Vinyl Chloride	0.742	0.648	12.7	100	0.00
6 T	Bromomethane	0.596	0.533	10.6	100	0.00
7	Chloroethane	0.261	0.237	9.2	100	0.00
8 T	Dichlorotetrafluoroethane	2.155	1.841	14.6	100	0.00
9 T	Propene	0.438	0.399	8.9	100	0.00
10 T	Heptane	1.211	1.102	9.0	100	0.00
11 T	Trichlorofluoromethane	2.364	2.123	10.2	100	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.760	1.594	9.4	100	0.00
13	Ethanol	0.095	0.072	24.2	100	0.00
14 T	Bromoethene	0.810	0.706	12.8	100	0.00
15 T	Acetone	1.069	0.865	19.1	100	0.00
16 T	1,3-Butadiene	0.460	0.408	11.3	100	0.00
17	tert-Butyl alcohol	1.417	1.245	12.1	100	0.00
18 T	1,1-Dichloroethene	0.808	0.726	10.1	100	0.00
19 T	Isopropyl Alcohol	0.657	0.571	13.1	100	0.00
20 T	Methylene Chloride	0.753	0.595	21.0	100	0.00
21 T	Allyl Chloride	0.578	0.541	6.4	100	0.00
22 T	trans-1,2-Dichloroethene	0.819	0.753	8.1	100	0.00
23 T	Vinyl Acetate	1.499	1.310	12.6	100	0.00
24 T	1,1-Dichloroethane	1.428	1.264	11.5	100	0.00
25 T	Ethyl Acetate	2.106	1.876	10.9	100	0.00
26 T	Hexane	1.162	1.006	13.4	100	0.00
27 T	Carbon Disulfide	1.740	1.629	6.4	100	0.00
28 T	Methyl tert-Butyl Ether	2.086	1.772	15.1	100	0.00
29 T	Chloroform	2.283	2.005	12.2	100	0.00
30 T	Cyclohexane	1.265	1.083	14.4	100	0.00
31 T	cis-1,2-Dichloroethene	1.195	1.073	10.2	100	0.00
32 T	1,1,1-Trichloroethane	2.382	1.988	16.5	100	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
34 T	2-Butanone	0.325	0.307	5.5	100	0.00
35 T	Carbon Tetrachloride	0.534	0.510	4.5	100	0.00
36 T	Benzene	0.743	0.660	11.2	100	0.00
37 T	1,2-Dichloroethane	0.337	0.323	4.2	100	0.00
38 T	Trichloroethene	0.363	0.308	15.2	100	0.00
39 T	1,2-Dichloropropane	0.250	0.225	10.0	100	0.00
40 T	1,4-Dioxane	0.119	0.106	10.9	100	0.00
41 T	Tetrahydrofuran	0.184	0.182	1.1	100	0.00
42 T	Bromodichloromethane	0.568	0.547	3.7	100	0.00
43	Methyl Methacrylate	0.284	0.270	4.9	100	0.00
44 T	2,2,4-Trimethylpentane	0.984	0.878	10.8	100	0.00
45 T	t-1,3-Dichloropropene	0.301	0.299	0.7	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL110320\
 Data File : VL035799.D
 Acq On : 3 Nov 2020 10:30
 Operator : SY/AP
 Sample : VSTDICCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDICCC010

Quant Time: Nov 03 14:49:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL110320AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Sep 23 07:38:05 2020
 QLast Update : Wed Sep 23 07:38:05 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.381	0.364	4.5	100	0.00
47 T	1,1,2-Trichloroethane	0.341	0.305	10.6	100	0.00
48 T	Dibromochloromethane	0.521	0.505	3.1	100	0.00
49 T	Bromoform	0.440	0.433	1.6	100	0.00
50 T	4-Methyl-2-Pentanone	0.496	0.475	4.2	100	0.00
51 T	2-Hexanone	0.399	0.388	2.8	100	0.00
52 T	Tetrachloroethene	0.352	0.290	17.6	100	0.00
53 T	Toluene	0.897	0.794	11.5	100	0.00
54 T	1,2-Dibromoethane	0.519	0.468	9.8	100	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
56	1,1,1,2-Tetrachloroethane	0.449	0.418	6.9	100	0.00
57 T	Chlorobenzene	0.795	0.688	13.5	100	0.00
58 T	Ethyl Benzene	1.218	1.090	10.5	100	0.00
59 T	m/p-Xylene	1.030	0.920	10.7	100	0.00
60 T	o-Xylene	1.002	0.891	11.1	100	0.00
61 T	Styrene	0.734	0.690	6.0	100	0.00
62	Isopropylbenzene	1.576	1.343	14.8	100	0.00
63 T	1,1,2,2-Tetrachloroethane	0.777	0.630	18.9	100	0.00
64	n-propylbenzene	0.455	0.398	12.5	100	0.00
65	tert-Butylbenzene	1.434	1.194	16.7	100	0.00
66 T	Benzyl Chloride	0.474	0.430	9.3	100	0.00
67	sec-Butylbenzene	1.933	1.597	17.4	100	0.00
68 S	1-Bromo-4-Fluorobenzene	0.710	0.738	-3.9	100	0.00
69	p-Isopropyltoluene	1.595	1.324	17.0	100	0.00
70	n-Butylbenzene	1.536	1.298	15.5	100	0.00
71	2-Chlorotoluene	1.152	1.004	12.8	100	0.00
72 T	4-Ethyltoluene	1.216	1.060	12.8	100	0.00
73 T	1,3,5-Trimethylbenzene	1.113	0.975	12.4	100	0.00
74 T	1,2,4-Trimethylbenzene	1.192	1.006	15.6	100	0.00
75 T	1,3-Dichlorobenzene	0.759	0.643	15.3	100	0.00
76 T	1,4-Dichlorobenzene	0.732	0.635	13.3	100	0.00
77 T	1,2-Dichlorobenzene	0.740	0.618	16.5	100	0.00
78 T	Hexachloro-1,3-Butadiene	0.345	0.289	16.2	100	0.00
79 T	Naphthalene	0.831	0.715	14.0	100	0.00
80 T	Naphthalene,2-methyl-	0.135	0.142	-5.2	100	0.00
81 T	1,2,4-Trichlorobenzene	0.464	0.392	15.5	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0