

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL112519\
 Data File : VL034401.D
 Acq On : 25 Nov 2019 10:06
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Nov 26 00:58:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111919AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Nov 19 14:15:35 2019
 QLast Update : Tue Nov 19 14:15:35 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	1.809	1.948	-7.7	103	0.00
3	Chlorodifluoromethane	1.248	1.159	7.1	96	0.00
4	Chloromethane	0.736	0.702	4.6	100	0.00
5 T	Vinyl Chloride	0.690	0.646	6.4	97	0.00
6 T	Bromomethane	0.347	0.340	2.0	96	0.00
7	Chloroethane	0.250	0.248	0.8	102	0.00
8 T	Dichlorotetrafluoroethane	1.625	1.505	7.4	97	0.00
9 T	Propene	0.554	0.514	7.2	96	0.00
10 T	Heptane	1.430	1.366	4.5	96	0.00
11 T	Trichlorofluoromethane	1.800	1.706	5.2	100	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.196	1.122	6.2	99	0.00
13	Ethanol	0.154	0.091	40.9#	72	0.00
14 T	Bromoethene	0.486	0.479	1.4	97	0.00
15 T	Acetone	1.432	1.243	13.2	99	0.00
16 T	1,3-Butadiene	0.624	0.599	4.0	95	0.00
17	tert-Butyl alcohol	1.204	0.926	23.1	75	0.00
18 T	1,1-Dichloroethene	0.523	0.515	1.5	100	0.00
19 T	Isopropyl Alcohol	0.918	0.718	21.8	72	0.00
20 T	Methylene Chloride	0.508	0.439	13.6	96	0.00
21 T	Allyl Chloride	0.858	0.874	-1.9	100	0.00
22 T	trans-1,2-Dichloroethene	0.527	0.527	0.0	100	0.00
23 T	Vinyl Acetate	1.871	1.863	0.4	99	0.00
24 T	1,1-Dichloroethane	1.437	1.367	4.9	98	0.00
25 T	Ethyl Acetate	2.555	2.384	6.7	97	0.00
26 T	Hexane	1.098	1.024	6.7	97	0.00
27 T	Carbon Disulfide	1.196	1.334	-11.5	99	0.00
28 T	Methyl tert-Butyl Ether	1.821	1.747	4.1	94	0.00
29 T	Chloroform	1.778	1.671	6.0	96	0.00
30 T	Cyclohexane	0.830	0.822	1.0	95	0.00
31 T	cis-1,2-Dichloroethene	1.135	1.115	1.8	96	0.00
32 T	1,1,1-Trichloroethane	1.667	1.676	-0.5	96	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
34 T	2-Butanone	0.823	0.779	5.3	97	0.00
35 T	Carbon Tetrachloride	0.860	0.875	-1.7	99	0.00
36 T	Benzene	1.000	0.958	4.2	95	0.00
37 T	1,2-Dichloroethane	0.743	0.712	4.2	97	0.00
38 T	Trichloroethene	0.410	0.376	8.3	94	0.00
39 T	1,2-Dichloropropane	0.385	0.392	-1.8	93	0.00
40 T	1,4-Dioxane	0.168	0.133	20.8	82	0.00
41 T	Tetrahydrofuran	0.462	0.449	2.8	97	0.00
42 T	Bromodichloromethane	0.929	0.919	1.1	96	0.00
43	Methyl Methacrylate	0.415	0.414	0.2	97	0.00
44 T	2,2,4-Trimethylpentane	1.827	1.697	7.1	96	0.00
45 T	t-1,3-Dichloropropene	0.532	0.584	-9.8	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL112519\
 Data File : VL034401.D
 Acq On : 25 Nov 2019 10:06
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Nov 26 00:58:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111919AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Nov 19 14:15:35 2019
 QLast Update : Tue Nov 19 14:15:35 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.597	0.638	-6.9	95	0.00
47 T	1,1,2-Trichloroethane	0.428	0.408	4.7	95	0.00
48 T	Dibromochloromethane	0.736	0.770	-4.6	97	0.00
49 T	Bromoform	0.657	0.698	-6.2	97	0.00
50 T	4-Methyl-2-Pentanone	1.191	1.159	2.7	97	0.00
51 T	2-Hexanone	0.998	0.982	1.6	98	0.00
52 T	Tetrachloroethene	0.433	0.365	15.7	94	0.00
53 T	Toluene	1.135	1.126	0.8	96	0.00
54 T	1,2-Dibromoethane	0.657	0.628	4.4	95	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
56	1,1,1,2-Tetrachloroethane	0.489	0.484	1.0	98	0.00
57 T	Chlorobenzene	0.904	0.816	9.7	96	0.00
58 T	Ethyl Benzene	1.552	1.472	5.2	96	0.00
59 T	m/p-Xylene	1.341	1.219	9.1	94	0.00
60 T	o-Xylene	1.326	1.233	7.0	97	0.00
61 T	Styrene	0.956	0.916	4.2	95	0.00
62	Isopropylbenzene	1.754	1.614	8.0	96	0.00
63 T	1,1,2,2-Tetrachloroethane	0.997	0.862	13.5	96	0.00
64	n-propylbenzene	0.456	0.422	7.5	96	0.00
65	tert-Butylbenzene	1.576	1.428	9.4	96	0.00
66 T	Benzyl Chloride	0.606	0.726	-19.8	101	0.00
67	sec-Butylbenzene	2.204	1.981	10.1	97	0.00
68 S	1-Bromo-4-Fluorobenzene	0.841	0.826	1.8	91	0.00
69	p-Isopropyltoluene	1.829	1.659	9.3	97	0.00
70	n-Butylbenzene	1.968	1.760	10.6	97	0.00
71	2-Chlorotoluene	1.399	1.272	9.1	96	0.00
72 T	4-Ethyltoluene	1.533	1.429	6.8	97	0.00
73 T	1,3,5-Trimethylbenzene	1.500	1.370	8.7	96	0.00
74 T	1,2,4-Trimethylbenzene	1.593	1.404	11.9	97	0.00
75 T	1,3-Dichlorobenzene	0.916	0.806	12.0	97	0.00
76 T	1,4-Dichlorobenzene	0.889	0.799	10.1	96	0.00
77 T	1,2-Dichlorobenzene	0.885	0.782	11.6	97	0.00
78 T	Hexachloro-1,3-Butadiene	0.760	0.703	7.5	104	0.00
79 T	Naphthalene	1.381	1.242	10.1	96	0.00
80 T	Naphthalene,2-methyl-	0.624	0.716	-14.7	99	0.00
81 T	1,2,4-Trichlorobenzene	0.849	0.746	12.1	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0