

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL121118\
 Data File : VL032953.D
 Acq On : 11 Dec 2018 12:51
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 12 16:06:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL120718AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Dec 07 09:35:17 2018
 QLast Update : Fri Dec 07 09:35:17 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	1.335	1.460	-9.4	115	0.00
3	Chlorodifluoromethane	0.757	0.790	-4.4	113	0.00
4	Chloromethane	0.441	0.430	2.5	112	0.00
5 T	Vinyl Chloride	0.449	0.450	-0.2	113	0.00
6 T	Bromomethane	0.281	0.290	-3.2	109	0.00
7	Chloroethane	0.161	0.170	-5.6	112	0.00
8 T	Dichlorotetrafluoroethane	1.109	1.146	-3.3	112	0.00
9 T	Propene	0.299	0.312	-4.3	113	0.00
10 T	Heptane	1.125	1.387	-23.3	120	0.00
11 T	Trichlorofluoromethane	1.258	1.276	-1.4	108	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.073	1.184	-10.3	122	0.00
13	Ethanol	0.103	0.072	30.1#	105	0.00
14 T	Bromoethene	0.356	0.370	-3.9	104	0.00
15 T	Acetone	0.858	0.788	8.2	109	0.00
16 T	1,3-Butadiene	0.341	0.368	-7.9	111	0.00
17	tert-Butyl alcohol	0.219	0.260	-18.7	121	0.00
18 T	1,1-Dichloroethene	0.420	0.500	-19.0	132	0.00
19 T	Isopropyl Alcohol	0.539	0.528	2.0	105	0.00
20 T	Methylene Chloride	0.420	0.436	-3.8	115	0.00
21 T	Allyl Chloride	0.699	0.795	-13.7	115	0.00
22 T	trans-1,2-Dichloroethene	0.522	0.495	5.2	106	0.00
23 T	Vinyl Acetate	1.453	1.522	-4.7	109	0.00
24 T	1,1-Dichloroethane	1.264	1.211	4.2	109	0.00
25 T	Ethyl Acetate	2.028	2.061	-1.6	103	0.00
26 T	Hexane	0.936	0.951	-1.6	102	0.00
27 T	Carbon Disulfide	1.170	1.360	-16.2	119	0.00
28 T	Methyl tert-Butyl Ether	1.406	1.500	-6.7	109	0.00
29 T	Chloroform	1.670	1.810	-8.4	113	0.00
30 T	Cyclohexane	0.776	0.861	-11.0	109	0.00
31 T	cis-1,2-Dichloroethene	0.859	0.986	-14.8	113	0.00
32 T	1,1,1-Trichloroethane	1.767	1.815	-2.7	109	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	106	0.00
34 T	2-Butanone	0.436	0.431	1.1	105	0.00
35 T	Carbon Tetrachloride	0.786	0.735	6.5	109	0.00
36 T	Benzene	0.736	0.758	-3.0	108	0.00
37 T	1,2-Dichloroethane	0.501	0.482	3.8	103	0.00
38 T	Trichloroethene	0.306	0.326	-6.5	109	0.00
39 T	1,2-Dichloropropane	0.279	0.292	-4.7	111	0.00
40 T	1,4-Dioxane	0.103	0.108	-4.9	117	0.00
41 T	Tetrahydrofuran	0.271	0.279	-3.0	103	0.00
42 T	Bromodichloromethane	0.694	0.724	-4.3	110	0.00
43	Methyl Methacrylate	0.273	0.313	-14.7	109	0.00
44 T	2,2,4-Trimethylpentane	1.249	1.340	-7.3	111	0.00
45 T	t-1,3-Dichloropropene	0.334	0.426	-27.5	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL121118\
 Data File : VL032953.D
 Acq On : 11 Dec 2018 12:51
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 12 16:06:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL120718AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Dec 07 09:35:17 2018
 QLast Update : Fri Dec 07 09:35:17 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.409	0.481	-17.6	108	0.00
47 T	1,1,2-Trichloroethane	0.307	0.327	-6.5	111	0.00
48 T	Dibromochloromethane	0.576	0.627	-8.9	111	0.00
49 T	Bromoform	0.474	0.532	-12.2	111	0.00
50 T	4-Methyl-2-Pentanone	0.697	0.733	-5.2	108	0.00
51 T	2-Hexanone	0.472	0.579	-22.7	110	0.00
52 T	Tetrachloroethene	0.268	0.294	-9.7	114	0.00
53 T	Toluene	0.780	0.988	-26.7	118	0.00
54 T	1,2-Dibromoethane	0.480	0.514	-7.1	109	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
56	1,1,1,2-Tetrachloroethane	0.446	0.430	3.6	109	0.00
57 T	Chlorobenzene	0.722	0.687	4.8	109	0.00
58 T	Ethyl Benzene	1.067	1.231	-15.4	111	0.00
59 T	m/p-Xylene	0.967	1.051	-8.7	112	0.00
60 T	o-Xylene	0.977	1.087	-11.3	117	0.00
61 T	Styrene	0.650	0.790	-21.5	109	0.00
62	Isopropylbenzene	1.363	1.578	-15.8	119	0.00
63 T	1,1,2,2-Tetrachloroethane	0.758	0.746	1.6	118	0.00
64	n-propylbenzene	0.354	0.370	-4.5	104	0.00
65	tert-Butylbenzene	1.263	1.368	-8.3	104	0.00
66 T	Benzyl Chloride	0.700	0.760	-8.6	100	0.00
67	sec-Butylbenzene	1.863	1.784	4.2	97	0.00
68 S	1-Bromo-4-Fluorobenzene	0.739	0.772	-4.5	110	0.00
69	p-Isopropyltoluene	1.509	1.489	1.3	99	0.00
70	n-Butylbenzene	1.389	1.524	-9.7	108	0.00
71	2-Chlorotoluene	1.013	1.076	-6.2	103	0.00
72 T	4-Ethyltoluene	1.090	1.183	-8.5	104	0.00
73 T	1,3,5-Trimethylbenzene	1.065	1.200	-12.7	116	0.00
74 T	1,2,4-Trimethylbenzene	1.202	1.250	-4.0	106	0.00
75 T	1,3-Dichlorobenzene	0.708	0.657	7.2	100	0.00
76 T	1,4-Dichlorobenzene	0.660	0.637	3.5	98	0.00
77 T	1,2-Dichlorobenzene	0.661	0.633	4.2	101	0.00
78 T	Hexachloro-1,3-Butadiene	0.364	0.413	-13.5	149	0.00
79 T	Naphthalene	0.776	0.892	-14.9	110	0.00
80 T	Naphthalene,2-methyl-	0.166	0.270	-62.7#	125	0.00
81 T	1,2,4-Trichlorobenzene	0.412	0.441	-7.0	110	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0