

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL012725\
 Data File : VL041944.D
 Acq On : 27 Jan 2025 10:05
 Operator : SY/MD
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jan 28 02:32:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL011425AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022
 QLast Update : Tue Jan 14 23:15:42 2025
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	1.362	1.430	-5.0	108	0.00
3	Chlorodifluoromethane	1.427	1.523	-6.7	112	0.00
4	Chloromethane	0.512	0.553	-8.0	110	0.00
5 T	Vinyl Chloride	0.519	0.524	-1.0	110	0.00
6 T	Bromomethane	0.247	0.254	-2.8	109	0.00
7	Chloroethane	0.202	0.222	-9.9	113	0.00
8 T	Dichlorotetrafluoroethane	1.190	1.237	-3.9	111	0.00
9 T	Propene	0.588	0.610	-3.7	105	0.00
10 T	Heptane	1.571	1.737	-10.6	111	0.00
11 T	Trichlorofluoromethane	1.417	1.381	2.5	101	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.110	1.146	-3.2	106	0.00
13	Ethanol	0.043	0.030#	30.2#	106	0.00
14 T	Bromoethene	0.407	0.390	4.2	103	0.00
15 T	Acetone	1.201	1.137	5.3	112	0.00
16 T	1,3-Butadiene	0.539	0.566	-5.0	112	0.00
17	tert-Butyl alcohol	1.478	1.395	5.6	98	0.00
18 T	1,1-Dichloroethene	0.501	0.507	-1.2	108	0.00
19 T	Isopropyl Alcohol	0.712	0.647	9.1	102	0.00
20 T	Methylene Chloride	0.475	0.431	9.3	108	0.00
21 T	Allyl Chloride	0.832	0.869	-4.4	107	0.00
22 T	trans-1,2-Dichloroethene	0.565	0.585	-3.5	106	0.00
23 T	Vinyl Acetate	0.595	0.493	17.1	90	0.00
24 T	1,1-Dichloroethane	1.093	1.132	-3.6	109	0.00
25 T	Ethyl Acetate	3.239	3.577	-10.4	113	0.00
26 T	Hexane	1.281	1.418	-10.7	110	0.00
27 T	Carbon Disulfide	1.268	1.382	-9.0	108	0.00
28 T	Methyl tert-Butyl Ether	0.979	0.749	23.5	95	0.00
29 T	Chloroform	2.025	2.190	-8.1	112	0.00
30 T	Cyclohexane	1.111	1.185	-6.7	107	0.00
31 T	cis-1,2-Dichloroethene	1.349	1.376	-2.0	106	0.00
32 T	1,1,1-Trichloroethane	1.938	2.095	-8.1	108	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
34 T	2-Butanone	0.636	0.732	-15.1	112	0.00
35 T	Carbon Tetrachloride	0.628	0.763	-21.5	109	0.00
36 T	Benzene	0.917	1.043	-13.7	109	0.00
37 T	1,2-Dichloroethane	0.515	0.579	-12.4	109	0.00
38 T	Trichloroethene	0.364	0.403	-10.7	105	0.00
39 T	1,2-Dichloropropane	0.322	0.357	-10.9	108	0.00
40 T	1,4-Dioxane	0.162	0.168	-3.7	106	0.00
41 T	Tetrahydrofuran	0.346	0.411	-18.8	109	0.00
42 T	Bromodichloromethane	0.691	0.806	-16.6	109	0.00
43	Methyl Methacrylate	0.341	0.376	-10.3	103	0.00
44 T	2,2,4-Trimethylpentane	1.484	1.729	-16.5	110	0.00
45 T	t-1,3-Dichloropropene	0.319	0.355	-11.3	97	0.00
46 T	cis-1,3-Dichloropropene	0.419	0.488	-16.5	101	0.00
47 T	1,1,2-Trichloroethane	0.341	0.396	-16.1	110	0.00
48 T	Dibromochloromethane	0.526	0.633	-20.3	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL012725\
 Data File : VL041944.D
 Acq On : 27 Jan 2025 10:05
 Operator : SY/MD
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jan 28 02:32:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL011425AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022
 QLast Update : Tue Jan 14 23:15:42 2025
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	Bromoform	0.432	0.522	-20.8	105	0.00
50 T	4-Methyl-2-Pentanone	0.868	0.989	-13.9	110	0.00
51 T	2-Hexanone	0.667	0.769	-15.3	109	0.00
52 T	Tetrachloroethene	0.318	0.331	-4.1	105	0.00
53 T	Toluene	0.999	1.144	-14.5	105	0.00
54 T	1,2-Dibromoethane	0.469	0.540	-15.1	110	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
56	1,1,1,2-Tetrachloroethane	0.499	0.581	-16.4	110	0.00
57 T	Chlorobenzene	0.922	1.034	-12.1	111	0.00
58 T	Ethyl Benzene	1.563	1.798	-15.0	106	0.00
59 T	m/p-Xylene	1.253	1.467	-17.1	109	0.00
60 T	o-Xylene	1.243	1.470	-18.3	109	0.00
61 T	Styrene	0.558	0.661	-18.5	103	0.00
62	Isopropylbenzene	1.924	2.212	-15.0	109	0.00
63 T	1,1,2,2-Tetrachloroethane	0.795	0.931	-17.1	113	0.00
64	n-propylbenzene	0.486	0.575	-18.3	112	0.00
65	tert-Butylbenzene	1.753	2.011	-14.7	109	0.00
66 T	Benzyl Chloride	0.109	0.116	-6.4	92	0.00
67	sec-Butylbenzene	2.414	2.763	-14.5	109	0.00
68 S	1-Bromo-4-Fluorobenzene	0.788	0.797	-1.1	93	0.00
69	p-Isopropyltoluene	1.988	2.299	-15.6	109	0.00
70	n-Butylbenzene	1.972	2.257	-14.5	108	0.00
71	2-Chlorotoluene	1.423	1.629	-14.5	107	0.00
72 T	4-Ethyltoluene	1.487	1.755	-18.0	109	0.00
73 T	1,3,5-Trimethylbenzene	1.313	1.516	-15.5	109	0.00
74 T	1,2,4-Trimethylbenzene	1.422	1.634	-14.9	111	0.00
75 T	1,3-Dichlorobenzene	0.843	0.940	-11.5	110	0.00
76 T	1,4-Dichlorobenzene	0.825	0.925	-12.1	110	0.00
77 T	1,2-Dichlorobenzene	0.835	0.932	-11.6	112	0.00
78 T	Hexachloro-1,3-Butadiene	0.686	0.653	4.8	102	0.00
79 T	Naphthalene	1.432	1.459	-1.9	106	0.00
80 T	Naphthalene,2-methyl-	0.679	0.473	30.3#	93	0.00
81 T	1,2,4-Trichlorobenzene	0.699	0.664	5.0	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0