

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL040419\
 Data File : VL033531.D
 Acq On : 4 Apr 2019 12:31
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Apr 05 02:17:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL032519AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Mar 26 16:00:50 2019
 QLast Update : Tue Mar 26 16:00:50 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	145	0.00
2 T	Dichlorodifluoromethane	1.458	1.693	-16.1	201#	0.00
3	Chlorodifluoromethane	1.151	0.976	15.2	133	0.00
4	Chloromethane	0.609	0.533	12.5	134	0.00
5 T	Vinyl Chloride	0.599	0.534	10.9	136	0.00
6 T	Bromomethane	0.385	0.338	12.2	135	0.00
7	Chloroethane	0.223	0.192	13.9	131	0.00
8 T	Dichlorotetrafluoroethane	1.554	1.346	13.4	137	0.00
9 T	Propene	0.483	0.417	13.7	130	0.00
10 T	Heptane	1.292	1.087	15.9	128	0.00
11 T	Trichlorofluoromethane	1.797	1.523	15.2	133	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.207	1.021	15.4	133	0.00
13	Ethanol	0.125	0.123	1.6	141	0.00
14 T	Bromoethene	0.482	0.414	14.1	128	0.00
15 T	Acetone	1.202	0.939	21.9	133	0.00
16 T	1,3-Butadiene	0.477	0.434	9.0	121	0.00
17	tert-Butyl alcohol	0.221	0.193	12.7	131	0.00
18 T	1,1-Dichloroethene	0.519	0.454	12.5	133	0.00
19 T	Isopropyl Alcohol	0.761	0.693	8.9	139	0.00
20 T	Methylene Chloride	0.510	0.383	24.9	132	0.00
21 T	Allyl Chloride	0.760	0.662	12.9	127	0.00
22 T	trans-1,2-Dichloroethene	0.541	0.478	11.6	136	0.00
23 T	Vinyl Acetate	1.711	1.535	10.3	129	0.00
24 T	1,1-Dichloroethane	1.300	1.084	16.6	129	0.00
25 T	Ethyl Acetate	2.231	1.824	18.2	126	0.00
26 T	Hexane	0.992	0.807	18.6	127	0.00
27 T	Carbon Disulfide	1.180	1.117	5.3	131	0.00
28 T	Methyl tert-Butyl Ether	1.429	1.315	8.0	132	0.00
29 T	Chloroform	1.700	1.396	17.9	128	0.00
30 T	Cyclohexane	0.785	0.700	10.8	130	0.00
31 T	cis-1,2-Dichloroethene	0.986	0.881	10.6	130	0.00
32 T	1,1,1-Trichloroethane	1.619	1.446	10.7	132	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	146	0.00
34 T	2-Butanone	0.601	0.505	16.0	126	0.00
35 T	Carbon Tetrachloride	0.708	0.641	9.5	130	0.00
36 T	Benzene	0.839	0.743	11.4	132	0.00
37 T	1,2-Dichloroethane	0.562	0.467	16.9	128	0.00
38 T	Trichloroethene	0.316	0.294	7.0	130	0.00
39 T	1,2-Dichloropropane	0.329	0.276	16.1	127	0.00
40 T	1,4-Dioxane	0.117	0.108	7.7	137	0.00
41 T	Tetrahydrofuran	0.330	0.296	10.3	129	0.00
42 T	Bromodichloromethane	0.766	0.663	13.4	127	0.00
43	Methyl Methacrylate	0.341	0.304	10.9	128	0.00
44 T	2,2,4-Trimethylpentane	1.466	1.234	15.8	128	0.00
45 T	t-1,3-Dichloropropene	0.418	0.428	-2.4	128	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL040419\
 Data File : VL033531.D
 Acq On : 4 Apr 2019 12:31
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Apr 05 02:17:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL032519AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Mar 26 16:00:50 2019
 QLast Update : Tue Mar 26 16:00:50 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.488	0.473	3.1	129	0.00
47 T	1,1,2-Trichloroethane	0.373	0.317	15.0	130	0.00
48 T	Dibromochloromethane	0.630	0.590	6.3	130	0.00
49 T	Bromoform	0.601	0.544	9.5	99	0.00
50 T	4-Methyl-2-Pentanone	0.880	0.774	12.0	129	0.00
51 T	2-Hexanone	0.656	0.613	6.6	128	0.00
52 T	Tetrachloroethene	0.317	0.297	6.3	130	0.00
53 T	Toluene	0.975	0.898	7.9	129	0.00
54 T	1,2-Dibromoethane	0.584	0.509	12.8	127	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	141	0.00
56	1,1,1,2-Tetrachloroethane	0.458	0.396	13.5	130	0.00
57 T	Chlorobenzene	0.776	0.660	14.9	130	0.00
58 T	Ethyl Benzene	1.335	1.211	9.3	128	0.00
59 T	m/p-Xylene	1.193	1.033	13.4	116	0.00
60 T	o-Xylene	1.153	1.005	12.8	127	0.00
61 T	Styrene	0.792	0.754	4.8	128	0.00
62	Isopropylbenzene	1.633	1.415	13.3	126	0.00
63 T	1,1,2,2-Tetrachloroethane	0.849	0.701	17.4	127	0.00
64	n-propylbenzene	0.414	0.369	10.9	126	0.00
65	tert-Butylbenzene	1.439	1.298	9.8	131	0.00
66 T	Benzyl Chloride	0.669	0.747	-11.7	131	0.00
67	sec-Butylbenzene	2.047	1.826	10.8	129	0.00
68 S	1-Bromo-4-Fluorobenzene	0.784	0.784	0.0	143	0.00
69	p-Isopropyltoluene	1.667	1.528	8.3	129	0.00
70	n-Butylbenzene	1.766	1.590	10.0	127	0.00
71	2-Chlorotoluene	1.242	1.098	11.6	124	0.00
72 T	4-Ethyltoluene	1.297	1.193	8.0	129	0.00
73 T	1,3,5-Trimethylbenzene	1.241	1.144	7.8	131	0.00
74 T	1,2,4-Trimethylbenzene	1.330	1.194	10.2	131	0.00
75 T	1,3-Dichlorobenzene	0.822	0.708	13.9	132	0.00
76 T	1,4-Dichlorobenzene	0.801	0.705	12.0	129	0.00
77 T	1,2-Dichlorobenzene	0.780	0.690	11.5	129	0.00
78 T	Hexachloro-1,3-Butadiene	0.516	0.532	-3.1	181#	0.00
79 T	Naphthalene	1.138	1.177	-3.4	128	0.00
80 T	Naphthalene,2-methyl-	0.382	0.494	-29.3	122	0.00
81 T	1,2,4-Trichlorobenzene	0.631	0.609	3.5	130	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0