

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL051425\
 Data File : VL042537.D
 Acq On : 14 May 2025 11:09
 Operator : SY/MD
 Sample : VL0514ABL01
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 VL0514ABL01

Quant Time: May 15 01:32:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL051225AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022
 QLast Update : Tue May 13 02:07:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	2.790	49	116915	10.000	ppbv	0.01
33) 1,4-Difluorobenzene	3.965	114	336117	10.000	ppbv	0.02
55) Chlorobenzene-d5	8.888	117	289273	10.000	ppbv	0.02

System Monitoring Compounds						
68) 1-Bromo-4-Fluorobenzene	10.383	95	238085	9.459	ppbv	0.02
Spiked Amount	10.000	Range	65 - 135	Recovery	=	94.600%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL051425\
Data File : VL042537.D
Acq On : 14 May 2025 11:09
Operator : SY/MD
Sample : VL0514ABL01
Misc : 400mL/MSVOA_L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
VL0514ABL01

Quant Time: May 15 01:32:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_L\methods\VL051225AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022
QLast Update : Tue May 13 02:07:03 2025
Response via : Initial Calibration

