

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL060121\
 Data File : VL037096.D
 Acq On : 2 Jun 2021 8:09
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jun 02 19:07:27 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051821AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue May 18 12:00:15 2021
 QLast Update : Tue May 18 12:00:15 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	1.696	1.601	5.6	110	0.00
3	Chlorodifluoromethane	1.832	1.831	0.1	116	0.00
4	Chloromethane	0.623	0.613	1.6	110	0.00
5 T	Vinyl Chloride	0.681	0.674	1.0	113	0.00
6 T	Bromomethane	0.359	0.404	-12.5	125	0.00
7	Chloroethane	0.221	0.245	-10.9	114	0.00
8 T	Dichlorotetrafluoroethane	1.593	1.722	-8.1	123	0.00
9 T	Propene	0.656	0.558	14.9	97	0.00
10 T	Heptane	1.635	1.500	8.3	105	0.00
11 T	Trichlorofluoromethane	1.570	1.839	-17.1	129	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.118	1.270	-13.6	126	0.00
13	Ethanol	0.088	0.068	22.7	105	0.00
14 T	Bromoethene	0.493	0.542	-9.9	120	0.00
15 T	Acetone	1.024	0.896	12.5	121	0.00
16 T	1,3-Butadiene	0.636	0.657	-3.3	114	0.00
17	tert-Butyl alcohol	0.938	0.943	-0.5	102	0.00
18 T	1,1-Dichloroethene	0.517	0.562	-8.7	121	0.00
19 T	Isopropyl Alcohol	0.551	0.552	-0.2	116	0.00
20 T	Methylene Chloride	0.549	0.445	18.9	109	0.00
21 T	Allyl Chloride	0.773	0.798	-3.2	114	0.00
22 T	trans-1,2-Dichloroethene	0.496	0.567	-14.3	128	0.00
23 T	Vinyl Acetate	1.626	1.493	8.2	98	0.00
24 T	1,1-Dichloroethane	1.170	1.257	-7.4	115	0.00
25 T	Ethyl Acetate	2.461	2.316	5.9	109	0.00
26 T	Hexane	1.257	1.124	10.6	108	0.00
27 T	Carbon Disulfide	1.267	1.276	-0.7	108	0.00
28 T	Methyl tert-Butyl Ether	1.507	1.438	4.6	105	0.00
29 T	Chloroform	1.776	1.880	-5.9	120	0.00
30 T	Cyclohexane	1.068	1.003	6.1	107	0.00
31 T	cis-1,2-Dichloroethene	1.127	1.147	-1.8	114	0.00
32 T	1,1,1-Trichloroethane	1.907	1.938	-1.6	119	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	106	0.00
34 T	2-Butanone	0.364	0.366	-0.5	114	0.00
35 T	Carbon Tetrachloride	0.664	0.687	-3.5	125	0.00
36 T	Benzene	0.861	0.789	8.4	108	0.00
37 T	1,2-Dichloroethane	0.427	0.467	-9.4	124	0.00
38 T	Trichloroethene	0.368	0.338	8.2	119	0.00
39 T	1,2-Dichloropropane	0.332	0.297	10.5	104	0.00
40 T	1,4-Dioxane	0.078	0.073	6.4	129	0.00
41 T	Tetrahydrofuran	0.207	0.181	12.6	101	0.00
42 T	Bromodichloromethane	0.646	0.663	-2.6	116	0.00
43	Methyl Methacrylate	0.297	0.285	4.0	106	0.00
44 T	2,2,4-Trimethylpentane	1.478	1.285	13.1	107	0.00
45 T	t-1,3-Dichloropropene	0.227	0.273	-20.3	125	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL060121\
 Data File : VL037096.D
 Acq On : 2 Jun 2021 8:09
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jun 02 19:07:27 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL051821AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Tue May 18 12:00:15 2021
 QLast Update : Tue May 18 12:00:15 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.305	0.347	-13.8	122	0.00
47 T	1,1,2-Trichloroethane	0.347	0.341	1.7	115	0.00
48 T	Dibromochloromethane	0.562	0.608	-8.2	119	0.00
49 T	Bromoform	0.464	0.505	-8.8	116	0.00
50 T	4-Methyl-2-Pentanone	0.601	0.558	7.2	106	0.00
51 T	2-Hexanone	0.318	0.296	6.9	104	0.00
52 T	Tetrachloroethene	0.343	0.335	2.3	119	0.00
53 T	Toluene	1.025	0.958	6.5	112	0.00
54 T	1,2-Dibromoethane	0.494	0.515	-4.3	118	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	107	0.00
56	1,1,1,2-Tetrachloroethane	0.421	0.440	-4.5	121	0.00
57 T	Chlorobenzene	0.775	0.781	-0.8	119	0.00
58 T	Ethyl Benzene	1.411	1.364	3.3	113	0.00
59 T	m/p-Xylene	1.167	1.151	1.4	117	0.00
60 T	o-Xylene	1.113	1.095	1.6	117	0.00
61 T	Styrene	0.627	0.638	-1.8	111	0.00
62	Isopropylbenzene	1.599	1.544	3.4	116	0.00
63 T	1,1,2,2-Tetrachloroethane	0.831	0.746	10.2	115	0.00
64	n-propylbenzene	0.413	0.416	-0.7	115	0.00
65	tert-Butylbenzene	1.443	1.411	2.2	119	0.00
66 T	Benzyl Chloride	0.080	0.066	17.5	86	0.00
67	sec-Butylbenzene	1.968	1.876	4.7	115	0.00
68 S	1-Bromo-4-Fluorobenzene	0.751	0.784	-4.4	106	0.00
69	p-Isopropyltoluene	1.692	1.628	3.8	115	0.00
70	n-Butylbenzene	1.608	1.536	4.5	110	0.00
71	2-Chlorotoluene	1.155	1.136	1.6	115	0.00
72 T	4-Ethyltoluene	1.321	1.359	-2.9	116	0.00
73 T	1,3,5-Trimethylbenzene	1.240	1.229	0.9	116	0.00
74 T	1,2,4-Trimethylbenzene	1.282	1.279	0.2	118	0.00
75 T	1,3-Dichlorobenzene	0.783	0.779	0.5	114	0.00
76 T	1,4-Dichlorobenzene	0.792	0.776	2.0	118	0.00
77 T	1,2-Dichlorobenzene	0.785	0.765	2.5	115	0.00
78 T	Hexachloro-1,3-Butadiene	0.631	0.477	24.4	98	0.00
79 T	Naphthalene	1.006	0.949	5.7	94	0.00
80 T	Naphthalene,2-methyl-	0.219	0.254	-16.0	119	0.00
81 T	1,2,4-Trichlorobenzene	0.613	0.562	8.3	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0