

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL062722\
 Data File : VL039360.D
 Acq On : 27 Jun 2022 13:45
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jun 28 02:32:00 2022
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_L\METHODS\VL053122AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Jun 01 01:22:18 2022
 QLast Update : Wed Jun 01 01:22:18 2022
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	1.756	1.388	21.0	79	0.00
3	Chlorodifluoromethane	1.272	1.206	5.2	91	0.00
4	Chloromethane	0.654	0.647	1.1	92	0.00
5 T	Vinyl Chloride	0.611	0.626	-2.5	92	0.00
6 T	Bromomethane	0.301	0.294	2.3	93	0.00
7	Chloroethane	0.213	0.239	-12.2	102	0.00
8 T	Dichlorotetrafluoroethane	1.605	1.615	-0.6	95	0.00
9 T	Propene	0.555	0.519	6.5	91	0.00
10 T	Heptane	1.294	1.375	-6.3	96	0.00
11 T	Trichlorofluoromethane	1.590	1.623	-2.1	99	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.051	1.218	-15.9	109	0.00
13	Ethanol	0.030	0.028#	6.7	84	0.00
14 T	Bromoethene	0.473	0.515	-8.9	99	0.00
15 T	Acetone	1.042	1.182	-13.4	111	0.00
16 T	1,3-Butadiene	0.560	0.626	-11.8	102	0.00
17	tert-Butyl alcohol	0.808	1.043	-29.1	112	0.00
18 T	1,1-Dichloroethene	0.472	0.546	-15.7	107	0.00
19 T	Isopropyl Alcohol	0.489	0.607	-24.1	106	0.00
20 T	Methylene Chloride	0.439	0.428	2.5	110	0.00
21 T	Allyl Chloride	0.703	0.856	-21.8	111	0.00
22 T	trans-1,2-Dichloroethene	0.454	0.537	-18.3	105	0.00
23 T	Vinyl Acetate	0.862	0.961	-11.5	92	0.00
24 T	1,1-Dichloroethane	1.181	1.219	-3.2	99	0.00
25 T	Ethyl Acetate	2.348	2.466	-5.0	98	0.00
26 T	Hexane	1.032	1.036	-0.4	93	0.00
27 T	Carbon Disulfide	1.069	1.284	-20.1	102	0.00
28 T	Methyl tert-Butyl Ether	1.139	1.129	0.9	95	0.00
29 T	Chloroform	1.736	1.695	2.4	91	0.00
30 T	Cyclohexane	0.867	0.899	-3.7	97	0.00
31 T	cis-1,2-Dichloroethene	1.052	1.048	0.4	91	0.00
32 T	1,1,1-Trichloroethane	1.699	1.738	-2.3	91	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
34 T	2-Butanone	0.543	0.525	3.3	94	0.00
35 T	Carbon Tetrachloride	0.730	0.671	8.1	91	0.00
36 T	Benzene	0.812	0.781	3.8	97	0.00
37 T	1,2-Dichloroethane	0.534	0.474	11.2	89	0.00
38 T	Trichloroethene	0.373	0.418	-12.1	106	0.00
39 T	1,2-Dichloropropane	0.323	0.289	10.5	91	0.00
40 T	1,4-Dioxane	0.106	0.110	-3.8	103	0.00
41 T	Tetrahydrofuran	0.327	0.302	7.6	91	0.00
42 T	Bromodichloromethane	0.742	0.664	10.5	89	0.00
43	Methyl Methacrylate	0.316	0.318	-0.6	94	0.00
44 T	2,2,4-Trimethylpentane	1.420	1.321	7.0	96	0.00
45 T	t-1,3-Dichloropropene	0.329	0.309	6.1	77	0.00
46 T	cis-1,3-Dichloropropene	0.435	0.407	6.4	83	0.00
47 T	1,1,2-Trichloroethane	0.337	0.329	2.4	97	0.00
48 T	Dibromochloromethane	0.602	0.595	1.2	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_L\Data\VL062722\
 Data File : VL039360.D
 Acq On : 27 Jun 2022 13:45
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400mL/MSVOA_L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Jun 28 02:32:00 2022
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_L\METHODS\VL053122AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Jun 01 01:22:18 2022
 QLast Update : Wed Jun 01 01:22:18 2022
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	Bromoform	0.501	0.484	3.4	91	0.00
50 T	4-Methyl-2-Pentanone	0.813	0.815	-0.2	96	0.00
51 T	2-Hexanone	0.633	0.616	2.7	93	0.00
52 T	Tetrachloroethene	0.317	0.311	1.9	102	0.00
53 T	Toluene	0.935	0.940	-0.5	100	0.00
54 T	1,2-Dibromoethane	0.453	0.440	2.9	94	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
56	1,1,1,2-Tetrachloroethane	0.473	0.463	2.1	100	0.00
57 T	Chlorobenzene	0.752	0.784	-4.3	106	0.00
58 T	Ethyl Benzene	1.377	1.376	0.1	100	0.00
59 T	m/p-Xylene	1.213	1.190	1.9	100	0.00
60 T	o-Xylene	1.140	1.145	-0.4	102	0.00
61 T	Styrene	0.610	0.663	-8.7	103	0.00
62	Isopropylbenzene	1.694	1.690	0.2	104	0.00
63 T	1,1,2,2-Tetrachloroethane	0.640	0.569	11.1	94	0.00
64	n-propylbenzene	0.416	0.450	-8.2	107	0.00
65	tert-Butylbenzene	1.549	1.561	-0.8	105	0.00
66 T	Benzyl Chloride	0.201	0.162	19.4	62	0.00
67	sec-Butylbenzene	2.114	2.118	-0.2	102	0.00
68 S	1-Bromo-4-Fluorobenzene	0.827	0.781	5.6	89	0.00
69	p-Isopropyltoluene	1.783	1.835	-2.9	106	0.00
70	n-Butylbenzene	1.830	1.795	1.9	98	0.00
71	2-Chlorotoluene	1.292	1.243	3.8	98	0.00
72 T	4-Ethyltoluene	1.336	1.404	-5.1	105	0.00
73 T	1,3,5-Trimethylbenzene	1.205	1.270	-5.4	105	0.00
74 T	1,2,4-Trimethylbenzene	1.345	1.361	-1.2	103	0.00
75 T	1,3-Dichlorobenzene	0.761	0.792	-4.1	104	0.00
76 T	1,4-Dichlorobenzene	0.759	0.773	-1.8	104	0.00
77 T	1,2-Dichlorobenzene	0.767	0.774	-0.9	104	0.00
78 T	Hexachloro-1,3-Butadiene	0.701	0.583	16.8	91	0.00
79 T	Naphthalene	1.035	1.128	-9.0	92	0.00
80 T	Naphthalene,2-methyl-	0.385	0.369	4.2	70	0.00
81 T	1,2,4-Trichlorobenzene	0.656	0.653	0.5	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0