

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL062918\
 Data File : VL032172.D
 Acq On : 30 Jun 2018 15:48
 Operator : SY/AP
 Sample : J3601-08DL 10X
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 RESIDENT-C-CRAWL-SPACEDL

Manual Integrations
 APPROVED

MMDadoda
 7/2/2018 4:26:11 PM

Quant Time: Jul 02 04:24:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL062918AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Jun 2
 QLast Update : Fri Jun 29 22:27:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.85	49	1384341	10.00	ppbv	-0.02
33) 1,4-Difluorobenzene	7.38	114	3324068	10.00	ppbv	-0.02
55) Chlorobenzene-d5	12.34	117	3519634	10.00	ppbv	-0.02

System Monitoring Compounds

68) 1-Bromo-4-Fluorobenzene	14.68	95	2479015	9.21	ppbv	-0.02
Spiked Amount	10.000	Range	65 - 135	Recovery	=	92.10%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Ethanol	3.73	45	11593m	0.49	ppbv	
15) Acetone	3.98	43	135222	0.84	ppbv	90
26) Hexane	5.86	57	16278m	0.11	ppbv	
53) Toluene	10.05	91	87166	0.22	ppbv	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL062918\
Data File : VL032172.D
Acq On : 30 Jun 2018 15:48
Operator : SY/AP
Sample : J3601-08DL 10X
Misc : 400ml/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
RESIDENT-C-CRAWL-SPACDL

Quant Time: Jul 02 04:24:31 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA L\METHODS\VL062918AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Jun
QLast Update : Fri Jun 29 22:27:58 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
7/2/2018 4:26:11 PM

