

Data Path : Z:\VOASRV\HPCHEM1\MSVOA L\DATA\VL071620\
 Data File : VL035196.D
 Acq On : 16 Jul 2020 16:32
 Operator : SY/AP
 Sample : L3318-02DL 1200X
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 CARBON-03DL

Quant Time: Jul 17 09:48:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL070820AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Jul 08 07:05:23 2020
 QLast Update : Wed Jul 08 07:05:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.64	49	1101729	10.00	ppbv	-0.02
33) 1,4-Difluorobenzene	7.15	114	2633731	10.00	ppbv	-0.03
55) Chlorobenzene-d5	12.09	117	2444851	10.00	ppbv	-0.03

System Monitoring Compounds

68) 1-Bromo-4-Fluorobenzene	14.42	95	2034353	10.24	ppbv	-0.03
Spiked Amount	10.000	Range	65 - 135	Recovery	=	102.40%


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
27) Carbon Disulfide	4.50	76	7966840	55.902	ppbv	# 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL071620\
Data File : VL035196.D
Acq On : 16 Jul 2020 16:32
Operator : SY/AP
Sample : L3318-02DL 1200X
Misc : 400ml/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
CARBON-03DL

Quant Time: Jul 17 09:48:27 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA L\METHODS\VL070820AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Wed Jul 08 07:05:23 2020
QLast Update : Wed Jul 08 07:05:23 2020
Response via : Initial Calibration





#1

Bromochloromethane

Concen: 10.000 ppbv

RT: 5.64 min Scan# 886

Delta R.T. -0.02 min

Lab File: VL035196.D

Acq: 16 Jul 2020 16:32

Instrument :

MSVOA_L

ClientSampleId :

CARBON-03DL


Tot Ion: 49 Resp: 1101729

Ion Ratio Lower Upper

49 100

128 48.7 23.8 71.4




130 62.2 29.9 89.8



Abundance Ion 49.10 (48.80 to 49.80): VL0

Ion 128.00 (127.70 to 128.70): VL0

Ion 130.00 (129.70 to 130.70): VL0



#27

Carbon Disulfide

Concen: 55.902 ppbv

RT: 4.50 min Scan# 534

Delta R.T. -0.02 min

Lab File: VL035196.D

Acq: 16 Jul 2020 16:32


Tgt Ion: 76 Resp: 7966840

Ion Ratio Lower Upper

76 100

44 24.1 14.9 22.3#



78 11.9 7.5 11.3#




Abundance Ion 76.00 (75.70 to 76.70): VL0

Ion 44.10 (43.80 to 44.80): VL0

Ion 78.00 (77.70 to 78.70): VL0









#33
 1,4-Difluorobenzene
 Concen: 10.000 ppbv
 RT: 7.15 min Scan# 1358
 Delta R.T. -0.03 min
 Lab File: VL035196.D
 Acq: 16 Jul 2020 16:32




Instrument :
 MSVOA_L
 ClientSampleId :
 CARBON-03DL


Tot Ion:114 Resp: 2633731
 Ion Ratio Lower Upper
 114 100
 63 27.6 22.0 33.0
 88 19.3 15.4 23.0



#55
 Chlorobenzene-d5
 Concen: 10.000 ppbv
 RT: 12.09 min Scan# 2892
 Delta R.T. -0.03 min
 Lab File: VL035196.D
 Acq: 16 Jul 2020 16:32

Tgt Ion:117 Resp: 2444851
 Ion Ratio Lower Upper
 117 100
 82 69.3 52.3 78.5
 119 33.8 24.9 37.3





#68
 1-Bromo-4-Fluorobenzene
 Concen: 10.243 ppbv
 RT: 14.42 min Scan# 3618
 Delta R.T. -0.03 min
 Lab File: VL035196.D
 Acq: 16 Jul 2020 16:32

Instrument :
 MSVOA_L
 ClientSampleId :
 CARBON-03DL

Tot Ion: 95 Resp: 2034353
 Ion Ratio Lower Upper
 95 100
 174 65.1 52.2 78.2
 175 4.9 4.0 6.0

