

Data Path : Y:\VOASRV\HPCHEM1\MSVOA L\DATA\VL081621\
 Data File : VL037474.D
 Acq On : 16 Aug 2021 23:18
 Operator : SY/AP
 Sample : M1458-14 0.03 LOQ
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 LOQ-AIR-01-QT1-2021

Manual Integrations
 APPROVED

MMDadoda
 8/19/2021 5:59:33 PM

Quant Time: Aug 17 03:27:32 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL081621AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Tue Aug 17 2021
 QLast Update : Tue Aug 17 02:13:47 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.65	49	1366705	10.00	ppbv	0.00
33) 1,4-Difluorobenzene	7.16	114	4145327	10.00	ppbv	0.00
55) Chlorobenzene-d5	12.07	117	3601919	10.00	ppbv	0.00

System Monitoring Compounds

68) 1-Bromo-4-Fluorobenzene	14.39	95	2513002	9.82	ppbv	0.00
Spiked Amount	10.000	Range	65 - 135	Recovery	=	98.20%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
5) Vinyl Chloride	3.24	62	4610m	0.048	ppbv	
32) 1,1,1-Trichloroethane	6.50	97	9930m	0.041	ppbv	
35) Carbon Tetrachloride	7.00	117	10702m	0.044	ppbv	
38) Trichloroethene	7.82	130	5734m	0.040	ppbv	
52) Tetrachloroethene	11.21	164	6367m	0.045	ppbv	
63) 1,1,2,2-Tetrachloroethane	13.67	83	15800m	0.053	ppbv	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Y:\V0ASRV\HPCHEM1\MSVOA L\DATA\VL081621\
Data File : VL037474.D
Acq On : 16 Aug 2021 23:18
Operator : SY/AP
Sample : M1458-14 0.03 LOQ
Misc : 400mL/MSVOA L
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_L
ClientSampleId :
LOQ-AIR-01-QT1-2021

Manual Integrations
APPROVED

MMDadoda
8/19/2021 5:59:33 PM

Quant Time: Aug 17 03:27:32 2021
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA L\METHODS\VL081621AIR.M
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Tue Aug
QLast Update : Tue Aug 17 02:13:47 2021
Response via : Initial Calibration

