

Data Path : Y:\voasrv\HPCHEM1\MSVOA L\Data\VL081621\
 Data File : VL037462.D
 Acq On : 16 Aug 2021 15:12
 Operator : SY/AP
 Sample : VSTDICV010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 ICVVL081621

Quant Time: Aug 16 16:24:51 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL081621AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon Aug 16 14:55:18 2021
 QLast Update : Mon Aug 16 14:55:18 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	1.605	1.399	12.8	101	0.00
3	Chlorodifluoromethane	1.915	1.687	11.9	98	0.00
4	Chloromethane	0.684	0.631	7.7	95	0.00
5 T	Vinyl Chloride	0.701	0.626	10.7	99	0.00
6 T	Bromomethane	0.384	0.298	22.4	85	0.00
7	Chloroethane	0.239	0.218	8.8	98	0.00
8 T	Dichlorotetrafluoroethane	1.656	1.455	12.1	98	0.00
9 T	Propene	0.685	0.606	11.5	98	0.00
10 T	Heptane	1.577	1.514	4.0	100	0.00
11 T	Trichlorofluoromethane	1.506	1.344	10.8	100	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.105	0.974	11.9	101	0.00
13	Ethanol	0.067	0.059	11.9	80	0.00
14 T	Bromoethene	0.502	0.457	9.0	97	0.00
15 T	Acetone	1.018	0.748	26.5	93	0.00
16 T	1,3-Butadiene	0.653	0.619	5.2	100	0.00
17	tert-Butyl alcohol	0.930	0.907	2.5	97	0.00
18 T	1,1-Dichloroethene	0.502	0.437	12.9	96	0.00
19 T	Isopropyl Alcohol	0.583	0.521	10.6	89	0.00
20 T	Methylene Chloride	0.510	0.381	25.3	93	0.00
21 T	Allyl Chloride	0.827	0.698	15.6	89	0.00
22 T	trans-1,2-Dichloroethene	0.501	0.440	12.2	97	0.00
23 T	Vinyl Acetate	1.500	1.393	7.1	92	0.00
24 T	1,1-Dichloroethane	1.088	0.954	12.3	95	0.00
25 T	Ethyl Acetate	2.584	2.364	8.5	98	0.00
26 T	Hexane	1.263	1.129	10.6	100	0.00
27 T	Carbon Disulfide	1.126	1.070	5.0	94	0.00
28 T	Methyl tert-Butyl Ether	1.213	1.122	7.5	95	0.00
29 T	Chloroform	1.790	1.588	11.3	97	0.00
30 T	Cyclohexane	1.053	0.961	8.7	98	0.00
31 T	cis-1,2-Dichloroethene	1.143	1.082	5.3	98	0.00
32 T	1,1,1-Trichloroethane	1.759	1.582	10.1	97	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
34 T	2-Butanone	0.408	0.347	15.0	89	0.00
35 T	Carbon Tetrachloride	0.591	0.557	5.8	97	0.00
36 T	Benzene	0.841	0.795	5.5	99	0.00
37 T	1,2-Dichloroethane	0.416	0.394	5.3	99	0.00
38 T	Trichloroethene	0.345	0.311	9.9	100	0.00
39 T	1,2-Dichloropropane	0.323	0.302	6.5	97	0.00
40 T	1,4-Dioxane	0.079	0.078	1.3	97	0.00
41 T	Tetrahydrofuran	0.197	0.190	3.6	97	0.00
42 T	Bromodichloromethane	0.609	0.592	2.8	97	0.00
43	Methyl Methacrylate	0.293	0.290	1.0	98	0.00
44 T	2,2,4-Trimethylpentane	1.415	1.312	7.3	99	0.00
45 T	t-1,3-Dichloropropene	0.221	0.197	10.9	77	0.00

Data Path : Y:\voasrv\HPCHEM1\MSVOA L\Data\VL081621\
 Data File : VL037462.D
 Acq On : 16 Aug 2021 15:12
 Operator : SY/AP
 Sample : VSTDICV010
 Misc : 400mL/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 ClientSampleId :
 ICVVL081621

Quant Time: Aug 16 16:24:51 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL081621AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon Aug 16 14:55:18 2021
 QLast Update : Mon Aug 16 14:55:18 2021
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.308	0.262	14.9	79	0.00
47 T	1,1,2-Trichloroethane	0.349	0.317	9.2	97	0.00
48 T	Dibromochloromethane	0.502	0.511	-1.8	97	0.00
49 T	Bromoform	0.396	0.420	-6.1	98	0.00
50 T	4-Methyl-2-Pentanone	0.533	0.528	0.9	100	0.00
51 T	2-Hexanone	0.245	0.250	-2.0	101	0.00
52 T	Tetrachloroethene	0.344	0.293	14.8	96	0.00
53 T	Toluene	0.960	0.922	4.0	97	0.00
54 T	1,2-Dibromoethane	0.487	0.455	6.6	95	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	101	0.00
56	1,1,1,2-Tetrachloroethane	0.417	0.387	7.2	99	0.00
57 T	Chlorobenzene	0.830	0.740	10.8	98	0.00
58 T	Ethyl Benzene	1.388	1.297	6.6	99	0.00
59 T	m/p-Xylene	1.203	1.085	9.8	96	0.00
60 T	o-Xylene	1.123	1.025	8.7	99	0.00
61 T	Styrene	0.583	0.582	0.2	96	0.00
62	Isopropylbenzene	1.585	1.446	8.8	99	0.00
63 T	1,1,2,2-Tetrachloroethane	0.835	0.738	11.6	98	0.00
64	n-propylbenzene	0.403	0.387	4.0	99	0.00
65	tert-Butylbenzene	1.443	1.289	10.7	98	0.00
66 T	Benzyl Chloride	0.065	0.065	0.0	87	0.00
67	sec-Butylbenzene	2.017	1.786	11.5	98	0.00
68 S	1-Bromo-4-Fluorobenzene	0.710	0.732	-3.1	100	0.00
69	p-Isopropyltoluene	1.643	1.508	8.2	98	0.00
70	n-Butylbenzene	1.570	1.475	6.1	97	0.00
71	2-Chlorotoluene	1.162	1.068	8.1	99	0.00
72 T	4-Ethyltoluene	1.336	1.222	8.5	96	0.00
73 T	1,3,5-Trimethylbenzene	1.243	1.130	9.1	98	0.00
74 T	1,2,4-Trimethylbenzene	1.321	1.171	11.4	97	0.00
75 T	1,3-Dichlorobenzene	0.795	0.708	10.9	98	0.00
76 T	1,4-Dichlorobenzene	0.801	0.691	13.7	92	0.00
77 T	1,2-Dichlorobenzene	0.783	0.692	11.6	96	0.00
78 T	Hexachloro-1,3-Butadiene	0.651	0.525	19.4	96	0.00
79 T	Naphthalene	0.884	0.871	1.5	92	0.00
80 T	Naphthalene,2-methyl-	0.246	0.242	1.6	74	0.00
81 T	1,2,4-Trichlorobenzene	0.555	0.535	3.6	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0