

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_L\Data\VL090321\  
 Data File : VL037526.D  
 Acq On : 3 Sep 2021 18:12  
 Operator : SY/AP  
 Sample : CAN 10295  
 Misc : 400mL/MSVOA\_L  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_L  
 ClientSampleId :  
 CAN 10295

Manual Integrations  
 APPROVED

MMDadoda  
 9/10/2021 10:47:20 AM

Quant Time: Sep 04 04:22:43 2021  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_L\METHODS\VL081621AIR.M  
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA\_L Tue Aug 17 02:13:47 2021  
 QLast Update : Tue Aug 17 02:13:47 2021  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|-------|----------|
| -----                       |        |       |          |          |       |          |
| Internal Standards          |        |       |          |          |       |          |
| 1) Bromochloromethane       | 5.661  | 49    | 1613882  | 10.000   | ppbv  | 0.01     |
| 33) 1,4-Difluorobenzene     | 7.172  | 114   | 4776915  | 10.000   | ppbv  | 0.02     |
| 55) Chlorobenzene-d5        | 12.079 | 117   | 4212597  | 10.000   | ppbv  | 0.02     |
| System Monitoring Compounds |        |       |          |          |       |          |
| 68) 1-Bromo-4-Fluorobenzene | 14.407 | 95    | 3030070  | 10.124   | ppbv  | 0.01     |
| Spiked Amount               | 10.000 | Range | 65 - 135 | Recovery | =     | 101.200% |
| Target Compounds            |        |       |          |          |       |          |
|                             |        |       |          |          |       | Qvalue   |
| 15) Acetone                 | 3.880  | 43    | 48340m   | 0.294    | ppbv  |          |
| 20) Methylene Chloride      | 4.343  | 84    | 41911m   | 0.510    | ppbv  |          |
| -----                       |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_L\Data\VL090321\  
Data File : VL037526.D  
Acq On : 3 Sep 2021 18:12  
Operator : SY/AP  
Sample : CAN 10295  
Misc : 400mL/MSVOA\_L  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_L  
ClientSampleId :  
CAN 10295

Manual Integrations  
APPROVED

MMDadoda  
9/10/2021 10:47:20 AM

Quant Time: Sep 04 04:22:43 2021  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_L\METHODS\VL081621AIR.M  
Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA\_L Tue Aug 17 02:13:47 2021  
QLast Update : Tue Aug 17 02:13:47 2021  
Response via : Initial Calibration

