

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL091720\
 Data File : VL035680.D
 Acq On : 18 Sep 2020 11:08
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Sep 18 14:57:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL082720AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon Sep 14 15:19:50 2020
 QLast Update : Mon Sep 14 15:19:50 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	1.733	1.293	25.4	84	0.00
3	Chlorodifluoromethane	1.106	1.089	1.5	100	0.00
4	Chloromethane	0.593	0.584	1.5	98	0.00
5 T	Vinyl Chloride	0.731	0.694	5.1	100	0.00
6 T	Bromomethane	0.614	0.602	2.0	97	0.00
7	Chloroethane	0.258	0.263	-1.9	101	0.00
8 T	Dichlorotetrafluoroethane	2.099	1.935	7.8	96	0.00
9 T	Propene	0.426	0.413	3.1	98	0.00
10 T	Heptane	1.145	1.204	-5.2	102	0.00
11 T	Trichlorofluoromethane	2.527	2.387	5.5	98	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.907	1.810	5.1	97	0.00
13	Ethanol	0.106	0.097	8.5	97	0.00
14 T	Bromoethene	0.821	0.797	2.9	94	0.00
15 T	Acetone	1.103	0.943	14.5	92	0.00
16 T	1,3-Butadiene	0.411	0.429	-4.4	102	0.00
17	tert-Butyl alcohol	1.342	1.258	6.3	90	0.00
18 T	1,1-Dichloroethene	0.840	0.838	0.2	97	0.00
19 T	Isopropyl Alcohol	0.658	0.622	5.5	89	0.00
20 T	Methylene Chloride	0.821	0.723	11.9	106	0.00
21 T	Allyl Chloride	0.517	0.572	-10.6	101	0.00
22 T	trans-1,2-Dichloroethene	0.894	0.882	1.3	98	0.00
23 T	Vinyl Acetate	1.416	1.482	-4.7	98	0.00
24 T	1,1-Dichloroethane	1.457	1.466	-0.6	101	0.00
25 T	Ethyl Acetate	1.948	1.989	-2.1	104	0.00
26 T	Hexane	1.104	1.128	-2.2	105	0.00
27 T	Carbon Disulfide	1.584	1.804	-13.9	100	0.00
28 T	Methyl tert-Butyl Ether	1.924	1.923	0.1	95	0.00
29 T	Chloroform	2.249	2.229	0.9	100	0.00
30 T	Cyclohexane	1.183	1.227	-3.7	97	0.00
31 T	cis-1,2-Dichloroethene	1.133	1.179	-4.1	100	0.00
32 T	1,1,1-Trichloroethane	2.182	2.159	1.1	97	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
34 T	2-Butanone	0.297	0.334	-12.5	100	0.00
35 T	Carbon Tetrachloride	0.503	0.559	-11.1	95	0.00
36 T	Benzene	0.647	0.699	-8.0	97	0.00
37 T	1,2-Dichloroethane	0.309	0.339	-9.7	101	0.00
38 T	Trichloroethene	0.376	0.359	4.5	93	0.00
39 T	1,2-Dichloropropane	0.219	0.241	-10.0	100	0.00
40 T	1,4-Dioxane	0.109	0.117	-7.3	89	0.00
41 T	Tetrahydrofuran	0.157	0.190	-21.0	101	0.00
42 T	Bromodichloromethane	0.499	0.576	-15.4	98	0.00
43	Methyl Methacrylate	0.250	0.295	-18.0	99	0.00
44 T	2,2,4-Trimethylpentane	0.852	0.933	-9.5	101	0.00
45 T	t-1,3-Dichloropropene	0.254	0.333	-31.1#	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL091720\
 Data File : VL035680.D
 Acq On : 18 Sep 2020 11:08
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Sep 18 14:57:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL082720AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Mon Sep 14 15:19:50 2020
 QLast Update : Mon Sep 14 15:19:50 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.315	0.393	-24.8	97	0.00
47 T	1,1,2-Trichloroethane	0.323	0.343	-6.2	96	0.00
48 T	Dibromochloromethane	0.508	0.578	-13.8	92	0.00
49 T	Bromoform	0.460	0.520	-13.0	86	0.00
50 T	4-Methyl-2-Pentanone	0.430	0.497	-15.6	101	0.00
51 T	2-Hexanone	0.353	0.423	-19.8	98	0.00
52 T	Tetrachloroethene	0.378	0.369	2.4	92	0.00
53 T	Toluene	0.814	0.886	-8.8	96	0.00
54 T	1,2-Dibromoethane	0.510	0.543	-6.5	95	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
56	1,1,1,2-Tetrachloroethane	0.407	0.439	-7.9	91	0.00
57 T	Chlorobenzene	0.736	0.738	-0.3	94	0.00
58 T	Ethyl Benzene	1.031	1.132	-9.8	96	0.00
59 T	m/p-Xylene	0.862	0.971	-12.6	102	0.00
60 T	o-Xylene	0.868	0.944	-8.8	97	0.00
61 T	Styrene	0.664	0.751	-13.1	92	0.00
62	Isopropylbenzene	1.394	1.429	-2.5	95	0.00
63 T	1,1,2,2-Tetrachloroethane	0.673	0.685	-1.8	100	0.00
64	n-propylbenzene	0.425	0.445	-4.7	91	0.00
65	tert-Butylbenzene	1.296	1.337	-3.2	93	0.00
66 T	Benzyl Chloride	0.322	0.511	-58.7#	101	0.00
67	sec-Butylbenzene	1.727	1.785	-3.4	96	0.00
68 S	1-Bromo-4-Fluorobenzene	0.710	0.711	-0.1	87	0.00
69	p-Isopropyltoluene	1.514	1.535	-1.4	92	0.00
70	n-Butylbenzene	1.459	1.534	-5.1	96	0.00
71	2-Chlorotoluene	1.015	1.101	-8.5	96	0.00
72 T	4-Ethyltoluene	1.103	1.186	-7.5	94	0.00
73 T	1,3,5-Trimethylbenzene	1.020	1.098	-7.6	94	0.00
74 T	1,2,4-Trimethylbenzene	1.121	1.150	-2.6	94	0.00
75 T	1,3-Dichlorobenzene	0.830	0.776	6.5	86	0.00
76 T	1,4-Dichlorobenzene	0.819	0.781	4.6	86	0.00
77 T	1,2-Dichlorobenzene	0.804	0.760	5.5	86	0.00
78 T	Hexachloro-1,3-Butadiene	0.513	0.443	13.6	79	0.00
79 T	Naphthalene	1.243	1.287	-3.5	86	0.00
80 T	Naphthalene,2-methyl-	0.424	0.490	-15.6	81	0.00
81 T	1,2,4-Trichlorobenzene	0.745	0.664	10.9	77	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0