

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL113018\
 Data File : VL032872.D
 Acq On : 1 Dec 2018 6:03
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 03 00:32:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111418AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Wed Nov 14 07:00:23 2018
 QLast Update : Wed Nov 14 07:00:23 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	1.437	1.270	11.6	83	0.00
3	Chlorodifluoromethane	0.793	0.755	4.8	88	0.00
4	Chloromethane	0.440	0.432	1.8	93	0.00
5 T	Vinyl Chloride	0.466	0.441	5.4	92	0.00
6 T	Bromomethane	0.285	0.399	-40.0#	127	0.00
7	Chloroethane	0.168	0.236	-40.5#	130	0.00
8 T	Dichlorotetrafluoroethane	1.133	1.074	5.2	91	0.00
9 T	Propene	0.317	0.338	-6.6	97	0.00
10 T	Heptane	1.211	1.317	-8.8	91	0.00
11 T	Trichlorofluoromethane	1.355	1.610	-18.8	120	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.106	1.046	5.4	93	0.00
13	Ethanol	0.104	0.111	-6.7	127	0.00
14 T	Bromoethene	0.367	0.526	-43.3#	133	0.00
15 T	Acetone	0.913	1.091	-19.5	130	0.00
16 T	1,3-Butadiene	0.354	0.351	0.8	80	0.00
17	tert-Butyl alcohol	0.286	0.330	-15.4	97	0.00
18 T	1,1-Dichloroethene	0.544	0.578	-6.2	95	0.00
19 T	Isopropyl Alcohol	0.608	0.771	-26.8	125	0.00
20 T	Methylene Chloride	0.473	0.475	-0.4	92	0.00
21 T	Allyl Chloride	0.767	0.757	1.3	92	0.00
22 T	trans-1,2-Dichloroethene	0.531	0.565	-6.4	92	0.00
23 T	Vinyl Acetate	1.665	1.883	-13.1	90	0.00
24 T	1,1-Dichloroethane	1.323	1.340	-1.3	85	0.00
25 T	Ethyl Acetate	2.128	2.285	-7.4	98	0.00
26 T	Hexane	0.947	1.053	-11.2	98	0.00
27 T	Carbon Disulfide	1.201	1.446	-20.4	107	0.00
28 T	Methyl tert-Butyl Ether	1.511	1.751	-15.9	92	0.00
29 T	Chloroform	1.689	1.740	-3.0	96	0.00
30 T	Cyclohexane	0.829	0.926	-11.7	95	0.00
31 T	cis-1,2-Dichloroethene	0.953	1.045	-9.7	93	0.00
32 T	1,1,1-Trichloroethane	1.851	1.774	4.2	91	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
34 T	2-Butanone	0.519	0.561	-8.1	93	0.00
35 T	Carbon Tetrachloride	0.804	0.756	6.0	90	0.00
36 T	Benzene	0.796	0.863	-8.4	94	0.00
37 T	1,2-Dichloroethane	0.536	0.524	2.2	88	0.00
38 T	Trichloroethene	0.322	0.348	-8.1	93	0.00
39 T	1,2-Dichloropropane	0.303	0.321	-5.9	92	0.00
40 T	1,4-Dioxane	0.108	0.114	-5.6	93	0.00
41 T	Tetrahydrofuran	0.298	0.338	-13.4	93	0.00
42 T	Bromodichloromethane	0.727	0.724	0.4	88	0.00
43	Methyl Methacrylate	0.297	0.334	-12.5	89	0.00
44 T	2,2,4-Trimethylpentane	1.331	1.398	-5.0	90	0.00
45 T	t-1,3-Dichloropropene	0.399	0.499	-25.1	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL113018\
 Data File : VL032872.D
 Acq On : 1 Dec 2018 6:03
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 03 00:32:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111418AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LWed Nov 14 07:00:23 2018
 QLast Update : Wed Nov 14 07:00:23 2018
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.482	0.533	-10.6	84	0.00
47 T	1,1,2-Trichloroethane	0.359	0.365	-1.7	89	0.00
48 T	Dibromochloromethane	0.610	0.636	-4.3	82	0.00
49 T	Bromoform	0.504	0.511	-1.4	85	0.00
50 T	4-Methyl-2-Pentanone	0.810	0.813	-0.4	82	0.00
51 T	2-Hexanone	0.522	0.612	-17.2	87	0.00
52 T	Tetrachloroethene	0.277	0.310	-11.9	95	0.00
53 T	Toluene	0.831	0.990	-19.1	92	0.00
54 T	1,2-Dibromoethane	0.507	0.549	-8.3	91	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
56	1,1,1,2-Tetrachloroethane	0.466	0.443	4.9	90	0.00
57 T	Chlorobenzene	0.765	0.741	3.1	91	0.00
58 T	Ethyl Benzene	1.203	1.321	-9.8	92	0.00
59 T	m/p-Xylene	1.071	1.127	-5.2	94	0.03
60 T	o-Xylene	1.077	1.037	3.7	87	0.00
61 T	Styrene	0.701	0.802	-14.4	90	0.00
62	Isopropylbenzene	1.456	1.486	-2.1	90	0.00
63 T	1,1,2,2-Tetrachloroethane	0.840	0.681	18.9	83	0.00
64	n-propylbenzene	0.383	0.380	0.8	86	0.00
65	tert-Butylbenzene	1.305	1.284	1.6	85	0.00
66 T	Benzyl Chloride	0.722	0.721	0.1	78	0.00
67	sec-Butylbenzene	1.881	1.798	4.4	85	0.00
68 S	1-Bromo-4-Fluorobenzene	0.748	0.727	2.8	79	0.00
69	p-Isopropyltoluene	1.496	1.514	-1.2	88	0.00
70	n-Butylbenzene	1.519	1.520	-0.1	86	0.00
71	2-Chlorotoluene	1.086	1.085	0.1	84	0.00
72 T	4-Ethyltoluene	1.181	1.194	-1.1	85	0.00
73 T	1,3,5-Trimethylbenzene	1.154	1.131	2.0	84	0.00
74 T	1,2,4-Trimethylbenzene	1.235	1.150	6.9	85	0.00
75 T	1,3-Dichlorobenzene	0.709	0.659	7.1	85	0.00
76 T	1,4-Dichlorobenzene	0.662	0.647	2.3	85	0.00
77 T	1,2-Dichlorobenzene	0.656	0.641	2.3	89	0.00
78 T	Hexachloro-1,3-Butadiene	0.354	0.487	-37.6#	118	0.00
79 T	Naphthalene	0.812	1.137	-40.0#	107	0.00
80 T	Naphthalene,2-methyl-	0.203	0.313	-54.2#	86	0.00
81 T	1,2,4-Trichlorobenzene	0.408	0.544	-33.3#	106	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0