

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL120319\
 Data File : VL034453.D
 Acq On : 3 Dec 2019 10:15
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 03 12:16:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111919AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Nov 19 14:15:35 2019
 QLast Update : Tue Nov 19 14:15:35 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	1.809	1.946	-7.6	100	0.00
3	Chlorodifluoromethane	1.248	1.138	8.8	92	0.00
4	Chloromethane	0.736	0.692	6.0	96	0.00
5 T	Vinyl Chloride	0.690	0.642	7.0	94	0.00
6 T	Bromomethane	0.347	0.336	3.2	92	0.00
7	Chloroethane	0.250	0.235	6.0	94	0.00
8 T	Dichlorotetrafluoroethane	1.625	1.505	7.4	94	0.00
9 T	Propene	0.554	0.492	11.2	90	0.00
10 T	Heptane	1.430	1.313	8.2	90	0.00
11 T	Trichlorofluoromethane	1.800	1.712	4.9	97	0.00
12 T	1,1,2-Trichlorotrifluoroeth	1.196	1.159	3.1	99	0.00
13	Ethanol	0.154	0.107	30.5#	82	0.00
14 T	Bromoethene	0.486	0.459	5.6	91	0.00
15 T	Acetone	1.432	1.231	14.0	96	0.00
16 T	1,3-Butadiene	0.624	0.586	6.1	90	0.00
17	tert-Butyl alcohol	1.204	1.055	12.4	83	0.00
18 T	1,1-Dichloroethene	0.523	0.508	2.9	96	0.00
19 T	Isopropyl Alcohol	0.918	0.840	8.5	82	0.00
20 T	Methylene Chloride	0.508	0.450	11.4	96	0.00
21 T	Allyl Chloride	0.858	0.882	-2.8	98	0.00
22 T	trans-1,2-Dichloroethene	0.527	0.526	0.2	97	0.00
23 T	Vinyl Acetate	1.871	1.820	2.7	94	0.00
24 T	1,1-Dichloroethane	1.437	1.358	5.5	95	0.00
25 T	Ethyl Acetate	2.555	2.336	8.6	92	0.00
26 T	Hexane	1.098	0.996	9.3	92	0.00
27 T	Carbon Disulfide	1.196	1.328	-11.0	96	0.00
28 T	Methyl tert-Butyl Ether	1.821	1.747	4.1	92	0.00
29 T	Chloroform	1.778	1.650	7.2	92	0.00
30 T	Cyclohexane	0.830	0.778	6.3	87	0.00
31 T	cis-1,2-Dichloroethene	1.135	1.076	5.2	90	0.00
32 T	1,1,1-Trichloroethane	1.667	1.677	-0.6	93	0.00
33 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
34 T	2-Butanone	0.823	0.768	6.7	91	0.00
35 T	Carbon Tetrachloride	0.860	0.883	-2.7	95	0.00
36 T	Benzene	1.000	0.938	6.2	89	0.00
37 T	1,2-Dichloroethane	0.743	0.725	2.4	94	0.00
38 T	Trichloroethene	0.410	0.379	7.6	90	0.00
39 T	1,2-Dichloropropane	0.385	0.389	-1.0	88	0.00
40 T	1,4-Dioxane	0.168	0.144	14.3	85	0.00
41 T	Tetrahydrofuran	0.462	0.432	6.5	89	0.00
42 T	Bromodichloromethane	0.929	0.915	1.5	92	0.00
43	Methyl Methacrylate	0.415	0.409	1.4	92	0.00
44 T	2,2,4-Trimethylpentane	1.827	1.683	7.9	91	0.00
45 T	t-1,3-Dichloropropene	0.532	0.574	-7.9	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA L\Data\VL120319\
 Data File : VL034453.D
 Acq On : 3 Dec 2019 10:15
 Operator : SY/AP
 Sample : VSTDCCC010
 Misc : 400ml/MSVOA L
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_L
 LabSampleId :
 VSTDCCC010

Quant Time: Dec 03 12:16:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA L\METHODS\VL111919AIR.M
 Quant Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_LTue Nov 19 14:15:35 2019
 QLast Update : Tue Nov 19 14:15:35 2019
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	cis-1,3-Dichloropropene	0.597	0.624	-4.5	89	0.00
47 T	1,1,2-Trichloroethane	0.428	0.406	5.1	90	0.00
48 T	Dibromochloromethane	0.736	0.756	-2.7	91	0.00
49 T	Bromoform	0.657	0.689	-4.9	92	0.00
50 T	4-Methyl-2-Pentanone	1.191	1.140	4.3	92	0.00
51 T	2-Hexanone	0.998	0.957	4.1	91	0.00
52 T	Tetrachloroethene	0.433	0.357	17.6	88	0.00
53 T	Toluene	1.135	1.091	3.9	89	0.00
54 T	1,2-Dibromoethane	0.657	0.615	6.4	88	0.00
55 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
56	1,1,1,2-Tetrachloroethane	0.489	0.468	4.3	93	0.00
57 T	Chlorobenzene	0.904	0.788	12.8	90	0.00
58 T	Ethyl Benzene	1.552	1.411	9.1	90	0.00
59 T	m/p-Xylene	1.341	1.194	11.0	90	0.00
60 T	o-Xylene	1.326	1.187	10.5	91	0.00
61 T	Styrene	0.956	0.876	8.4	89	0.00
62	Isopropylbenzene	1.754	1.542	12.1	90	0.00
63 T	1,1,2,2-Tetrachloroethane	0.997	0.829	16.9	91	0.00
64	n-propylbenzene	0.456	0.405	11.2	90	0.00
65	tert-Butylbenzene	1.576	1.368	13.2	91	0.00
66 T	Benzyl Chloride	0.606	0.701	-15.7	95	0.00
67	sec-Butylbenzene	2.204	1.913	13.2	92	0.00
68 S	1-Bromo-4-Fluorobenzene	0.841	0.815	3.1	88	0.00
69	p-Isopropyltoluene	1.829	1.589	13.1	91	0.00
70	n-Butylbenzene	1.968	1.695	13.9	92	0.00
71	2-Chlorotoluene	1.399	1.213	13.3	89	0.00
72 T	4-Ethyltoluene	1.533	1.363	11.1	91	0.00
73 T	1,3,5-Trimethylbenzene	1.500	1.305	13.0	90	0.00
74 T	1,2,4-Trimethylbenzene	1.593	1.353	15.1	91	0.00
75 T	1,3-Dichlorobenzene	0.916	0.769	16.0	91	0.00
76 T	1,4-Dichlorobenzene	0.889	0.769	13.5	90	0.00
77 T	1,2-Dichlorobenzene	0.885	0.748	15.5	91	0.00
78 T	Hexachloro-1,3-Butadiene	0.760	0.680	10.5	99	0.00
79 T	Naphthalene	1.381	1.150	16.7	87	0.00
80 T	Naphthalene,2-methyl-	0.624	0.632	-1.3	86	0.00
81 T	1,2,4-Trichlorobenzene	0.849	0.693	18.4	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0