

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX010522\
 Data File : VX026365.D
 Acq On : 06 Jan 2022 08:34
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 06 12:26:43 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 30 08:02:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	50.000	47.899	4.2	89	0.00
3 P	Chloromethane	50.000	37.335	25.3#	71	0.00
4 C	Vinyl Chloride	50.000	41.882	16.2#	80	0.00
5 T	Bromomethane	50.000	27.421	45.2#	51	0.00
6 T	Chloroethane	50.000	33.470	33.1#	67	0.00
7 T	Trichlorofluoromethane	50.000	39.523	21.0	74	0.00
8 T	Diethyl Ether	50.000	43.100	13.8	81	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	46.785	6.4	90	0.00
10 T	Methyl Iodide	50.000	33.956	32.1#	63	0.00
11 T	Tert butyl alcohol	250.000	93.107	62.8#	39	0.01
12 CM	1,1-Dichloroethene	50.000	47.218	5.6#	91	0.00
13 T	Acrolein	250.000	219.987	12.0	93	0.00
14 T	Allyl chloride	50.000	45.496	9.0	87	0.00
15 T	Acrylonitrile	250.000	223.305	10.7	85	0.00
16 T	Acetone	250.000	182.790	26.9#	73	0.00
17 T	Carbon Disulfide	50.000	45.306	9.4	88	0.00
18 T	Methyl Acetate	50.000	45.691	8.6	88	0.00
19 T	Methyl tert-butyl Ether	50.000	51.889	-3.8	98	0.00
20 T	Methylene Chloride	50.000	46.576	6.8	88	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.302	5.4	92	0.00
22 T	Diisopropyl ether	50.000	48.871	2.3	91	0.00
23 T	Vinyl Acetate	250.000	239.529	4.2	87	0.00
24 P	1,1-Dichloroethane	50.000	48.841	2.3	92	0.00
25 T	2-Butanone	250.000	212.310	15.1	81	0.00
26 T	2,2-Dichloropropane	50.000	42.856	14.3	81	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.494	3.0	92	0.00
28 T	Bromochloromethane	50.000	45.988	8.0	90	0.00
29 T	Tetrahydrofuran	250.000	220.007	12.0	83	0.00
30 C	Chloroform	50.000	47.943	4.1#	91	0.00
31 T	Cyclohexane	50.000	48.762	2.5	91	0.00
32 T	1,1,1-Trichloroethane	50.000	49.637	0.7	94	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.109	3.8	100	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	48.692	2.6	101	0.00
36 T	1,1-Dichloropropene	50.000	48.630	2.7	92	0.00
37 T	Ethyl Acetate	50.000	45.909	8.2	85	0.00
38 T	Carbon Tetrachloride	50.000	46.420	7.2	88	0.00
39 T	Methylcyclohexane	50.000	48.476	3.0	91	0.00
40 TM	Benzene	50.000	48.025	4.0	91	0.00
41 T	Methacrylonitrile	50.000	48.143	3.7	89	0.00
42 TM	1,2-Dichloroethane	50.000	47.346	5.3	91	0.00
43 T	Isopropyl Acetate	50.000	47.150	5.7	89	0.00
44 TM	Trichloroethene	50.000	50.877	-1.8	98	0.00
45 C	1,2-Dichloropropane	50.000	48.029	3.9#	89	0.00
46 T	Dibromomethane	50.000	45.416	9.2	87	0.00
47 T	Bromodichloromethane	50.000	45.293	9.4	86	0.00
48 T	Methyl methacrylate	50.000	47.820	4.4	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX010522\
 Data File : VX026365.D
 Acq On : 06 Jan 2022 08:34
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 06 12:26:43 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 30 08:02:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	819.025	18.1	76	0.00
50 S	Toluene-d8	50.000	46.665	6.7	96	0.00
51 T	4-Methyl-2-Pentanone	250.000	220.802	11.7	82	0.00
52 CM	Toluene	50.000	47.351	5.3#	89	0.00
53 T	t-1,3-Dichloropropene	50.000	41.578	16.8	83	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.303	7.4	86	0.00
55 T	1,1,2-Trichloroethane	50.000	46.310	7.4	88	0.00
56 T	Ethyl methacrylate	50.000	49.418	1.2	90	0.00
57 T	1,3-Dichloropropane	50.000	47.270	5.5	90	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	224.959	10.0	89	0.00
59 T	2-Hexanone	250.000	215.430	13.8	79	0.00
60 T	Dibromochloromethane	50.000	43.829	12.3	82	0.00
61 T	1,2-Dibromoethane	50.000	45.577	8.8	86	0.00
62 S	4-Bromofluorobenzene	50.000	48.508	3.0	100	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	56.720	-13.4	109	0.00
65 PM	Chlorobenzene	50.000	47.727	4.5	88	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.279	3.4	87	0.00
67 C	Ethyl Benzene	50.000	50.251	-0.5#	90	0.00
68 T	m/p-Xylenes	100.000	100.260	-0.3	89	0.00
69 T	o-Xylene	50.000	49.801	0.4	88	0.00
70 T	Styrene	50.000	50.344	-0.7	87	0.00
71 P	Bromoform	50.000	41.104	17.8	73	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	88	0.00
73 T	Isopropylbenzene	50.000	53.152	-6.3	88	0.00
74 T	N-ethyl acetate	50.000	51.139	-2.3	81	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	42.935	14.1	74	0.00
76 T	1,2,3-Trichloropropane	50.000	56.002	-12.0	96	0.00
77 T	Bromobenzene	50.000	51.381	-2.8	85	0.00
78 T	n-propylbenzene	50.000	52.824	-5.6	85	0.00
79 T	2-Chlorotoluene	50.000	51.754	-3.5	87	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.365	-6.7	87	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	33.124	33.8#	56	0.00
82 T	4-Chlorotoluene	50.000	52.720	-5.4	86	0.00
83 T	tert-Butylbenzene	50.000	50.903	-1.8	83	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.456	-6.9	88	0.00
85 T	sec-Butylbenzene	50.000	52.178	-4.4	85	0.00
86 T	p-Isopropyltoluene	50.000	52.585	-5.2	86	0.00
87 T	1,3-Dichlorobenzene	50.000	50.870	-1.7	84	0.00
88 T	1,4-Dichlorobenzene	50.000	47.833	4.3	81	0.00
89 T	n-Butylbenzene	50.000	49.990	0.0	81	0.00
90 T	Hexachloroethane	50.000	38.886	22.2	65	0.00
91 T	1,2-Dichlorobenzene	50.000	47.581	4.8	84	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	44.433	11.1	77	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.512	-1.0	84	0.00
94 T	Hexachlorobutadiene	50.000	47.772	4.5	81	0.00
95 T	Naphthalene	50.000	50.876	-1.8	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX010522\
Data File : VX026365.D
Acq On : 06 Jan 2022 08:34
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 55 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 06 12:26:43 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
Quant Title : SW846 8260
QLast Update : Thu Dec 30 08:02:21 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.654	0.7	82	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6