

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX011119\  
 Data File : VX007005.D  
 Acq On : 11 Jan 2019 11:30  
 Operator : JC/MD  
 Sample : VX0111WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0111WBL01

Quant Time: Jan 11 13:52:13 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 08 14:06:59 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 611892   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 946916   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 863950   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 428539   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 326933   | 51.12 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 102.24% |      |
| 35) Dibromofluoromethane    | 5.51   | 113 | 289206   | 47.69 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 95.38%  |      |
| 50) Toluene-d8              | 8.71   | 98  | 1114145  | 50.20 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.40% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 402678   | 52.04 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.08% |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX011119\  
Data File : VX007005.D  
Acq On : 11 Jan 2019 11:30  
Operator : JC/MD  
Sample : VX0111WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0111WBL01

Quant Time: Jan 11 13:52:13 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 08 14:06:59 2019  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.00 min

Lab File: VX007005.D

Acq: 11 Jan 2019 11:30

Instrument :

MSVOA\_X

ClientSampleId :


VX0111WBL01

Tot Ion:168 Resp: 611892

Ion Ratio Lower Upper

168 100

99 48.8 41.8 62.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

250000

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 51.125 ug/l

RT: 6.07 min Scan# 806

Delta R.T. -0.00 min

Lab File: VX007005.D


Acq: 11 Jan 2019 11:30

Tgt Ion: 65 Resp: 326933

Ion Ratio Lower Upper

65 100

67 53.4 0.0 105.0



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0


150000


100000

50000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.86 min Scan# 936

Delta R.T. -0.00 min

Lab File: VX007005.D

Acq: 11 Jan 2019 11:30

Instrument :

MSVOA\_X

ClientSampleId :

VX0111WBL01


Tot Ion:114 Resp: 946916

Ion Ratio Lower Upper

114 100

63 17.8 0.0 34.8




88 14.8 0.0 28.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 47.692 ug/l

RT: 5.51 min Scan# 714

Delta R.T. 0.01 min

Lab File: VX007005.D

Acq: 11 Jan 2019 11:30


Tgt Ion:113 Resp: 289206

Ion Ratio Lower Upper

113 100

111 102.9 81.6 122.4



192 22.1 16.7 25.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50  
Toluene-d8  
Concen: 50.196 ug/l  
RT: 8.71 min Scan# 1240  
Delta R.T. -0.00 min  
Lab File: VX007005.D  
Acq: 11 Jan 2019 11:30




Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0111WBL01


Tot Ion: 98 Resp: 1114145  
Ion Ratio Lower Upper  
98 100  
100 65.0 52.0 78.0



#62  
4-Bromofluorobenzene  
Concen: 52.038 ug/l  
RT: 11.13 min Scan# 1637  
Delta R.T. -0.00 min  
Lab File: VX007005.D  
Acq: 11 Jan 2019 11:30

Tgt Ion: 95 Resp: 402678  
Ion Ratio Lower Upper  
95 100  
174 90.5 0.0 182.2  
176 88.1 0.0 178.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.11 min Scan# 1469  
Delta R.T. -0.01 min  
Lab File: VX007005.D  
Acq: 11 Jan 2019 11:30

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0111WBL01

Tot Ion:117 Resp: 863950  
Ion Ratio Lower Upper  
117 100  
82 52.8 41.0 61.6  
119 31.9 25.4 38.0




Abundance Ion 116.90 (116.60 to 117.60): V  
Ion 82.00 (81.70 to 82.70): VX0  
Ion 118.90 (118.60 to 119.60): V



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 12.08 min Scan# 1792  
Delta R.T. -0.00 min  
Lab File: VX007005.D  
Acq: 11 Jan 2019 11:30

Tgt Ion:152 Resp: 428539  
Ion Ratio Lower Upper  
152 100  
115 54.9 39.1 117.2  
150 157.3 0.0 344.8



Abundance Ion 151.90 (151.60 to 152.60): V  
Ion 114.90 (114.60 to 115.60): V  
Ion 149.90 (149.60 to 150.60): V

