

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011221\
 Data File : VX020584.D
 Acq On : 12 Jan 2021 19:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 13 00:28:14 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X011121W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 11 15:05:37 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	50.000	53.225	-6.5	99	0.00
3 P	Chloromethane	50.000	53.813	-7.6	102	0.00
4 C	Vinyl Chloride	50.000	52.114	-4.2#	98	0.00
5 T	Bromomethane	50.000	49.565	0.9	94	0.00
6 T	Chloroethane	50.000	56.158	-12.3	101	0.00
7 T	Trichlorofluoromethane	50.000	51.514	-3.0	100	0.00
8 T	Diethyl Ether	50.000	49.719	0.6	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.339	-2.7	99	0.00
10 T	Methyl Iodide	50.000	50.450	-0.9	92	0.00
11 T	Tert butyl alcohol	250.000	251.341	-0.5	97	0.00
12 CM	1,1-Dichloroethene	50.000	51.017	-2.0#	99	0.00
13 T	Acrolein	250.000	247.732	0.9	97	0.00
14 T	Allyl chloride	50.000	49.748	0.5	97	0.00
15 T	Acrylonitrile	250.000	257.386	-3.0	99	0.00
16 T	Acetone	250.000	250.238	-0.1	96	0.00
17 T	Carbon Disulfide	50.000	49.754	0.5	96	0.00
18 T	Methyl Acetate	50.000	49.843	0.3	100	0.00
19 T	Methyl tert-butyl Ether	50.000	52.680	-5.4	99	0.00
20 T	Methylene Chloride	50.000	49.476	1.0	100	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.176	-2.4	99	0.00
22 T	Diisopropyl ether	50.000	52.851	-5.7	99	0.00
23 T	Vinyl Acetate	250.000	264.338	-5.7	98	0.00
24 P	1,1-Dichloroethane	50.000	50.802	-1.6	100	0.00
25 T	2-Butanone	250.000	250.372	-0.1	97	0.00
26 T	2,2-Dichloropropane	50.000	47.387	5.2	94	0.00
27 T	cis-1,2-Dichloroethene	50.000	54.471	-8.9	106	0.00
28 T	Bromochloromethane	50.000	49.518	1.0	98	0.00
29 T	Tetrahydrofuran	250.000	265.382	-6.2	99	0.00
30 C	Chloroform	50.000	50.536	-1.1#	99	0.00
31 T	Cyclohexane	50.000	52.495	-5.0	97	0.00
32 T	1,1,1-Trichloroethane	50.000	51.125	-2.3	100	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.414	1.2	101	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	100	0.00
35 S	Dibromofluoromethane	50.000	48.906	2.2	102	0.00
36 T	1,1-Dichloropropene	50.000	50.407	-0.8	99	0.00
37 T	Ethyl Acetate	50.000	49.685	0.6	99	0.00
38 T	Carbon Tetrachloride	50.000	49.503	1.0	99	0.00
39 T	Methylcyclohexane	50.000	51.649	-3.3	98	0.00
40 TM	Benzene	50.000	51.047	-2.1	99	0.00
41 T	Methacrylonitrile	50.000	51.377	-2.8	98	0.00
42 TM	1,2-Dichloroethane	50.000	50.552	-1.1	100	0.00
43 T	Isopropyl Acetate	50.000	50.549	-1.1	98	0.00
44 TM	Trichloroethene	50.000	49.138	1.7	98	0.00
45 C	1,2-Dichloropropane	50.000	50.745	-1.5#	100	0.00
46 T	Dibromomethane	50.000	50.531	-1.1	100	0.00
47 T	Bromodichloromethane	50.000	50.005	-0.0	99	0.00
48 T	Methyl methacrylate	50.000	52.245	-4.5	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011221\
 Data File : VX020584.D
 Acq On : 12 Jan 2021 19:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 13 00:28:14 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X011121W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 11 15:05:37 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1053.395	-5.3	100	0.00
50 S	Toluene-d8	50.000	50.917	-1.8	104	0.00
51 T	4-Methyl-2-Pentanone	250.000	275.308	-10.1	104	0.00
52 CM	Toluene	50.000	53.769	-7.5#	103	0.00
53 T	t-1,3-Dichloropropene	50.000	49.674	0.7	96	0.00
54 T	cis-1,3-Dichloropropene	50.000	50.607	-1.2	97	0.00
55 T	1,1,2-Trichloroethane	50.000	50.832	-1.7	100	0.00
56 T	Ethyl methacrylate	50.000	55.900	-11.8	104	0.00
57 T	1,3-Dichloropropane	50.000	50.187	-0.4	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	247.096	1.2	98	0.00
59 T	2-Hexanone	250.000	277.486	-11.0	103	0.00
60 T	Dibromochloromethane	50.000	51.407	-2.8	100	0.00
61 T	1,2-Dibromoethane	50.000	51.867	-3.7	101	0.00
62 S	4-Bromofluorobenzene	50.000	52.478	-5.0	116	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	97	0.00
64 T	Tetrachloroethene	50.000	47.489	5.0	97	0.00
65 PM	Chlorobenzene	50.000	51.183	-2.4	101	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.019	-2.0	107	0.00
67 C	Ethyl Benzene	50.000	54.833	-9.7#	111	0.00
68 T	m/p-Xylenes	100.000	109.826	-9.8	105	0.00
69 T	o-Xylene	50.000	55.486	-11.0	108	0.00
70 T	Styrene	50.000	56.645	-13.3	107	0.00
71 P	Bromoform	50.000	49.435	1.1	93	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	99	0.00
73 T	Isopropylbenzene	50.000	59.102	-18.2	115	0.00
74 T	N-ethyl acetate	50.000	48.543	2.9	90	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	55.868	-11.7	112	0.00
76 T	1,2,3-Trichloropropane	50.000	57.675	-15.3	114	0.00
77 T	Bromobenzene	50.000	53.666	-7.3	108	0.00
78 T	n-propylbenzene	50.000	57.961	-15.9	109	0.00
79 T	2-Chlorotoluene	50.000	58.316	-16.6	114	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.158	-4.3	99	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	54.975	-10.0	111	0.00
82 T	4-Chlorotoluene	50.000	49.548	0.9	97	0.00
83 T	tert-Butylbenzene	50.000	52.149	-4.3	99	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.467	-6.9	98	0.00
85 T	sec-Butylbenzene	50.000	51.324	-2.6	97	0.00
86 T	p-Isopropyltoluene	50.000	52.734	-5.5	97	0.00
87 T	1,3-Dichlorobenzene	50.000	48.483	3.0	96	0.00
88 T	1,4-Dichlorobenzene	50.000	47.938	4.1	98	0.00
89 T	n-Butylbenzene	50.000	48.947	2.1	94	0.00
90 T	Hexachloroethane	50.000	48.082	3.8	98	0.00
91 T	1,2-Dichlorobenzene	50.000	48.769	2.5	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.283	5.4	99	0.00
93 T	1,2,4-Trichlorobenzene	50.000	49.809	0.4	96	0.00
94 T	Hexachlorobutadiene	50.000	48.550	2.9	96	0.00
95 T	Naphthalene	50.000	48.129	3.7	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011221\
Data File : VX020584.D
Acq On : 12 Jan 2021 19:06
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 13 00:28:14 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X011121W.M
Quant Title : SW846 8260
QLast Update : Mon Jan 11 15:05:37 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	50.608	-1.2	99	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6