

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX011222\
 Data File : VX026435.D
 Acq On : 12 Jan 2022 10:44
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 13 05:52:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	50.000	50.374	-0.7	104	0.00
3 P	Chloromethane	50.000	51.118	-2.2	109	0.00
4 C	Vinyl Chloride	50.000	51.478	-3.0#	105	0.00
5 T	Bromomethane	50.000	51.321	-2.6	108	0.00
6 T	Chloroethane	50.000	48.393	3.2	101	0.00
7 T	Trichlorofluoromethane	50.000	50.681	-1.4	101	0.00
8 T	Diethyl Ether	50.000	50.654	-1.3	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	52.001	-4.0	105	0.00
10 T	Methyl Iodide	50.000	53.738	-7.5	116	0.00
11 T	Tert butyl alcohol	250.000	262.449	-5.0	103	0.01
12 CM	1,1-Dichloroethene	50.000	51.163	-2.3#	103	0.00
13 T	Acrolein	250.000	269.554	-7.8	118	0.00
14 T	Allyl chloride	50.000	51.795	-3.6	103	0.00
15 T	Acrylonitrile	250.000	248.992	0.4	102	0.00
16 T	Acetone	250.000	244.717	2.1	99	0.00
17 T	Carbon Disulfide	50.000	49.719	0.6	104	0.00
18 T	Methyl Acetate	50.000	48.987	2.0	102	0.00
19 T	Methyl tert-butyl Ether	50.000	50.331	-0.7	102	0.00
20 T	Methylene Chloride	50.000	48.646	2.7	104	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.899	-1.8	103	0.00
22 T	Diisopropyl ether	50.000	51.425	-2.8	104	0.00
23 T	Vinyl Acetate	250.000	261.596	-4.6	102	0.00
24 P	1,1-Dichloroethane	50.000	50.870	-1.7	102	0.00
25 T	2-Butanone	250.000	254.953	-2.0	101	0.00
26 T	2,2-Dichloropropane	50.000	51.794	-3.6	100	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.289	-2.6	102	0.00
28 T	Bromochloromethane	50.000	54.620	-9.2	109	0.00
29 T	Tetrahydrofuran	250.000	248.973	0.4	102	0.00
30 C	Chloroform	50.000	51.068	-2.1#	103	0.00
31 T	Cyclohexane	50.000	50.894	-1.8	105	0.00
32 T	1,1,1-Trichloroethane	50.000	52.627	-5.3	103	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.101	-0.2	101	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	104	0.00
35 S	Dibromofluoromethane	50.000	51.024	-2.0	101	0.00
36 T	1,1-Dichloropropene	50.000	51.897	-3.8	104	0.00
37 T	Ethyl Acetate	50.000	51.043	-2.1	102	-0.01
38 T	Carbon Tetrachloride	50.000	53.237	-6.5	103	0.00
39 T	Methylcyclohexane	50.000	52.962	-5.9	106	0.00
40 TM	Benzene	50.000	51.493	-3.0	104	0.00
41 T	Methacrylonitrile	50.000	52.770	-5.5	105	0.00
42 TM	1,2-Dichloroethane	50.000	50.608	-1.2	101	0.00
43 T	Isopropyl Acetate	50.000	51.458	-2.9	100	0.00
44 TM	Trichloroethene	50.000	51.569	-3.1	102	0.00
45 C	1,2-Dichloropropane	50.000	52.614	-5.2#	104	0.00
46 T	Dibromomethane	50.000	51.899	-3.8	103	0.00
47 T	Bromodichloromethane	50.000	52.693	-5.4	102	0.00
48 T	Methyl methacrylate	50.000	51.370	-2.7	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011222\
 Data File : VX026435.D
 Acq On : 12 Jan 2022 10:44
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 13 05:52:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1007.640	-0.8	98	0.00
50 S	Toluene-d8	50.000	51.039	-2.1	102	0.00
51 T	4-Methyl-2-Pentanone	250.000	255.199	-2.1	101	0.00
52 CM	Toluene	50.000	51.997	-4.0#	104	0.00
53 T	t-1,3-Dichloropropene	50.000	48.910	2.2	103	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.713	-9.4	103	0.00
55 T	1,1,2-Trichloroethane	50.000	51.339	-2.7	103	0.00
56 T	Ethyl methacrylate	50.000	53.270	-6.5	102	0.00
57 T	1,3-Dichloropropane	50.000	52.171	-4.3	104	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	252.515	-1.0	99	0.00
59 T	2-Hexanone	250.000	262.974	-5.2	102	0.00
60 T	Dibromochloromethane	50.000	53.757	-7.5	102	0.00
61 T	1,2-Dibromoethane	50.000	52.020	-4.0	103	0.00
62 S	4-Bromofluorobenzene	50.000	51.777	-3.6	103	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	104	0.00
64 T	Tetrachloroethene	50.000	52.821	-5.6	107	0.00
65 PM	Chlorobenzene	50.000	51.200	-2.4	104	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.428	-4.9	104	0.00
67 C	Ethyl Benzene	50.000	52.792	-5.6#	104	0.00
68 T	m/p-Xylenes	100.000	106.080	-6.1	105	0.00
69 T	o-Xylene	50.000	53.309	-6.6	105	0.00
70 T	Styrene	50.000	53.907	-7.8	104	0.00
71 P	Bromoform	50.000	48.839	2.3	105	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	105	0.00
73 T	Isopropylbenzene	50.000	51.399	-2.8	105	0.00
74 T	N-ethyl acetate	50.000	52.801	-5.6	101	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.404	-0.8	103	0.00
76 T	1,2,3-Trichloropropane	50.000	50.921	-1.8	102	0.00
77 T	Bromobenzene	50.000	50.623	-1.2	103	0.00
78 T	n-propylbenzene	50.000	52.165	-4.3	105	0.00
79 T	2-Chlorotoluene	50.000	50.683	-1.4	105	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.053	-4.1	106	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.317	5.4	102	0.00
82 T	4-Chlorotoluene	50.000	51.042	-2.1	105	0.00
83 T	tert-Butylbenzene	50.000	51.401	-2.8	103	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.855	-3.7	105	0.00
85 T	sec-Butylbenzene	50.000	53.120	-6.2	106	0.00
86 T	p-Isopropyltoluene	50.000	53.520	-7.0	106	0.00
87 T	1,3-Dichlorobenzene	50.000	50.796	-1.6	106	0.00
88 T	1,4-Dichlorobenzene	50.000	50.567	-1.1	104	0.00
89 T	n-Butylbenzene	50.000	55.007	-10.0	108	0.00
90 T	Hexachloroethane	50.000	48.751	2.5	104	0.00
91 T	1,2-Dichlorobenzene	50.000	51.714	-3.4	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.356	-4.7	101	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.395	-4.8	104	0.00
94 T	Hexachlorobutadiene	50.000	53.501	-7.0	109	0.00
95 T	Naphthalene	50.000	52.682	-5.4	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011222\
Data File : VX026435.D
Acq On : 12 Jan 2022 10:44
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 13 05:52:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	52.464	-4.9	106	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6