

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011722\
 Data File : VX026480.D
 Acq On : 17 Jan 2022 10:27
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 18 00:39:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	50.000	47.911	4.2	91	0.00
3 P	Chloromethane	50.000	47.418	5.2	93	0.00
4 C	Vinyl Chloride	50.000	48.798	2.4#	91	0.00
5 T	Bromomethane	50.000	47.879	4.2	93	0.00
6 T	Chloroethane	50.000	46.712	6.6	90	0.00
7 T	Trichlorofluoromethane	50.000	47.838	4.3	88	0.00
8 T	Diethyl Ether	50.000	48.376	3.2	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.089	-0.2	93	0.00
10 T	Methyl Iodide	50.000	53.862	-7.7	107	0.00
11 T	Tert butyl alcohol	250.000	214.373	14.3	78	0.01
12 CM	1,1-Dichloroethene	50.000	49.208	1.6#	91	0.00
13 T	Acrolein	250.000	236.293	5.5	95	0.00
14 T	Allyl chloride	50.000	50.718	-1.4	93	0.00
15 T	Acrylonitrile	250.000	252.449	-1.0	95	0.00
16 T	Acetone	250.000	266.763	-6.7	99	0.00
17 T	Carbon Disulfide	50.000	46.692	6.6	90	0.00
18 T	Methyl Acetate	50.000	49.194	1.6	94	0.00
19 T	Methyl tert-butyl Ether	50.000	48.439	3.1	90	0.00
20 T	Methylene Chloride	50.000	47.341	5.3	93	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.139	1.7	92	0.00
22 T	Diisopropyl ether	50.000	48.806	2.4	91	0.00
23 T	Vinyl Acetate	250.000	253.936	-1.6	91	0.00
24 P	1,1-Dichloroethane	50.000	49.023	2.0	91	0.00
25 T	2-Butanone	250.000	275.889	-10.4	101	0.00
26 T	2,2-Dichloropropane	50.000	52.041	-4.1	93	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.480	1.0	91	0.00
28 T	Bromochloromethane	50.000	51.473	-2.9	94	0.00
29 T	Tetrahydrofuran	250.000	259.061	-3.6	97	0.00
30 C	Chloroform	50.000	57.023	-14.0#	106	0.00
31 T	Cyclohexane	50.000	47.789	4.4	91	0.00
32 T	1,1,1-Trichloroethane	50.000	49.867	0.3	90	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.663	0.7	92	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	95	0.00
35 S	Dibromofluoromethane	50.000	51.166	-2.3	92	0.00
36 T	1,1-Dichloropropene	50.000	49.792	0.4	91	0.00
37 T	Ethyl Acetate	50.000	51.415	-2.8	93	0.00
38 T	Carbon Tetrachloride	50.000	51.718	-3.4	92	0.00
39 T	Methylcyclohexane	50.000	51.287	-2.6	93	0.00
40 TM	Benzene	50.000	49.893	0.2	92	0.00
41 T	Methacrylonitrile	50.000	51.955	-3.9	94	0.00
42 TM	1,2-Dichloroethane	50.000	49.467	1.1	90	0.00
43 T	Isopropyl Acetate	50.000	51.800	-3.6	92	0.00
44 TM	Trichloroethene	50.000	51.198	-2.4	93	0.00
45 C	1,2-Dichloropropane	50.000	50.808	-1.6#	92	0.00
46 T	Dibromomethane	50.000	51.415	-2.8	93	0.00
47 T	Bromodichloromethane	50.000	53.234	-6.5	94	0.00
48 T	Methyl methacrylate	50.000	52.332	-4.7	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX011722\
 Data File : VX026480.D
 Acq On : 17 Jan 2022 10:27
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 18 00:39:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1100.575	-10.1	98	0.00
50 S	Toluene-d8	50.000	51.763	-3.5	95	0.00
51 T	4-Methyl-2-Pentanone	250.000	267.964	-7.2	97	0.00
52 CM	Toluene	50.000	51.124	-2.2#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	49.688	0.6	96	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.886	-7.8	92	0.00
55 T	1,1,2-Trichloroethane	50.000	51.456	-2.9	94	0.00
56 T	Ethyl methacrylate	50.000	54.030	-8.1	94	0.00
57 T	1,3-Dichloropropane	50.000	51.721	-3.4	94	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	269.204	-7.7	96	0.00
59 T	2-Hexanone	250.000	290.339	-16.1	103	0.00
60 T	Dibromochloromethane	50.000	55.091	-10.2	96	0.00
61 T	1,2-Dibromoethane	50.000	52.633	-5.3	95	0.00
62 S	4-Bromofluorobenzene	50.000	55.660	-11.3	101	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	97	0.00
64 T	Tetrachloroethene	50.000	51.301	-2.6	97	0.00
65 PM	Chlorobenzene	50.000	50.667	-1.3	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.002	-4.0	96	0.00
67 C	Ethyl Benzene	50.000	51.465	-2.9#	95	0.00
68 T	m/p-Xylenes	100.000	104.217	-4.2	96	0.00
69 T	o-Xylene	50.000	52.353	-4.7	97	0.00
70 T	Styrene	50.000	53.884	-7.8	97	0.00
71 P	Bromoform	50.000	50.955	-1.9	102	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	102	0.00
73 T	Isopropylbenzene	50.000	48.938	2.1	97	0.00
74 T	N-ethyl acetate	50.000	51.491	-3.0	96	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.971	0.1	99	0.00
76 T	1,2,3-Trichloropropane	50.000	51.404	-2.8	100	0.00
77 T	Bromobenzene	50.000	49.515	1.0	98	0.00
78 T	n-propylbenzene	50.000	49.585	0.8	97	0.00
79 T	2-Chlorotoluene	50.000	49.064	1.9	99	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.254	-0.5	99	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.131	-0.3	106	0.00
82 T	4-Chlorotoluene	50.000	49.216	1.6	98	0.00
83 T	tert-Butylbenzene	50.000	50.290	-0.6	98	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.088	-0.2	98	0.00
85 T	sec-Butylbenzene	50.000	51.078	-2.2	99	0.00
86 T	p-Isopropyltoluene	50.000	52.124	-4.2	101	0.00
87 T	1,3-Dichlorobenzene	50.000	49.806	0.4	101	0.00
88 T	1,4-Dichlorobenzene	50.000	49.755	0.5	100	0.00
89 T	n-Butylbenzene	50.000	53.160	-6.3	102	0.00
90 T	Hexachloroethane	50.000	49.027	1.9	102	0.00
91 T	1,2-Dichlorobenzene	50.000	51.095	-2.2	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	53.075	-6.2	100	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.537	-5.1	102	0.00
94 T	Hexachlorobutadiene	50.000	53.511	-7.0	106	0.00
95 T	Naphthalene	50.000	53.249	-6.5	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011722\
Data File : VX026480.D
Acq On : 17 Jan 2022 10:27
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 18 00:39:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.382	-6.8	104	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6