

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011822\
 Data File : VX026494.D
 Acq On : 18 Jan 2022 10:23
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 18 10:46:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	50.000	47.543	4.9	95	0.00
3 P	Chloromethane	50.000	50.032	-0.1	103	0.00
4 C	Vinyl Chloride	50.000	49.395	1.2#	97	0.00
5 T	Bromomethane	50.000	49.883	0.2	102	0.00
6 T	Chloroethane	50.000	47.735	4.5	96	0.00
7 T	Trichlorofluoromethane	50.000	49.116	1.8	95	0.00
8 T	Diethyl Ether	50.000	50.378	-0.8	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.800	-3.6	101	0.00
10 T	Methyl Iodide	50.000	58.587	-17.2	124	0.00
11 T	Tert butyl alcohol	250.000	254.621	-1.8	97	0.00
12 CM	1,1-Dichloroethene	50.000	50.511	-1.0#	99	0.00
13 T	Acrolein	250.000	264.223	-5.7	112	0.00
14 T	Allyl chloride	50.000	50.591	-1.2	97	0.00
15 T	Acrylonitrile	250.000	249.749	0.1	99	0.00
16 T	Acetone	250.000	237.605	5.0	93	0.00
17 T	Carbon Disulfide	50.000	47.575	4.8	96	0.00
18 T	Methyl Acetate	50.000	49.504	1.0	100	0.00
19 T	Methyl tert-butyl Ether	50.000	49.395	1.2	97	0.00
20 T	Methylene Chloride	50.000	48.810	2.4	101	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.179	-0.4	98	0.00
22 T	Diisopropyl ether	50.000	50.586	-1.2	99	0.00
23 T	Vinyl Acetate	250.000	258.265	-3.3	98	0.00
24 P	1,1-Dichloroethane	50.000	50.147	-0.3	98	0.00
25 T	2-Butanone	250.000	253.582	-1.4	98	0.00
26 T	2,2-Dichloropropane	50.000	52.075	-4.2	97	0.00
27 T	cis-1,2-Dichloroethene	50.000	50.553	-1.1	97	0.00
28 T	Bromochloromethane	50.000	50.088	-0.2	96	0.00
29 T	Tetrahydrofuran	250.000	249.556	0.2	99	0.00
30 C	Chloroform	50.000	51.975	-4.0#	102	0.00
31 T	Cyclohexane	50.000	49.430	1.1	98	0.00
32 T	1,1,1-Trichloroethane	50.000	51.120	-2.2	97	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.167	3.7	94	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	99	0.00
35 S	Dibromofluoromethane	50.000	50.374	-0.7	95	0.00
36 T	1,1-Dichloropropene	50.000	51.251	-2.5	99	0.00
37 T	Ethyl Acetate	50.000	51.878	-3.8	99	0.00
38 T	Carbon Tetrachloride	50.000	52.886	-5.8	98	0.00
39 T	Methylcyclohexane	50.000	53.011	-6.0	101	0.00
40 TM	Benzene	50.000	51.372	-2.7	99	0.00
41 T	Methacrylonitrile	50.000	52.419	-4.8	99	0.00
42 TM	1,2-Dichloroethane	50.000	50.200	-0.4	96	0.00
43 T	Isopropyl Acetate	50.000	52.277	-4.6	97	0.00
44 TM	Trichloroethene	50.000	53.283	-6.6	101	0.00
45 C	1,2-Dichloropropane	50.000	52.307	-4.6#	99	0.00
46 T	Dibromomethane	50.000	52.135	-4.3	99	0.00
47 T	Bromodichloromethane	50.000	53.834	-7.7	100	0.00
48 T	Methyl methacrylate	50.000	51.998	-4.0	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011822\
 Data File : VX026494.D
 Acq On : 18 Jan 2022 10:23
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 18 10:46:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	991.638	0.8	92	0.00
50 S	Toluene-d8	50.000	50.570	-1.1	97	0.00
51 T	4-Methyl-2-Pentanone	250.000	262.355	-4.9	99	0.00
52 CM	Toluene	50.000	52.594	-5.2#	101	0.00
53 T	t-1,3-Dichloropropene	50.000	50.017	-0.0	101	0.00
54 T	cis-1,3-Dichloropropene	50.000	55.936	-11.9	101	0.00
55 T	1,1,2-Trichloroethane	50.000	53.173	-6.3	102	0.00
56 T	Ethyl methacrylate	50.000	53.763	-7.5	98	0.00
57 T	1,3-Dichloropropane	50.000	52.861	-5.7	101	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	265.493	-6.2	100	0.00
59 T	2-Hexanone	250.000	269.825	-7.9	100	0.00
60 T	Dibromochloromethane	50.000	55.419	-10.8	101	0.00
61 T	1,2-Dibromoethane	50.000	52.577	-5.2	99	0.00
62 S	4-Bromofluorobenzene	50.000	51.435	-2.9	98	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	100	0.00
64 T	Tetrachloroethene	50.000	54.974	-9.9	107	0.00
65 PM	Chlorobenzene	50.000	51.940	-3.9	102	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.261	-6.5	101	0.00
67 C	Ethyl Benzene	50.000	52.700	-5.4#	100	0.00
68 T	m/p-Xylenes	100.000	106.110	-6.1	101	0.00
69 T	o-Xylene	50.000	52.654	-5.3	100	0.00
70 T	Styrene	50.000	54.181	-8.4	100	0.00
71 P	Bromoform	50.000	49.926	0.1	103	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	100	0.00
73 T	Isopropylbenzene	50.000	51.590	-3.2	101	0.00
74 T	N-amyl acetate	50.000	52.798	-5.6	97	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.356	-0.7	99	0.00
76 T	1,2,3-Trichloropropane	50.000	51.301	-2.6	98	0.00
77 T	Bromobenzene	50.000	51.212	-2.4	100	0.00
78 T	n-propylbenzene	50.000	52.475	-5.0	102	0.00
79 T	2-Chlorotoluene	50.000	50.714	-1.4	101	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.068	-4.1	101	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	51.293	-2.6	107	0.00
82 T	4-Chlorotoluene	50.000	50.961	-1.9	100	0.00
83 T	tert-Butylbenzene	50.000	52.569	-5.1	101	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.861	-3.7	100	0.00
85 T	sec-Butylbenzene	50.000	53.388	-6.8	102	0.00
86 T	p-Isopropyltoluene	50.000	53.692	-7.4	102	0.00
87 T	1,3-Dichlorobenzene	50.000	51.464	-2.9	103	0.00
88 T	1,4-Dichlorobenzene	50.000	51.314	-2.6	102	0.00
89 T	n-Butylbenzene	50.000	54.961	-9.9	104	0.00
90 T	Hexachloroethane	50.000	50.273	-0.5	103	0.00
91 T	1,2-Dichlorobenzene	50.000	52.098	-4.2	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.994	-6.0	98	0.00
93 T	1,2,4-Trichlorobenzene	50.000	54.532	-9.1	104	0.00
94 T	Hexachlorobutadiene	50.000	54.713	-9.4	107	0.00
95 T	Naphthalene	50.000	53.563	-7.1	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011822\
Data File : VX026494.D
Acq On : 18 Jan 2022 10:23
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 18 10:46:19 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.578	-7.2	103	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6