

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX011924\
 Data File : VX039850.D
 Acq On : 19 Jan 2024 19:23
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 20 00:31:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 11 03:51:26 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	50.000	41.531	16.9	66	0.00
3 P	Chloromethane	50.000	39.995	20.0	67	0.00
4 C	Vinyl Chloride	50.000	43.241	13.5#	72	0.00
5 T	Bromomethane	50.000	50.775	-1.5	85	0.00
6 T	Chloroethane	50.000	48.419	3.2	76	0.00
7 T	Trichlorofluoromethane	50.000	48.152	3.7	81	0.00
8 T	Diethyl Ether	50.000	47.290	5.4	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	46.989	6.0	78	0.00
10 T	Methyl Iodide	50.000	48.548	2.9	75	0.00
11 T	Tert butyl alcohol	250.000	228.930	8.4	76	0.00
12 CM	1,1-Dichloroethene	50.000	47.103	5.8#	78	0.00
13 T	Acrolein	250.000	219.251	12.3	72	0.00
14 T	Allyl chloride	50.000	45.843	8.3	75	0.00
15 T	Acrylonitrile	250.000	241.539	3.4	79	0.00
16 T	Acetone	250.000	219.159	12.3	71	0.00
17 T	Carbon Disulfide	50.000	45.010	10.0	76	0.00
18 T	Methyl Acetate	50.000	50.777	-1.6	83	0.00
19 T	Methyl tert-butyl Ether	50.000	47.395	5.2	79	0.00
20 T	Methylene Chloride	50.000	47.200	5.6	80	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.823	2.4	82	0.00
22 T	Diisopropyl ether	50.000	47.821	4.4	80	0.00
23 T	Vinyl Acetate	250.000	244.063	2.4	78	0.00
24 P	1,1-Dichloroethane	50.000	47.961	4.1	79	0.00
25 T	2-Butanone	250.000	237.553	5.0	77	0.00
26 T	2,2-Dichloropropane	50.000	43.728	12.5	72	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.382	1.2	80	0.00
28 T	Bromochloromethane	50.000	49.462	1.1	81	0.00
29 T	Tetrahydrofuran	250.000	239.148	4.3	78	0.00
30 C	Chloroform	50.000	50.412	-0.8#	84	0.00
31 T	Cyclohexane	50.000	46.431	7.1	77	0.00
32 T	1,1,1-Trichloroethane	50.000	49.142	1.7	80	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.147	3.7	83	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	81	0.00
35 S	Dibromofluoromethane	50.000	50.708	-1.4	85	0.00
36 T	1,1-Dichloropropene	50.000	48.287	3.4	82	0.00
37 T	Ethyl Acetate	50.000	46.715	6.6	79	0.00
38 T	Carbon Tetrachloride	50.000	49.878	0.2	80	0.00
39 T	Methylcyclohexane	50.000	45.891	8.2	75	0.00
40 TM	Benzene	50.000	48.414	3.2	80	0.00
41 T	Methacrylonitrile	50.000	50.425	-0.8	77	0.00
42 TM	1,2-Dichloroethane	50.000	50.016	-0.0	81	0.00
43 T	Isopropyl Acetate	50.000	49.004	2.0	78	0.00
44 TM	Trichloroethene	50.000	49.450	1.1	81	0.00
45 C	1,2-Dichloropropane	50.000	48.465	3.1#	81	0.00
46 T	Dibromomethane	50.000	50.389	-0.8	82	0.00
47 T	Bromodichloromethane	50.000	52.077	-4.2	84	0.00
48 T	Methyl methacrylate	50.000	48.940	2.1	79	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX011924\
 Data File : VX039850.D
 Acq On : 19 Jan 2024 19:23
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 20 00:31:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 11 03:51:26 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	955.245	4.5	76	0.00
50 S	Toluene-d8	50.000	48.311	3.4	82	0.00
51 T	4-Methyl-2-Pentanone	250.000	245.800	1.7	79	0.00
52 CM	Toluene	50.000	50.377	-0.8#	81	0.00
53 T	t-1,3-Dichloropropene	50.000	50.830	-1.7	79	0.00
54 T	cis-1,3-Dichloropropene	50.000	50.450	-0.9	79	0.00
55 T	1,1,2-Trichloroethane	50.000	49.794	0.4	82	0.00
56 T	Ethyl methacrylate	50.000	50.227	-0.5	79	0.00
57 T	1,3-Dichloropropane	50.000	50.005	-0.0	82	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	236.050	5.6	74	0.00
59 T	2-Hexanone	250.000	249.088	0.4	78	0.00
60 T	Dibromochloromethane	50.000	55.505	-11.0	87	0.00
61 T	1,2-Dibromoethane	50.000	52.410	-4.8	84	0.00
62 S	4-Bromofluorobenzene	50.000	50.418	-0.8	84	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	83	0.00
64 T	Tetrachloroethene	50.000	49.153	1.7	86	0.00
65 PM	Chlorobenzene	50.000	49.573	0.9	83	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.806	-3.6	82	0.00
67 C	Ethyl Benzene	50.000	49.715	0.6#	82	0.00
68 T	m/p-Xylenes	100.000	99.173	0.8	82	0.00
69 T	o-Xylene	50.000	48.645	2.7	81	0.00
70 T	Styrene	50.000	50.851	-1.7	83	0.00
71 P	Bromoform	50.000	54.700	-9.4	84	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	88	0.00
73 T	Isopropylbenzene	50.000	46.059	7.9	82	0.00
74 T	N-ethyl acetate	50.000	46.240	7.5	78	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	45.920	8.2	82	0.00
76 T	1,2,3-Trichloropropane	50.000	45.792	8.4	82	0.00
77 T	Bromobenzene	50.000	46.361	7.3	84	0.00
78 T	n-propylbenzene	50.000	46.571	6.9	81	0.00
79 T	2-Chlorotoluene	50.000	44.317	11.4	82	0.00
80 T	1,3,5-Trimethylbenzene	50.000	46.751	6.5	83	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	43.099	13.8	73	0.00
82 T	4-Chlorotoluene	50.000	46.294	7.4	84	0.00
83 T	tert-Butylbenzene	50.000	46.651	6.7	83	0.00
84 T	1,2,4-Trimethylbenzene	50.000	46.938	6.1	82	0.00
85 T	sec-Butylbenzene	50.000	47.462	5.1	83	0.00
86 T	p-Isopropyltoluene	50.000	47.914	4.2	83	0.00
87 T	1,3-Dichlorobenzene	50.000	48.176	3.6	87	0.00
88 T	1,4-Dichlorobenzene	50.000	46.634	6.7	86	0.00
89 T	n-Butylbenzene	50.000	48.244	3.5	83	0.00
90 T	Hexachloroethane	50.000	48.746	2.5	82	0.00
91 T	1,2-Dichlorobenzene	50.000	46.437	7.1	85	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.123	5.8	81	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.776	2.4	88	0.00
94 T	Hexachlorobutadiene	50.000	48.770	2.5	86	0.00
95 T	Naphthalene	50.000	46.731	6.5	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX011924\
Data File : VX039850.D
Acq On : 19 Jan 2024 19:23
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 20 00:31:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011024W.M
Quant Title : SW846 8260
QLast Update : Thu Jan 11 03:51:26 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	46.588	6.8	84	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6