

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX012119\  
 Data File : VX007152.D  
 Acq On : 21 Jan 2019 12:17  
 Operator : JC/SP  
 Sample : K1198-06  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 EB01-20190114

Quant Time: Jan 22 10:46:50 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 08 14:06:59 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 569815   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 870328   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 821129   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 411259   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 300833   | 50.52 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 101.04% |          |
| 35) Dibromofluoromethane    | 5.50  | 113  | 269660   | 48.38 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 96.76%  |          |
| 50) Toluene-d8              | 8.71  | 98   | 1036621  | 50.81 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 101.62% |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 375968   | 52.86 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 105.72% |          |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX012119\  
Data File : VX007152.D  
Acq On : 21 Jan 2019 12:17  
Operator : JC/SP  
Sample : K1198-06  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
EB01-20190114

Quant Time: Jan 22 10:46:50 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 08 14:06:59 2019  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.00 min

Lab File: VX007152.D

Acq: 21 Jan 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :


EB01-20190114

Tot Ion:168 Resp: 569815

Ion Ratio Lower Upper

168 100

99 46.5 41.8 62.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 50.517 ug/l

RT: 6.07 min Scan# 806

Delta R.T. -0.00 min

Lab File: VX007152.D


Acq: 21 Jan 2019 12:17

Tgt Ion: 65 Resp: 300833

Ion Ratio Lower Upper

65 100

67 53.2 0.0 105.0



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0


6.07


100000

50000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.86 min Scan# 936

Delta R.T. -0.00 min

Lab File: VX007152.D

Acq: 21 Jan 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :

EB01-20190114


Tot Ion:114 Resp: 870328

Ion Ratio Lower Upper

114 100

63 17.6 0.0 34.8




88 14.8 0.0 28.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 48.382 ug/l

RT: 5.50 min Scan# 713

Delta R.T. 0.00 min

Lab File: VX007152.D

Acq: 21 Jan 2019 12:17


Tgt Ion:113 Resp: 269660

Ion Ratio Lower Upper

113 100

111 101.7 81.6 122.4



192 22.5 16.7 25.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.813 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. -0.00 min

Lab File: VX007152.D

Acq: 21 Jan 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :





EB01-20190114

Tot Ion: 98 Resp: 1036621

Ion Ratio Lower Upper

98 100

100 64.3 52.0 78.0



#62

4-Bromofluorobenzene

Concen: 52.862 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. -0.00 min

Lab File: VX007152.D

Acq: 21 Jan 2019 12:17




Tgt Ion: 95 Resp: 375968


Ion Ratio Lower Upper

95 100

174 94.3 0.0 182.2

176 90.9 0.0 178.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.11 min Scan# 1469  
Delta R.T. -0.01 min  
Lab File: VX007152.D  
Acq: 21 Jan 2019 12:17

Instrument :  
MSVOA\_X  
ClientSampleId :  
EB01-20190114

Tot Ion:117 Resp: 821129  
Ion Ratio Lower Upper  
117 100  
82 51.7 41.0 61.6  
119 32.0 25.4 38.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 12.08 min Scan# 1792  
Delta R.T. -0.00 min  
Lab File: VX007152.D  
Acq: 21 Jan 2019 12:17

Tgt Ion:152 Resp: 411259  
Ion Ratio Lower Upper  
152 100  
115 54.5 39.1 117.2  
150 157.5 0.0 344.8

