

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012125\
 Data File : VX044682.D
 Acq On : 21 Jan 2025 15:39
 Operator :
 Sample : VX0121WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Jan 22 01:38:11 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML012125WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 22 01:17:07 2025
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.751	114	253579	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.049	117	204688	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	77555	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	110263	50.384	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	= 100.760%		
7) Chloroethane-d5	1.648	69	17525	31.084	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	= 62.160%#		
11) 1,1-Dichloroethene-d2	2.288	65	34597	41.873	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 83.740%		
21) 2-Butanone-d5	4.459	46	124576	113.556	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	= 113.560%		
24) Chloroform-d	5.044	84	177672	49.120	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 98.240%		
26) 1,2-Dichloroethane-d4	5.946	65	117549	49.273	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 98.540%		
32) Benzene-d6	5.958	84	376184	55.069	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 110.140%		
36) 1,2-Dichloropropane-d6	7.299	67	119108	55.164	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	= 110.320%		
41) Toluene-d8	8.641	98	318094	52.089	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 104.180%		
43) trans-1,3-Dichloroprop...	8.946	79	55775	50.403	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 100.800%		
47) 2-Hexanone-d5	9.391	63	76322	123.038	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	= 123.040%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	147661	56.733	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	= 113.460%		
66) 1,2-Dichlorobenzene-d4	12.317	152	87737	52.643	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 105.280%		
Target Compounds						
44) trans-1,3-Dichloropropene	8.946	75	2925	1.210	ug/L	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012125\
Data File : VX044682.D
Acq On : 21 Jan 2025 15:39
Operator :
Sample : VX0121WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :


Quant Time: Jan 22 01:38:11 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML012125WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 22 01:17:07 2025
Response via : Initial Calibration





#44
 trans-1,3-Dichloropropene
 Concen: 1.210 ug/L
 RT: 8.946 min Scan# 11
 Delta R.T. -0.030 min
 Lab File: VX044682.D
 Acq: 21 Jan 2025 15:39

Instrument :
 MSVOA_X
 ClientSampleId :



Tgt Ion: 75 Resp: 2925
 Ion Ratio Lower Upper
 75 100
 77 34.6 22.4 41.6

