

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX012219\  
 Data File : VX007177.D  
 Acq On : 22 Jan 2019 13:16  
 Operator : JC/SP  
 Sample : K1214-07  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 SA-TB02-20190117

Quant Time: Jan 23 00:49:48 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 08 14:06:59 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 543555   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 842589   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 788981   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 395492   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 285969   | 50.34 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.68% |      |
| 35) Dibromofluoromethane    | 5.50   | 113 | 261397   | 48.44 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 96.88%  |      |
| 50) Toluene-d8              | 8.71   | 98  | 1000567  | 50.66 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 101.32% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 359855   | 52.26 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.52% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX012219\  
Data File : VX007177.D  
Acq On : 22 Jan 2019 13:16  
Operator : JC/SP  
Sample : K1214-07  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
SA-TB02-20190117

Quant Time: Jan 23 00:49:48 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X010819W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 08 14:06:59 2019  
Response via : Initial Calibration

